



**HYBEC**<sup>®</sup>  
lighting the future

**BE THE LIGHT THAT HELPS OTHERS SEE.**

---

**ELITE & ECO-BRITE SERIES**

**2024**



## INDOOR LED LIGHTING

CATEGORY	PAGE
LED MODULE LIGHT	01
HOUSING RING	01
LED RECESSED DOWNLIGHT - SMD	02-04
LED RECESSED DOWNLIGHT - SMD TRIMLESS	04
LED RECESSED DOWNLIGHT - SMD CCT TUNABLE	04
LED RECESSED DOWNLIGHT - TITANIUM BK REF.	05
LED RECESSED DOWNLIGHT - WALL WASHERS	05-06
LED CABINET SPOT LIGHT	06-07
LED RECESSED DOWNLIGHT - COB'S	08-18
LED FOOT LIGHT	19
<b>LED HUB</b>	20-22
LED MODULE LIGHT	
LED CABINET SPOT LIGHT	
LED RECESSED DOWNLIGHT (COB'S ANTIGLARE RD. COLOUR CHANGING)	
LED RECESSED DOWNLIGHT (ANTIGLARE ROUND)	
LED RECESSED DOWNLIGHT (FIXED ROUND)	
LED RECESSED DOWNLIGHT (COB'S EYEBALL)	
LED RECESSED DOWNLIGHT (COB+SMD 2 IN 1)	
LED RECESSED DOWNLIGHT (ANTIGLARE SMD)	
LED RECESSED DOWNLIGHT (FIXED SMD)	
LED HIGH-BAY LIGHT (COB HIGH-BAY WITH LENS)	
LED MOTION SENSOR BATTEN LIGHT	
LED RECESSED DOWNLIGHT - COB'S - REFLECTOR SERIES - WALL WASHER SERIES - EYE-BALL SERIES - GRILLE LIGHT SERIES	23-28
LED TRACK LIGHT SERIES	29
TRACK PATTI 1MTR & 2MTR 2 WIRE 1 PHASE TRACK PATTI	29
LED TRACK LIGHT	30-34
SURFACE TRACK PATTI 1MTR & 2MTR 3 WIRE 1 PHASE & 4 WIRE 3 PHASE TRACK PATTI	34-35
DC48V 6MM SLIM MAGNETIC SURFACE TRACK 1MTR & 2MTR TRACK PATTI	36-37
LED SURFACE SPOT LIGHT	38-42
LED ARCHITECTURAL WALL & HANGING LIGHT	43-56
LED ARCHITECTURAL SURFACE CEILING LIGHT	57

## LED STRIP & PROFILE LIGHTING

CATEGORY	PAGE
LED STRIP LIGHT	58
EMPTY PROFILE & LED PROFILE LIGHT	58-61

## ARCHITECTURAL LIGHTING & DRIVERS

CATEGORY	PAGE
LED SURFACE & RECESSED LIGHT	62-91
LED CONCEALED, SURFACE, SUSPENDED LIGHT	92-116
LED HANGING LIGHT	117-127
LED TRUNKING LIGHT	128
LED SUSPENDED & SURFACE LIGHT	129-134
LED DRIVER	135-138

## OUTDOOR LED LIGHTING

CATEGORY	PAGE
LED GATE, BOLLARD & WALL LIGHT	139-146
LED SURFACE CEILING LIGHT	147-148
LED SURFACE WALL LIGHT	148-155
LED FOOT / STEP LIGHT & GARDEN SPIKE LIGHT	156-158
LED CONCEALED FOOT / STEP LIGHT	158/160
LED UNDERWATER CONCEALED LIGHT	160-161
LED UNDERWATER SURFACE LIGHT	161
LED RECESSED CANOPY LIGHT	162
LED LANDSCAPE PATH LIGHT	162-163
LED LINEAR IP RATED PROFILE LIGHT (IP65)	164-170
LED LINEAR WALL WASHER LIGHT	171
LED BULKHEAD LIGHT	171-172
LED FLOOD & STREET LIGHT	172-174

## NON-LED OUTDOOR LIGHTING

CATEGORY	PAGE
GATE, BOLLARD & WALL LIGHT	175-177
BULK-HEAD LIGHT	177
UP-DOWN LIGHT	178
GARDEN SPIKE LIGHT	178

## ECO-BRITE INDOOR & OUTDOOR LIGHTING

CATEGORY	PAGE
ECO-BRITE SERIES	179-195



# NEW INDOOR & OUTDOOR - LED LIGHT FIXTURES

Elite Series

**HYBEC**<sup>®</sup>

lighting the future

## HYBEC ARRIVED & COMING SOON NEW PRODUCTS LIST

<p><b>NEW</b> NEW VERSION</p>  <p>Body Colour : White + Gun Black Reflector</p> <p><b>HLR-2361 (10W)</b></p>	<p><b>NEW</b> NEW VERSION</p>  <p>Body Colour : White + Gun Black Reflector</p> <p><b>HLR-2362 (15W)</b></p>	<p><b>NEW</b> NEW VERSION</p>  <p>Body Colour : White + Gun Black Reflector</p> <p><b>HLR-2363 (22W)</b></p>	<p><b>NEW</b></p> <p>INPUT VOLTAGE : 12V</p>  <p>Body Colour : White / Gun Black</p> <p><b>HLR-2455 (1W)</b></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black Reflector Colour Available : Matt White / Matt Black / Golden / Copper / Black Chrome</p> <p><b>HLR-2504 (5W / 7W)</b></p>	<p><b>NEW</b> NEW VERSION</p>  <p>Body Colour : White / Black Reflector Colour Available : Matt White / Matt Black / Golden / Copper / Black Chrome</p> <p><b>HLR-2505 (9W / 10W)</b></p>
<p><b>NEW</b> NEW VERSION</p>  <p>Body Colour : White / Black Reflector Colour Available : Matt White / Matt Black / Golden / Copper / Black Chrome</p> <p><b>HLR-2506 (12W / 15W)</b></p>	<p><b>NEW</b> NEW VERSION</p>  <p>Body Colour : White / Black Reflector Colour Available : Matt White / Matt Black / Golden / Copper / Black Chrome</p> <p><b>HLR-2508 (22W / 30W)</b></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Reflector Colour Available : White / Black / Brass Gold / Copper / Brown</p> <p><b>HLR-2516 (7W)</b> <span>IP54</span></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Reflector Colour Available : White / Black / Brass Gold / Copper / Brown</p> <p><b>HLR-2517 (12W)</b> <span>IP54</span></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Reflector Colour Available : White / Black / Brass Gold / Copper / Brown</p> <p><b>HLR-2518 (18W)</b> <span>IP54</span></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black</p> <p><b>HLR-2561 (5W)</b></p>
<p><b>NEW</b></p>  <p>Body Colour : White / Black</p> <p><b>HLR-2562 (10W)</b></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black</p> <p><b>HLR-2563 (15W)</b></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black</p> <p><b>HLR-2564 (22W)</b></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black</p> <p><b>HLR-2567 (10W)</b></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black</p> <p><b>HLR-2568 (15W)</b></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black (With Honeycomb)</p> <p><b>HLR-2571 (5W)</b></p>
<p><b>NEW</b></p>  <p>Body Colour : White / Black (With Honeycomb)</p> <p><b>HLR-2573 (8W)</b></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black (With Honeycomb)</p> <p><b>HLR-2574 (12W)</b></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black</p> <p><b>HLR-2576 (10W)</b></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black</p> <p><b>HLR-2577 (15W)</b></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black</p> <p><b>HLR-2578 (22W)</b></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Ring Available : White+White / Black+Black</p> <p><b>HLR-2580 (3W)</b></p>
<p><b>NEW</b></p>  <p>Housing Colour : Black Ring Available : White+White / Black+Black Reflectors Available : Matt White / Gun Black</p> <p><b>HLR-2582 (8W)</b></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Ring Available : White+White / Black+Black Reflectors Available : Matt White / Gun Black</p> <p><b>HLR-2583 (12W)</b></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Ring Available : White+White / Black+Black</p> <p><b>HLR-2585 (8W)</b></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Ring Available : White+White / Black+Black</p> <p><b>HLR-2586 (12W)</b></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Ring Available : White+Black / Black+Black</p> <p><b>HLR-2588 (3W)</b></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Ring Available : White+Black / Black+Black</p> <p><b>HLR-2589 (8W)</b></p>
<p><b>NEW</b></p>  <p>Housing Colour : Grey Ring Available : White / Black Reflectors Available : White / Black</p> <p><b>HLR-2590 (3W)</b></p>	<p><b>NEW</b></p>  <p>Housing Colour : Grey Ring Available : White / Black Reflectors Available : White / Black</p> <p><b>HLR-2591 (3W)</b></p>	<p><b>NEW</b></p>  <p><b>FIXED DOWNLIGHT</b> Body Colour : White / Black Reflectors Available : Titanium Black</p> <p><b>HLR-2595 (18W / 25W)</b></p>	<p><b>NEW</b></p>  <p><b>FIXED DOWNLIGHT</b> Body Colour : White / Black Reflectors Available : Titanium Black</p> <p><b>HLR-2596 (30W / 35W)</b></p>	<p><b>NEW</b></p>  <p><b>TILTABLE DOWNLIGHT</b> Body Colour : White / Black Reflectors Available : Titanium Black</p> <p><b>HLR-2597 (18W / 25W)</b></p>	<p><b>NEW</b></p>  <p><b>TILTABLE DOWNLIGHT</b> Body Colour : White / Black Reflectors Available : Titanium Black</p> <p><b>HLR-2598 (30W / 35W)</b></p>
<p><b>NEW</b></p>  <p>Housing : Black Ring Colour Available : White / Black Reflectors Available : Gun Black</p> <p><b>HLR-2624 (5W)</b></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Ring Available : White / Black</p> <p><b>HLR-2649 (5W)</b></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Ring Available : White / Black</p> <p><b>HLR-2650 (10W)</b></p>	<p><b>NEW</b></p>  <p>Housing Colour : Black Body Colour : White / Black</p> <p><b>HLR-2676 (9W)</b> <span>IP65</span></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black</p> <p><b>HLR-2711 (8W)</b></p>	<p><b>NEW</b></p>  <p>Body Colour : White / Black</p> <p><b>HLR-2712 (12W)</b></p>



# NEW INDOOR & OUTDOOR - LED LIGHT FIXTURES

Elite Series

**HYBEC**<sup>®</sup>

lighting the future

## HYBEC ARRIVED & COMING SOON NEW PRODUCTS LIST

 <p>Body Colour : White / Black</p> <p><b>HLR-2713 (10W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLR-2715 (10W)</b></p>	 <p>Body Colour : White / Black Reflectors Available : Black</p> <p><b>HLR-2728 (3W)</b></p>	 <p>Body Colour : White / Black Reflectors Available : Black</p> <p><b>HLR-2729 (5W)</b></p>	 <p>Body Colour : White / Black Reflectors Available : Black</p> <p><b>HLR-2730 (10W)</b></p>	 <p>Body Colour : White / Black Reflectors Available : Black Chrome</p> <p><b>HLR-2731 (12W)</b></p>
 <p>Body Colour : White / Black Reflectors Available : Black Chrome</p> <p><b>HLR-2733 (12W)</b></p>	 <p>Body Colour : White / Black Reflectors Available : Black Chrome</p> <p><b>HLR-2734 (2x12W)</b></p>	 <p>Body Colour : White / Black Reflectors Available : Titanium Black</p> <p><b>HLR-2736 (7W)</b></p>	 <p>Body Colour : White / Black Reflectors Available : Titanium Black</p> <p><b>HLR-2737 (2x7W)</b></p>	 <p>Body Colour : White / Black Reflectors Available : Titanium Black</p> <p><b>HLR-2738 (3x7W)</b></p>	 <p>Body Colour : White / Black Reflectors Available : Titanium Black</p> <p><b>HLR-2739 (4x7W)</b></p>
 <p>Body Colour : White / Black Reflectors Available : Titanium Black</p> <p><b>HLR-2741 (15x2W)</b></p>	 <p>Body Colour : White / Black Reflectors Available : Titanium Black</p> <p><b>HLR-2742 (30x2W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLR-2751 (20W / 25W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLR-2752 (30W / 35W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLR-2753 (40W / 45W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLR-2755 (20W / 25W)</b></p>
 <p>Body Colour : White / Black</p> <p><b>HLR-2756 (30W / 35W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLR-2757 (30W / 35W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLR-2758 (2x30W / 2x35W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLF-3320 (3W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLT-4042 (40W / 45W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLT-4078 (18W / 25W)</b></p>
 <p>Body Colour : White / Black</p> <p><b>HLT-4079 (30W / 35W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLT-4082 (20W / 25W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLT-4083 (30W / 35W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLT-4084 (40W / 45W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>HLT-2998 (30W / 35W)</b></p>	 <p>Body Colour : White / Black</p> <p><b>TR-4201 (1 MTR TRACK)</b></p>
 <p>Body Colour : White / Black</p> <p><b>TR-4202 (2 MTR TRACK)</b></p>	 <p>Body Colour : White / Black</p> <p><b>TR-4203 (STRAIGHT I CONNECTOR)</b></p>	 <p>Body Colour : White / Black</p> <p><b>TR-4204 (L CONNECTOR)</b></p>	 <p>Body Colour : White / Black</p> <p><b>TR-4205 (T CONNECTOR)</b></p>	 <p>Body Colour : White / Black</p> <p><b>TR-4206 (X CONNECTOR)</b></p>	 <p>Body Colour : White / Black</p> <p><b>TR-4207 (WALL TO WALL CONNECTOR)</b></p>
 <p>Body Colour : White / Black</p> <p><b>TR-4213 (DRIVER COVER)</b></p>	 <p>ADJUSTABLE TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4221 (9W)</b></p>	 <p>ADJUSTABLE TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4222 (18W)</b></p>	 <p>FIXED TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4223 (6W)</b></p>	 <p>FIXED TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4224 (6W)</b></p>	 <p>HANGING TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4225 (7W)</b></p>



# NEW INDOOR & OUTDOOR - LED LIGHT FIXTURES

Elite Series

**HYBEC**<sup>®</sup>

lighting the future

## HYBEC ARRIVED & COMING SOON NEW PRODUCTS LIST

<p><b>NEW</b></p> <p>DC 48V 6MM SLIM LED TRACK LIGHTS</p>  <p>LINEAR TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4227 (12W)</b></p>	<p><b>NEW</b></p> <p>DC 48V 6MM SLIM LED TRACK LIGHTS</p>  <p>LINEAR TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4228 (18W)</b></p>	<p><b>NEW</b></p> <p>DC 48V 6MM SLIM LED TRACK LIGHTS</p>  <p>LINEAR TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4229 (24W)</b></p>	<p><b>NEW</b></p> <p>DC 48V 6MM SLIM LED TRACK LIGHTS</p>  <p>ADJUSTABLE LINEAR TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4231 (12W)</b></p>	<p><b>NEW</b></p> <p>DC 48V 6MM SLIM LED TRACK LIGHTS</p>  <p>LINEAR DIFFUSED TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4235 (10W)</b></p>	<p><b>NEW</b></p> <p>DC 48V 6MM SLIM LED TRACK LIGHTS</p>  <p>LINEAR DIFFUSED TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4236 (20W)</b></p>
<p><b>NEW</b></p> <p>DC 48V 6MM SLIM LED TRACK LIGHTS</p>  <p>LINEAR DIFFUSED TRACK SPOT LIGHT Body Colour : White / Black</p> <p><b>HLT-4237 (30W)</b></p>	<p><b>NEW</b></p> <p>DC 48V 6MM SLIM LED TRACK LIGHTS</p>  <p>DECORAVITE TRACK TUBE LIGHT Body Colour : White / Black</p> <p><b>HLT-4240 (16W)</b></p>	<p><b>NEW</b></p> <p>DC 48V 6MM SLIM LED TRACK LIGHTS</p>  <p>DC 48V-100W (180-265V) DRIVER FOR 6MM SLIM TRACK LIGHT SERIES</p> <p><b>HLD-4211 (100W)</b></p>	<p><b>NEW</b></p> <p>DC 48V 6MM SLIM LED TRACK LIGHTS</p>  <p>DC 48V-200W (180-265V) DRIVER FOR 6MM SLIM TRACK LIGHT SERIES</p> <p><b>HLD-4212 (200W)</b></p>	<p><b>NEW</b> COMING SOON</p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3050 (20W / 25W)</b></p>	<p><b>NEW</b> COMING SOON</p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3051 (30W / 35W)</b></p>
<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black Reflectors Available : Black Chrome</p> <p><b>HLS-3267 (8W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black Reflectors Available : Black Chrome</p> <p><b>HLS-3268 (12W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black Reflectors Available : Black Chrome</p> <p><b>HLS-3269 (18W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3275 (Up 5W + Down 20W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3277 (Up 2W + Down 10W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3278 (Up 2W + Down 16W)</b></p>
<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3280 (Up 3W + Down 7W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3281 (15W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3282 (25W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3283 (35W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3284 (40W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3287 (15W)</b></p>
<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3288 (25W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black / Brown / Copper / Brass Gold</p> <p><b>HLS-3290 (8W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3291 (12W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3292 (2x12W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p>Body Colour : White / Black</p> <p><b>HLS-3293 (3x12W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p><b>HLA-3461 (7W)</b></p>
<p><b>NEW</b></p> <p>LH</p>  <p><b>HLA-3462 (9W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p><b>HLA-3463 (12W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p><b>HLA-3731 (3x5W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p><b>HLA-3732 (13W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p><b>HLA-3733 (25W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p><b>HLA-3734 (25W)</b></p>
<p><b>NEW</b></p> <p>LH</p>  <p><b>HLA-3735 (25W)</b></p>	<p><b>NEW</b></p> <p>LH</p>  <p><b>HLA-3736 (38W)</b></p>	<p><b>NEW</b></p> <p>IP20</p>  <p>Colour : TUNABLE (2700K-6500K) 2835 - 24V, 120 LED/Mtr   8mm White PCB</p> <p><b>HLL-4518 (10W/M)</b></p>	<p><b>NEW</b></p> <p>IP20</p>  <p>Colour : TUNABLE (2700K-6500K) 2835 - 24V, 192 LED/Mtr   8mm White PCB</p> <p><b>HLL-4519 (20W/M)</b></p>	<p><b>NEW</b> COMING SOON</p>  <p><b>HLO-5023 (13W)</b></p>	<p><b>NEW</b> COMING SOON</p>  <p><b>HLO-5024 (13W)</b></p>



# NEW INDOOR & OUTDOOR - LED LIGHT FIXTURES

Elite Series

**HYBEC**<sup>®</sup>

lighting the future

## HYBEC ARRIVED & COMING SOON NEW PRODUCTS LIST

 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>	 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>
HLO-5025 (30W)	HLO-5026 (30W)	HLO-5137 (7W)	HLO-5187 (12W)	HLO-5188 (12W)	HLO-5189 (12W)
 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>
HLO-5190 (12W)	HLO-5374 (3W)	HLO-5415 (12x2W)	HLO-5416 (12W)	HLO-5492 (20W)	HLO-5494 (12W)
 <p>NEW</p>	 <p>NEW</p>	 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>	 <p>NEW</p>
HLO-5495 (12W)	HLO-5496 (24W)	HLO-5525 (13W)	HLO-5526 (20W)	HLO-5527 (30W)	HLO-5528 (18W)
 <p>NEW</p>	 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>
HLO-5569 (13W)	HLO-5930 (7W)	HLO-5931 (7W)	HLO-5932 (20W)	HLO-5933 (20W)	HLO-5934 (30W)
 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>	 <p>NEW COMING SOON</p>
HLO-5935 (30W)	HLO-5936 (13W)	HLO-5937 (13W)	HLO-5938 (13W)	HLO-5939 (20W)	HLO-5940 (20W)
 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>
HLO-6075 (3W)	HLO-6076 (3W)	HLO-6077 (3W)	HLO-6078 (3W)	HLO-6079 (6W)	HLO-6080 (10W)
 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>	 <p>NEW</p>
HLO-6081 (13W)	HLO-6082 (7W)	HLO-6223 (12x2W)	HLO-6225 (12x3W)	HLO-6512 (3x3W)	HLO-6514 (6x3W)



# NEW INDOOR & OUTDOOR - LED LIGHT FIXTURES

Elite Series

**HYBEC**<sup>®</sup>

lighting the future

## HYBEC ARRIVED & COMING SOON NEW PRODUCTS LIST



HLO-6516 (12x2W)



HLO-6518 (12x3W)



HLO-6950 (5W to 20W/MTR)



HLO-6952 (5W to 20W/MTR)



HLO-6954 (5W to 20W/MTR)



HLO-6956 (5W to 20W/MTR)



HLO-6958 (5W to 20W/MTR)



HLO-6960 (5W to 20W/MTR)



HLO-6962 (5W to 30W/MTR)



HLO-6964 (10W to 30W/MTR)



HLO-6966 (10W to 30W/MTR)



HLO-6968 (15W to 30W/MTR)



HLO-6970 (5W to 20W/MTR)



HLO-6972 (5W to 20W/MTR)



HLO-6974 (5W to 20W/MTR)



HLO-6976 (5W to 20W/MTR)



HLO-6978 (10W to 20W/MTR)



HLO-6980 (10W to 15W/MTR)




HLO-6982 (10W to 15W/MTR)



HLO-6984 (5W to 30W/MTR)



HLO-6986 (10W to 15W/MTR)



HLO-6988 (5W to 40W/MTR)



HLO-7015 (6x1W)



HLO-7060 (30W)



HLO-7061 (50W)



HLO-7062 (100W)



HLO-7063 (200W)



HLO-7065 (50W)



HLO-7066 (100W)



HLO-7121 (24W)



HLO-7122 (36W)



HLO-7123 (50W)



HLO-8181 (E27)



HLO-8182 (E27)



HLO-8183 (E27)



HLO-8184 (E27)



HLO-8185 (E27)



HLO-8186 (E27)



HLO-8187 (E27)



HLO-8188 (E27)



## LED MODULE LIGHT



LH

HLM-2007 (10W)  
Size : Ø50mmx60mm



LH

HLM-2010 (20W)  
Size : Ø111mmx74mm



LH

HLM-2011 (30W) - AR11  
Size : Ø111mmx90mm

## HOUSING RING FOR MR-16 - LED MODULE




F-301

Size : Ø100mmx75mm  
Cut-Out : Ø92mm



F-302

Size : Ø100mmx90mm  
Cut-Out : Ø92mm



F-305

Size : Ø80mmx40mm  
Cut-Out : Ø70mm



F-306

Size : Ø85mmx50mm  
Cut-Out : Ø80mm



F-309

Size : Ø110mmx90mm  
Cut-Out : Ø90mm



F-310

Size : Ø86mmx44mm  
Cut-Out : Ø72mm



F-331

Size : 90x90mmx80mm  
Cut-Out : 75x75mm



F-332

Size : 160x90mmx80mm  
Cut-Out : 145x75mm



F-333

Size : 230x90mmx80mm  
Cut-Out : 217x75mm



## LED RECESSED DOWNLIGHT - ROUND SMD



HLR-2252 (4W)  
Size : Ø70mmx20mm  
Cut-Out : Ø63mm



HLR-2253 (8W)  
Size : Ø110mmx24mm  
Cut-Out : Ø95mm



HLR-2254 (11W)  
Size : Ø140mmx25mm  
Cut-Out : Ø125mm

PLEASE NOTE THE CHANGE IN SIZE



HLR-2255L (15W)  
Size : Ø160mmx28mm  
Cut-Out : Ø140mm



HLR-2256 - 22W  
Size : Ø200mmx28mm  
Cut-Out : Ø180mm

## LED RECESSED DOWNLIGHT - SQUARE SMD



HLR-2262 (4W)  
Size : 70x70mmx22mm  
Cut-Out : 63x63mm



HLR-2263 (8W)  
Size : 110x110mmx24mm  
Cut-Out : 95x95mm



HLR-2264 (11W)  
Size : 140x140mmx25mm  
Cut-Out : 125x125mm

PLEASE NOTE THE CHANGE IN SIZE



HLR-2265L (15W)  
Size : 160x160mmx28mm  
Cut-Out : 140x140mm



HLR-2266 (22W)  
Size : 200x200mmx28mm  
Cut-Out : 180x180mm



HLR-2269 (30W)  
Size : 300x300x30mm  
Cut-Out : 265x265mm



## LED RECESSED DOWNLIGHT - ROUND SMD



HLR-2972 (10W)  
Size : Ø110mmx36mm  
Cut-Out : Ø95mm



HLR-2973 (15W)  
Size : Ø140mmx36mm  
Cut-Out : Ø125mm




HLR-2974 (20W)  
Size : Ø160mmx36mm  
Cut-Out : Ø140mm



HLR-2975 (25W)  
Size : Ø200mmx40mm  
Cut-Out : Ø180mm

## LED RECESSED DOWNLIGHT - SQUARE SMD



HLR-2982 (10W)  
Size : 110x110mmx36mm  
Cut-Out : 95x95mm



HLR-2983 (15W)  
Size : 140x140mmx36mm  
Cut-Out : 125x125mm



HLR-2984 (20W)  
Size : 160x160mmx36mm  
Cut-Out : 140x140mm



HLR-2985 (25W)  
Size : 200x200mmx40mm  
Cut-Out : 180x180mm

## LED RECESSED DOWNLIGHT - SMD



HLR-2282 (6W)  
Size : Ø112mmx44mm  
Cut-Out : Ø85mm



HLR-2283 (9W)  
Size : Ø148mmx56.5mm  
Cut-Out : Ø110-129mm



HLR-2284 (15W)  
Size : Ø177mmx58.5mm  
Cut-Out : Ø149-163mm



HLR-2287 (19W)  
Size : Ø192mmx62mm  
Cut-Out : Ø160-172mm



HLR-2302 (18W)  
Size : Ø180mmx90mm  
Cut-Out : Ø170mm



HLR-2303 (25W)  
Size : Ø200mmx90mm  
Cut-Out : Ø190mm



HLR-2314 (11W)  
Size : Ø92mmx39mm  
Cut-Out : Ø80mm



HLR-2315 (16W)  
Size : Ø115mmx77.6mm  
Cut-Out : Ø105mm

## LED RECESSED DOWNLIGHT - SMD (IP54)



IP54

HLR-2316 (9W)  
Size : Ø78mmx51mm  
Cut-Out : Ø65mm



IP54

HLR-2317 (15W)  
Size : Ø110mmx37mm  
Cut-Out : Ø95mm



IP54

HLR-2318 (25W)  
Size : Ø162mmx64mm  
Cut-Out : Ø145mm



IP54

HLR-2319 (35W)  
Size : Ø230mmx88mm  
Cut-Out : Ø200mm

## LED RECESSED DOWNLIGHT - SMD SERIES



HLR-2341 (5W)  
Size : Ø60mmx38mm  
Cut-Out : Ø55mm

Body Colour Available : White / Black



HLR-2342 (8W)  
Size : Ø80mmx40mm  
Cut-Out : Ø75mm

Body Colour Available : White / Black



HLR-2343 (15W)  
Size : Ø101mmx53mm  
Cut-Out : Ø95mm

Body Colour Available : White / Black



HLR-2344 (20W)  
Size : Ø126mmx55mm  
Cut-Out : Ø120mm

Body Colour Available : White / Black

## LED RECESSED DOWNLIGHT - SMD SERIES TRIMLESS



HLR-2346 (5W)  
Size : Ø80mmx38mm  
Cut-Out : Ø55mm

TRIMLESS



HLR-2347 (8W)  
Size : Ø106mmx45mm  
Cut-Out : Ø75mm

TRIMLESS



HLR-2348 (15W)  
Size : Ø129mmx53mm  
Cut-Out : Ø95mm

TRIMLESS

## LED RECESSED DOWNLIGHT - CCT TUNABLE SMD NEW SERIES



HLR-2352 (8W)  
Size : Ø80mmx40mm  
Cut-Out : Ø75mm

Body Colour Available : White / Black



HLR-2353 (15W)  
Size : Ø101mmx53mm  
Cut-Out : Ø95mm

Body Colour Available : White / Black



HLR-2354 (20W)  
Size : Ø126mmx55mm  
Cut-Out : Ø120mm

Body Colour Available : White / Black



## LED RECESSED DOWNLIGHT - SMD NEW SERIES (WITH TITANIUM BLACK REFLECTOR)



**HLR-2361 (10W)**  
 Size : Ø85mmx43mm  
 Cut-Out : Ø75mm  
 Body Colour : White + Gun Black



**HLR-2362 (15W)**  
 Size : Ø105mmx47mm  
 Cut-Out : Ø95mm  
 Body Colour : White + Gun Black



**HLR-2363 (22W)**  
 Size : Ø135mmx55mm  
 Cut-Out : Ø125mm  
 Body Colour : White + Gun Black



**HLR-2364 (25W)**  
 Size : Ø155mmx62mm  
 Cut-Out : Ø145mm  
 Body Colour : White + Gun Black

## LED RECESSED DOWNLIGHT - WALL WASHER (ZOOM)



**HLR-2422 (9W / 10W)**  
 Size : Ø90mmx60mm  
 Cut-Out : Ø75mm  
 Body Colour Available : White / Black



**HLR-2423 (15W / 18W)**  
 Size : Ø102mmx80mm  
 Cut-Out : Ø90mm  
 Body Colour Available : White / Black



**HLR-2426 (27W / 30W)**  
 Size : Ø140mmx115mm  
 Cut-Out : 125mm  
 Body Colour Available : White / Black



**HLR-2424 (33W / 40W)**  
 Size : Ø160mmx135mm  
 Cut-Out : Ø145mm  
 Body Colour Available : White / Black



**HLR-2425 (40W / 50W)**  
 Size : Ø190mmx158mm  
 Cut-Out : Ø175mm  
 Body Colour Available : White / Black



**HLR-2428 (15W)**  
 Size : 100x100x67mm  
 Cut-Out : 85x85mm



**HLR-2433 (10W)**  
 Size : Ø75mmx100mm  
 Cut-Out : Ø80mm



**HLR-2434 (15W)**  
 Size : Ø84mmx106mm  
 Cut-Out : Ø89mm



**HLR-2435 (20W)**  
 Size : Ø106mmx145mm  
 Cut-Out : Ø110mm



**HLR-2441 (12W)**  
 Size : Ø85mmx70mm  
 Cut-Out : Ø75mm



**HLR-2442 (20W)**  
 Size : Ø108mmx85mm  
 Cut-Out : Ø95mm



**HLR-2443 (35W)**  
 Size : Ø135mmx97mm  
 Cut-Out : Ø125mm

## LED RECESSED DOWNLIGHT - WALL WASHER (ZOOM)



HLR-2446 (30W)  
Size : 140x140mm  
Cut-Out : Ø125mm



HLR-2448 (2x30W)  
Size : 278x137mm  
Cut-Out : 265x130mm

## LED RECESSED CABINET SPOT LIGHT



HLR-2451 (1W)  
Size : Ø30mmx22mm  
Cut-Out : Ø25mm

Body Colour Available : SS / White



HLR-2452 (3W)  
Size : Ø45mmx28mm  
Cut-Out : Ø40mm

Body Colour Available : SS / White



HLR-2453 (1W)  
Size : 30x30mmx22mm  
Cut-Out : Ø25mm

Body Colour Available : SS / White



HLR-2454 (3W)  
Size : 45x45mmx28mm  
Cut-Out : Ø40mm

Body Colour Available : SS / White



INPUT VOLTAGE : 12V

HLR-2455 (1W)  
Size : Ø22x39mm  
Cut-Out : Ø18mm

Body Colour Available : White / Black



HLR-2461 (1x3W)  
Size : Ø15mmx240mm



HLR-2462 (1x2W)  
Size : Ø15mmx280mm



ADJUSTABLE BEAM ANGLE

HLR-2463 (3W)  
Size : Ø58x52mm  
Cut-Out : Ø50mm



HLR-2464 (3W)  
Size : Ø40mmx51mm  
Cut-Out : Ø35mm



HLR-2465 (3W)  
Size : Ø35mmx49mm  
Cut-Out : Ø31mm



HLR-2466 (3W)  
Size : Ø56mmx48mm  
Cut-Out : Ø46mm



HLR-2467 (5W)  
Size : Ø65mmx30mm  
Cut-Out : Ø55mm

Body Colour Available : SS / White



## LED RECESSED CABINET SPOT LIGHT



HLR-2468 NEW (5W)  
Size : Ø55mmx41mm  
Cut-Out : Ø48mm

Body Colour Available : SS / White



HLR-2469 (5W)  
Size : Ø55mmx41mm  
Cut-Out : Ø48mm

Body Colour Available : SS / White



HLR-2470 (5W)  
Size : 55x55mmx41mm  
Cut-Out : Ø48mm

Body Colour Available : SS / White



HLR-2471 (2W)  
Size : 44x44x47mm  
Cut-Out : 38x38mm

Body Colour Available : White / Black



HLR-2472 (2x2W)  
Size : 73x44x47mm  
Cut-Out : 65x38mm

Body Colour Available : White / Black



HLR-2473 (5x2W)  
Size : 148x44x56mm  
Cut-Out : 137x35mm

Body Colour Available : White / Black



HLR-2474 (5x2W)  
Size : 169x87x97mm  
Cut-Out : 152x72mm

Body Colour Available : White / Black



HLR-2475 (10x2W)  
Size : 281x44x56mm  
Cut-Out : 271x35mm

Body Colour Available : White / Black



HLR-2478 (5x2W)  
Size : 148x44x56mm  
Cut-Out : 137x35mm

Body Colour Available : White / Black



HLR-2479 (10x2W)  
Size : 281x44x56mm  
Cut-Out : 271x35mm

Body Colour Available : White / Black

## LED RECESSED DOWNLIGHT - COB'S



Housing and heatsink inseparable

HLR-2481 (10W)  
Size : Ø62mmx62mm  
Cut-Out : Ø53mm



HLR-2485 (10W)  
Size : Ø88mmx64mm  
Cut-Out : Ø75-80mm



HLR-2486 (10W)  
Size : Ø88mmx85mm  
Cut-Out : Ø75-80mm



HLR-2488 (15W)  
Size : Ø88mmx98mm  
Cut-Out : Ø75-80mm

## LED RECESSED DOWNLIGHT - COB'S



HLR-2493 (9W)  
Size : 80x80mmx80mm  
Cut-Out : Ø70mm



HLR-2496 (9W)  
Size : 82x82mmx72mm  
Cut-Out : Ø70mm



HLR-2498 (15W)  
Size : 105x105mmx95mm  
Cut-Out : Ø90mm



HLR-2500 (9W)  
Size : Ø78mmx90mm  
Cut-Out : Ø70mm

Body Colour Available : White / Black



HLR-2501 (9W)  
Size : 80x80mmx90mm  
Cut-Out : 70x70mm

Body Colour Available : White / Black



HLR-2502 (2x9W)  
Size : 148x80mmx90mm  
Cut-Out : 140x70mm

Body Colour Available : White / Black



HLR-2504 (5W/7W)  
Size : Ø54mmx52mm  
Cut-Out : Ø45mm

Body Colour Available : White / Black  
Reflector Colour Available : Matt White /  
Matt Black / Golden / Copper / Black Chrome



HLR-2505 (9W/10W)  
Size : Ø63mmx66mm  
Cut-Out : Ø52mm

Body Colour Available : White / Black  
Reflector Colour Available : Matt White /  
Matt Black / Golden / Copper / Black Chrome



HLR-2506 (12W/15W)  
Size : Ø74mmx73mm  
Cut-Out : Ø62mm

Body Colour Available : White / Black  
Reflector Colour Available : Matt White /  
Matt Black / Golden / Copper / Black Chrome



HLR-2507 (20W/22W)  
Size : Ø106mmx110mm  
Cut-Out : Ø92mm

Body Colour Available : White / Black  
Reflector Colour Available : Matt White /  
Matt Black / Golden / Copper / Black Chrome



HLR-2508 (25W/30W)  
Size : Ø106mmx110mm  
Cut-Out : Ø92mm

Body Colour Available : White / Black  
Reflector Colour Available : Matt White /  
Matt Black / Golden / Copper / Black Chrome



HLR-2511 (9W)  
Size : Ø88mmx74.5mm  
Cut-Out : Ø75mm



HLR-2512 (9W)  
Size : Ø88mmx79mm  
Cut-Out : Ø75mm



HLR-2513 (9W)  
Size : Ø88mmx83mm  
Cut-Out : Ø75mm



HLR-2514 (15W)  
Size : Ø88mmx118mm  
Cut-Out : Ø75mm



HLR-2516 (7W)  
Size : Ø62mmx55mm  
Cut-Out : Ø55mm

IP54

Housing Colour : Black  
Reflector Colour Available : White / Black /  
Brass Gold / Copper / Brown



## LED RECESSED DOWNLIGHT - COB'S



**HLR-2517 (12W)**  
**Size : Ø70mmx64mm**  
**Cut-Out : Ø65mm**  
 Housing Colour : Black  
 Reflector Colour Available : White / Black /  
 Brass Gold / Copper / Brown




**HLR-2518 (18W)**  
**Size : Ø83mmx85mm**  
**Cut-Out : Ø75mm**  
 Housing Colour : Black  
 Reflector Colour Available : White / Black /  
 Brass Gold / Copper / Brown



**HLR-2520 (10W)**  
**Size : Ø99mmx105mm**  
**Cut-Out : Ø90-95mm**



**HLR-2521 (15W)**  
**Size : Ø99mmx128mm**  
**Cut-Out : Ø90-95mm**



**HLR-2541 (12W)**  
**Size : 85x85x105mm**  
**Cut-Out : 75x75mm**



**HLR-2543 (9W)**  
**Size : Ø75mmx81mm**  
**Cut-Out : Ø65mm**



**HLR-2544 (15W)**  
**Size : Ø90x110mm**  
**Cut-Out : Ø80mm**



**HLR-2545 (25W)**  
**Size : Ø110x136mm**  
**Cut-Out : Ø100mm**



**HLR-2548 (6W)**  
**Size : Ø85x52mm**  
**Cut-Out : Ø70mm**



**HLR-2549 (12W)**  
**Size : Ø88x89mm**  
**Cut-Out : Ø65mm**



**HLR-2552 (15W)**  
**Size : Ø140x53mm**  
**Cut-Out : Ø125mm**



**HLR-2553 (22W)**  
**Size : Ø162x64mm**  
**Cut-Out : Ø145mm**



**HLR-2554 (30W)**  
**Size : Ø193x75mm**  
**Cut-Out : Ø165mm**



**HLR-2555 (40W)**  
**Size : Ø230x88mm**  
**Cut-Out : Ø200mm**



**HLR-2558 (30W)**  
**Size : Ø170mmx145mm**  
**Cut-Out : Ø155mm**



**HLR-2561 (5W)**  
**Size : Ø55mmx92mm**  
**Cut-Out : Ø50mm**  
 Body Colour Available : White / Black

## LED RECESSED DOWNLIGHT - COB'S



HLR-2562 (10W)  
Size : Ø76mmx99mm  
Cut-Out : Ø70mm

Body Colour Available : White / Black



HLR-2563 (15W)  
Size : Ø92mmx117mm  
Cut-Out : Ø85mm

Body Colour Available : White / Black



HLR-2564 (22W)  
Size : Ø128mmx128mm  
Cut-Out : Ø122mm

Body Colour Available : White / Black



HLR-2567 (10W)  
Size : Ø72mmx78mm  
Cut-Out : Ø65mm

Body Colour Available : White / Black



HLR-2568 (15W)  
Size : Ø82mmx78mm  
Cut-Out : Ø75mm

Body Colour Available : White / Black



HLR-2571 (5W)  
Size : Ø60mmx44mm  
Cut-Out : Ø50mm

Body Colour Available : White / Black



HLR-2573 (8W)  
Size : Ø70mmx48mm  
Cut-Out : Ø60mm

Body Colour Available : White / Black



HLR-2574 (12W)  
Size : Ø80mmx48mm  
Cut-Out : Ø70mm

Body Colour Available : White / Black



HLR-2576 (10W)  
Size : Ø82mmx40mm  
Cut-Out : Ø78mm

Body Colour Available : White / Black



HLR-2577 (15W)  
Size : Ø95mmx45mm  
Cut-Out : Ø90mm

Body Colour Available : White / Black



HLR-2578 (22W)  
Size : Ø105mmx50mm  
Cut-Out : Ø100mm

Body Colour Available : White / Black



HLR-2580 (3W)  
Size : Ø42mmx60mm  
Cut-Out : Ø35mm

Housing Colour : Black  
Ring Available : White+Black / Black+Black



HLR-2582 (8W)  
Size : Ø42mmx75mm  
Cut-Out : Ø35mm

Housing Colour : Black  
Ring Available : White+Black / Black+Black  
Reflector Available : Matt White / Gun Black



HLR-2583 (12W)  
Size : Ø63mmx88mm  
Cut-Out : Ø55mm

Housing Colour : Black  
Ring Available : White+Black / Black+Black  
Reflector Available : Matt White / Gun Black



HLR-2585 (8W)  
Size : Ø42mmx72mm  
Cut-Out : Ø35mm

Housing Colour : Black  
Ring Available : White+Black / Black+Black



HLR-2586 (12W)  
Size : Ø63mmx80mm  
Cut-Out : Ø55mm

Housing Colour : Black  
Ring Available : White+Black / Black+Black



## LED RECESSED DOWNLIGHT - COB'S



**HLR-2588 (3W)**  
**Size : Ø42mmx75mm**  
**Cut-Out : Ø35mm**

Housing Colour : Black  
 Ring Available : White+Black / Black+Black



**HLR-2589 (8W)**  
**Size : Ø63mmx106mm**  
**Cut-Out : Ø55mm**

Housing Colour : Black  
 Ring Available : White+Black / Black+Black



**HLR-2590 (3W)**  
**Size : Ø72mmx51mm**  
**Cut-Out : Ø55mm**

Housing Colour : Grey  
 Ring Available : White / Black  
 Reflector Available : White / Black



**HLR-2591 (3W)**  
**Size : Ø82mmx51mm**  
**Cut-Out : Ø75mm**

Housing Colour : Grey  
 Ring Available : White / Black  
 Reflector Available : White / Black



**HLR-2595 (18W / 25W)**  
**Size : Ø110mmx95mm**  
**Cut-Out : Ø95mm**

Body Colour Available : White / Black  
 Reflector Colour Available : Titanium Black



**HLR-2596 (30W / 35W)**  
**Size : Ø120mmx102mm**  
**Cut-Out : Ø105mm**

Body Colour Available : White / Black  
 Reflector Colour Available : Titanium Black



**HLR-2597 (18W / 25W)**  
**Size : Ø130mmx95mm**  
**Cut-Out : Ø115mm**

Body Colour Available : White / Black  
 Reflector Colour Available : Titanium Black



**HLR-2598 (30W / 35W)**  
**Size : Ø140mmx110mm**  
**Cut-Out : Ø125mm**

Body Colour Available : White / Black  
 Reflector Colour Available : Titanium Black



**HLR-2602 (8W)**  
**Size : Ø90mmx113mm**  
**Cut-Out : Ø75mm**



**HLR-2603 (8W)**  
**Size : Ø90mmx113mm**  
**Cut-Out : Ø75mm**



**HLR-2604 (5W)**  
**Size : Ø40mmx60mm**  
**Cut-Out : Ø35mm**



**HLR-2605 (9W)**  
**Size : Ø65mmx60mm**  
**Cut-Out : Ø55mm**



**HLR-2606 (15W)**  
**Size : Ø75mmx75mm**  
**Cut-Out : Ø65mm**



**HLR-2611 (9W)**  
**Size : Ø85mmx91mm**  
**Cut-Out : Ø75mm**



**HLR-2612 (9W)**  
**Size : Ø85mmx91mm**  
**Cut-Out : Ø75mm**



**HLR-2615 (15W)**  
**Size : Ø115mmx116mm**  
**Cut-Out : Ø100mm**

## LED RECESSED DOWNLIGHT - COB'S



HLR-2616 (15W)  
Size : Ø115mmx116mm  
Cut-Out : Ø100mm



HLR-2619 (24W)  
Size : Ø140mmx147mm  
Cut-Out : Ø125mm



HLR-2620 (24W)  
Size : Ø140mmx147mm  
Cut-Out : Ø125mm



HLR-2622 (24W)  
Size : Ø124mmx147mm  
Cut-Out : Ø125mm



HLR-2623 (24W)  
Size : Ø124mmx147mm  
Cut-Out : Ø125mm



HLR-2624 (5W)  
Size : Ø63mmx52mm  
Cut-Out : Ø55mm  
Housing Colour : Black  
Ring Available : White+Black / Black+Black  
Reflector Available : Gun Black



HLR-2625 (10W)  
Size : Ø70mmx85mm  
Cut-Out : Ø60mm  
Housing Colour : Black  
Ring Available : White+Black / Black+Black  
Reflector Available : Gun Black



HLR-2626 (15W)  
Size : Ø85mmx90mm  
Cut-Out : Ø70mm  
Housing Colour : Black  
Ring Available : White+Black / Black+Black  
Reflector Available : Gun Black



HLR-2627 (22W)  
Size : Ø95mmx105mm  
Cut-Out : Ø80mm  
Housing Colour : Black  
Ring Available : White+Black / Black+Black  
Reflector Available : Gun Black



HLR-2630 (9W)  
Size : Ø71mmx50mm  
Cut-Out : Ø65mm  
Body Colour Available : White / Black



HLR-2631 (15W)  
Size : Ø82mmx55mm  
Cut-Out : Ø75mm  
Body Colour Available : White / Black



HLR-2633 (20W)  
Size : Ø117mmx83mm  
Cut-Out : Ø110mm  
Body Colour Available : White / Black



HLR-2634 (30W)  
Size : Ø117mmx83mm  
Cut-Out : Ø110mm  
Body Colour Available : White / Black



HLR-2637 (9W)  
Size : Ø75mmx55mm  
Cut-Out : Ø60mm  
Housing Colour : Black  
Ring Available : White / Black



HLR-2638 (15W)  
Size : Ø85mmx65mm  
Cut-Out : Ø75mm  
Housing Colour : Black  
Ring Available : White / Black



HLR-2639 (20W)  
Size : Ø95mmx75mm  
Cut-Out : Ø85mm  
Housing Colour : Black  
Ring Available : White / Black

## LED RECESSED DOWNLIGHT - COB'S



**HLR-2641 (3W)**  
Size : Ø40mmx39mm  
Cut-Out : Ø25mm



**HLR-2643 (6W)**  
Size : Ø60mmx60mm  
Cut-Out : Ø40mm



**HLR-2645 (12W)**  
Size : Ø75mmx70mm  
Cut-Out : Ø50mm



IP32

**HLR-2648 (12W)**  
Size : Ø90mmx46mm  
Cut-Out : Ø80mm



**HLR-2649 (5W)**  
Size : Ø74mmx25mm  
Cut-Out : Ø68mm

Housing Colour : Black  
Ring Available : White / Black



**HLR-2650 (10W)**  
Size : Ø74mmx32mm  
Cut-Out : Ø68mm

Housing Colour : Black  
Ring Available : White / Black



**HLR-2651 (12W)**  
Size : Ø90mmx99mm  
Cut-Out : Ø84mm



**HLR-2653 (12W)**  
Size : 90x90mmx99mm  
Cut-Out : 84x84mm



**HLR-2654 (2x12W)**  
Size : 175x90mmx99mm  
Cut-Out : 168x84mm



**HLR-2655 (5W)**  
Size : Ø40mmx55mm  
Cut-Out : Ø35mm

Housing Colour : Black  
Ring Available : White / Black



**HLR-2656 (9W)**  
Size : Ø68mmx65mm  
Cut-Out : Ø60mm

Housing Colour : Black  
Ring Available : White / Black



**HLR-2657 (15W)**  
Size : Ø85mmx82mm  
Cut-Out : Ø75mm

Housing Colour : Black  
Ring Available : White / Black



**HLR-2658 (20W)**  
Size : Ø95mmx92mm  
Cut-Out : Ø90mm

Housing Colour : Black  
Ring Available : White / Black



**HLR-2659 (30W)**  
Size : Ø120mmx110mm  
Cut-Out : Ø110mm

Housing Colour : Black  
Ring Available : White / Black



**HLR-2660 (40W)**  
Size : Ø145mmx146mm  
Cut-Out : Ø130mm

Housing Colour : Black  
Ring Available : White / Black



**HLR-2663 (50W)**  
Size : Ø145mmx146mm  
Cut-Out : Ø130mm

Housing Colour : Black  
Ring Available : White / Black



### LED RECESSED DOWNLIGHT - COB'S



IP32

HLR-2661 (12W)  
Size : 84x84mmx75mm  
Cut-Out : 75x75mm



HLR-2662 (12W)  
Size : Ø108mmx70mm  
Cut-Out : Ø100mm



HLR-2665 (9W)  
Size : Ø64mmx65mm  
Cut-Out : Ø55mm

Housing Colour : Black  
Ring Available : White / Black



HLR-2666 (15W)  
Size : Ø75mmx77mm  
Cut-Out : Ø65mm

Housing Colour : Black  
Ring Available : White / Black



HLR-2667 (9W)  
Size : Ø70mmx59mm  
Cut-Out : Ø65mm

Housing Colour : Black  
Ring Available : White / Black



HLR-2668 (15W)  
Size : Ø85mmx65mm  
Cut-Out : Ø80mm

Housing Colour : Black  
Ring Available : White / Black



HLR-2672 (30W)  
Size : Ø124mmx90mm  
Cut-Out : Ø110mm

Housing Colour : Black  
Ring Available : White / Black



HLR-2669 (9W)  
Size : Ø74mmx65mm  
Cut-Out : Ø68mm

Housing Colour : Black | Body Colour : White / Black  
Reflector Colour : Copper / Matt Gold / Black Chrome



HLR-2670 (15W)  
Size : Ø85mmx78mm  
Cut-Out : Ø78mm

Housing Colour : Black | Body Colour : White / Black  
Reflector Colour : Copper / Matt Gold / Black Chrome



HLR-2673 (9W)  
Size : Ø93mmx82mm  
Cut-Out : Ø85mm

Housing Colour : Black  
Ring Available : White / Black



HLR-2674 (15W)  
Size : Ø105mmx96mm  
Cut-Out : Ø98mm

Housing Colour : Black  
Ring Available : White / Black



HLR-2675 (30W)  
Size : Ø135mmx128mm  
Cut-Out : Ø128mm

Housing Colour : Black  
Ring Available : White / Black



IP65

HLR-2676 (9W)  
Size : Ø60mmx73mm  
Cut-Out : Ø50mm

Housing Colour : Black  
Ring Available : White / Black



IP54

HLR-2677 (12W)  
Size : Ø78mmx72mm  
Cut-Out : Ø70mm

Housing Colour : Black  
Ring Available : White / Black



ROTATION : 355°  
ADJUSTABLE BEAM ANGLE : 12° to 45°

HLR-2678 (12W)  
Size : Ø85mmx108mm  
Cut-Out : Ø80mm



ROTATION : 355°  
ADJUSTABLE BEAM ANGLE : 12° to 45°

HLR-2679 (18W)  
Size : Ø106mmx140mm  
Cut-Out : Ø100mm

## LED RECESSED DOWNLIGHT - COB'S



HLR-2681 (3W)  
Size : Ø58mmx75mm  
Cut-Out : Ø55mm



HLR-2682 (7W)  
Size : Ø84mmx87mm  
Cut-Out : Ø75mm

Body Colour Available : White / Black



HLR-2683 (12W)  
Size : Ø100mmx117mm  
Cut-Out : Ø92mm

Body Colour Available : White / Black



HLR-2684 (25W)  
Size : Ø155mmx136mm  
Cut-Out : Ø140mm

Body Colour Available : White / Black



HLR-2686 (12W)  
Size : 181x112mmx117mm  
Cut-Out : Ø120mm

Body Colour Available : White / Black



HLR-2687 (12W)  
Size : 117x117mmx117mm  
Cut-Out : 100x100mm

Body Colour Available : White / Black



HLR-2688 (2x12W)  
Size : 208x117mmx117mm  
Cut-Out : 190x100mm

Body Colour Available : White / Black



HLR-2690 (2x7W)  
Size : 220x120mmx36mm  
Cut-Out : Ø195x95mm



HLR-2693 (12W)  
Size : Ø85mmx60mm  
Cut-Out : Ø75mm



HLR-2701 (5W)  
Size : 55x55mmx45mm  
Cut-Out : 50x50mm

Body Colour Available : White / Black



HLR-2703 (12W)  
Size : 130x55mmx45mm  
Cut-Out : 125x50mm

Body Colour Available : White / Black



HLR-2704 (16W)  
Size : 93x93mmx45mm  
Cut-Out : 88x88mm

Body Colour Available : White / Black



HLR-2705 (20W)  
Size : 205x55mmx45mm  
Cut-Out : 200x50mm

Body Colour Available : White / Black



HLR-2710 (40W)  
Size : 395x55mmx45mm  
Cut-Out : 390x50mm

Body Colour Available : White / Black



HLR-2711 (8W)  
Size : 110x46mmx52mm  
Cut-Out : 100x38mm

Body Colour Available : White / Black



HLR-2712 (12W)  
Size : 170x46mmx52mm  
Cut-Out : 160x38mm

Body Colour Available : White / Black

## LED RECESSED DOWNLIGHT - COB'S



**HLR-2713 (10W)**  
**Size : 79x79mmx52mm**  
**Cut-Out : 71x71mm**

Body Colour Available : White / Black




**HLR-2715 (10W)**  
**Size : Ø82mmx50mm**  
**Cut-Out : Ø75mm**

Body Colour Available : White / Black



**HLR-2721 (5W)**  
**Size : Ø63mmx70mm**  
**Cut-Out : Ø58mm**



**HLR-2725 (5W)**  
**Size : 62x62mmx70mm**  
**Cut-Out : 55x55mm**



**HLR-2726 (2x5W)**  
**Size : 60x114mmx70mm**  
**Cut-Out : 105x50mm**



**HLR-2728 (3W)**  
**Size : Ø50mmx51mm**  
**Cut-Out : Ø45mm**

Body Colour Available : White / Black  
 Reflector Available : Black



**HLR-2729 (5W)**  
**Size : Ø60mmx65mm**  
**Cut-Out : Ø55mm**

Body Colour Available : White / Black  
 Reflector Available : Black



**HLR-2730 (10W)**  
**Size : Ø76mmx86mm**  
**Cut-Out : Ø70mm**

Body Colour Available : White / Black  
 Reflector Available : Black



**HLR-2731 (12W)**  
**Size : Ø105mmx105mm**  
**Cut-Out : Ø75mm**

Body Colour Available : White / Black  
 Reflector Available : Black Chrome



**HLR-2733 (12W)**  
**Size : 84x84mmx105mm**  
**Cut-Out : Ø75mm**

Body Colour Available : White / Black  
 Reflector Available : Black Chrome



**HLR-2734 (2x12W)**  
**Size : 157x85mmx105mm**  
**Cut-Out : 105x77mm**

Body Colour Available : White / Black  
 Reflector Available : Black Chrome



**HLR-2736 (7W)**  
**Size : Ø73mmx64mm**  
**Cut-Out : Ø55mm**

Body Colour Available : White / Black  
 Reflector Available : Titanium Black



**HLR-2737 (2x7W)**  
**Size : 120x62mmx77mm**  
**Cut-Out : 115x55mm**

Body Colour Available : White / Black  
 Reflector Available : Titanium Black



**HLR-2738 (3x7W)**  
**Size : 178x62mmx77mm**  
**Cut-Out : 170x55mm**

Body Colour Available : White / Black  
 Reflector Available : Titanium Black



**HLR-2739 (4x7W)**  
**Size : 120x120mmx77mm**  
**Cut-Out : 115x115mm**

Body Colour Available : White / Black  
 Reflector Available : Titanium Black



**HLR-2741 (15x2W)**  
**Size : 430x75mmx72mm**  
**Cut-Out : 420x65mm**

Body Colour Available : White / Black  
 Reflector Available : Titanium Black



## LED RECESSED DOWNLIGHT - COB'S



**HLR-2742 (30x2W)**  
**Size : 830x75mmx72mm**  
**Cut-Out : 820x65mm**  
 Body Colour Available : White / Black  
 Reflector Available : Titanium Black



**HLR-2751 (20W / 25W)**  
**Size : Ø90mmx110mm**  
**Cut-Out : Ø75mm**  
 Body Colour Available : White / Black



**HLR-2752 (30W / 35W)**  
**Size : Ø110mmx120mm**  
**Cut-Out : Ø95mm**  
 Body Colour Available : White / Black



**HLR-2753 (40W / 45W)**  
**Size : Ø130mmx134mm**  
**Cut-Out : Ø115mm**  
 Body Colour Available : White / Black



**HLR-2755 (20W / 25W)**  
**Size : Ø110mmx120mm**  
**Cut-Out : Ø95mm**  
 Body Colour Available : White / Black



**HLR-2756 (30W / 35W)**  
**Size : Ø130mmx140mm**  
**Cut-Out : Ø115mm**  
 Body Colour Available : White / Black



**HLR-2757 (30W / 35W)**  
**Size : 130x130mmx140mm**  
**Cut-Out : 115x115mm**  
 Body Colour Available : White / Black



**HLR-2758 (2x30W / 2x35W)**  
**Size : 130x253mmx140mm**  
**Cut-Out : 115x230mm**  
 Body Colour Available : White / Black

## LED RECESSED DOWNLIGHT - ANTIGLARE WITH INSIDE GREY RING



**HLR-2898 (7W)**  
**Size : Ø40mmx55mm**  
**Cut-Out : Ø35mm**  
 Housing Colour : Black  
 Body Colour : White + Grey Ring



**HLR-2899 (15W)**  
**Size : Ø59mmx82mm**  
**Cut-Out : Ø55mm**  
 Housing Colour : Black  
 Body Colour : White + Grey Ring

## LED RECESSED DOWNLIGHT - COB'S EYEBALL ROUND NEW SERIES



**HLR-2916 (8W)**  
**Size : Ø85mmx57mm**  
**Cut-Out : Ø75mm**



**HLR-2919 (15W)**  
**Size : Ø100mmx75mm**  
**Cut-Out : Ø85mm**



**HLR-2920 (24W)**  
**Size : Ø130mmx90mm**  
**Cut-Out : Ø115mm**



**HLR-2921 (36W)**  
**Size : Ø160mmx95mm**  
**Cut-Out : Ø140mm**

## LED RECESSED DOWNLIGHT - PIN SPOT ROUND & MINI LASER CONCEALED 30°



PIN SPOT ROUND CONCEALED 30°

HLR-2922 (3W)  
Size : Ø40mmx30mm  
Cut-Out : Ø31mm



PIN SPOT ROUND CONCEALED 30°

HLR-2925 (5W)  
Size : Ø55mmx41mm  
Cut-Out : Ø45mm



MINI LASER CONCEALED 30°

HLR-2927 (3W)  
Size : 40x40mmx42mm  
Cut-Out : 31x31mm



MINI LASER CONCEALED 30°

HLR-2928 (6W)  
Size : 70x40mmx42mm  
Cut-Out : 60x30mm

## LED RECESSED DOWNLIGHT - WALL WASHER CONCEALED DOWNLIGHTER



HLR-2929 (3W)  
Size : 50x50mmx45mm  
Cut-Out : 35x35mm



HLR-2930 (15W)  
Size : 165x50mmx45mm  
Cut-Out : 155x35mm

## LED RECESSED DOWNLIGHT - MINI LASER (REFLECTOR 18mmx18mm)



HLR-2931 (3W)  
Size : 52x32mmx40mm  
Cut-Out : 48x27mm  
Body Colour Available : White / Black



HLR-2932 (5W)  
Size : 62x32mmx40mm  
Cut-Out : 57x27mm  
Body Colour Available : White / Black



HLR-2933 (10W)  
Size : 109x32mmx40mm  
Cut-Out : 104x27mm  
Body Colour Available : White / Black



HLR-2936 (20W)  
Size : 205x32mmx40mm  
Cut-Out : 200x27mm  
Body Colour Available : White / Black



HLR-2937 (7W)  
Size : 52x52mmx40mm  
Cut-Out : 48x48mm



HLR-2938 (12W)  
Size : 71x71mmx40mm  
Cut-Out : 68x68mm

## LED RECESSED FOOT / STEP LIGHT



HLF-3305 (3W)  
Size : Ø44mmx30mm  
Cut-Out : Ø36mm



HLF-3307 (3W)  
Size : Ø45mmx27mm  
Cut-Out : Ø40mm



HLF-3308 (3W)  
Size : 55x55x42mm  
Cut-Out : Ø45mm



HLF-3309 (3W)  
Size : 55x55x42mm  
Cut-Out : Ø45mm



HLF-3311 (3W)  
Size : 70x32x22mm  
Cut-Out : 25x65mm



HLF-3315 (1W)  
Size : 50x50mmx27mm  
Cut-Out : Ø45mm



HLF-3316 (1W)  
Size : Ø50mmx27mm  
Cut-Out : Ø45mm



HLF-3317 (1W)  
Size : Ø58mmx37mm  
Cut-Out : Ø45mm



HLF-3318 (3W)  
Size : Ø50mmx42mm  
Cut-Out : Ø45mm



HLF-3320 (3W)  
Size : 90x90mmx38mm  
Cut-Out : 52x72mm

Body Colour Available : White / Black



### LED MODULE LIGHT



LH

HLM-2852 (3W)  
Size : Ø50mmx46mm



LH

HLM-2853 (9W)  
Size : Ø50mmx80mm



LH

HLM-2854 (15W)  
Size : Ø50mmx110mm

### LED RECESSED CABINET SPOT LIGHT



LH

HLR-2862 (1W)  
Size : Ø51.5mmx17.5mm  
Cut-Out : Ø41mm



LH

HLR-2865 (3W)  
Size : Ø63mmx33.5mm  
Cut-Out : Ø46mm



LH

HLR-2867 (1W)  
Size : 60x60mmx22mm  
Cut-Out : Ø47mm

### LED RECESSED DOWNLIGHT - COB'S ANTIGLARE ROUND - COLOUR CHANGING



LH

HLR-2864 (22W)  
Size : Ø85mmx87mm  
Cut-Out : Ø75mm

Body Colour Available : White / Black



LH

HLR-2871 (4W)  
Size : Ø40mmx63mm  
Cut-Out : Ø36mm



LH

HLR-2873 (13W)  
Size : Ø75mmx88mm  
Cut-Out : Ø65mm



LH

HLR-2874 (20W)  
Size : Ø95mmx92mm  
Cut-Out : Ø82mm



LH

HLR-2875 (25W)  
Size : Ø115mmx117mm  
Cut-Out : Ø105mm



LH

HLR-2877 (15W)  
Size : Ø80mmx65mm  
Cut-Out : Ø70mm



LH

HLR-2880 (10W)  
Size : Ø100mmx70mm  
Cut-Out : Ø86mm



LH

HLR-2881 (18W)  
Size : Ø85mmx128mm  
Cut-Out : Ø80mm

LED RECESSED DOWNLIGHT - COB'S ANTIGLARE ROUND - COLOUR CHANGING



HLR-2886 (42W)  
Size : Ø225mmx110mm  
Cut-Out : Ø185mm



HLR-2891 (10W)  
Size : Ø113mmx85mm  
Cut-Out : Ø83mm



HLR-2892 (15W)  
Size : Ø143mmx85mm  
Cut-Out : Ø113mm



HLR-2897 - (40W)  
Size : 200mmx80mm  
Cut-Out : 185mm

LED RECESSED DOWNLIGHT - SMD & COB'S FIXED ROUND



HLR-2901 (5W)  
Size : Ø78mmx35mm  
Cut-Out : Ø70mm



HLR-2906 (7W)  
Size : Ø65mmx72mm  
Cut-Out : Ø55mm

LED RECESSED DOWNLIGHT - COB'S EYEBALL ROUND



HLR-2912 (13W)  
Size : Ø85mmx93.5mm  
Cut-Out : Ø80mm

LED RECESSED DOWNLIGHT - SMD DOWNLIGHTER WITH COB (2 IN 1)



6W COB & 12W SMD

HLR-2947 (18W)  
Size : Ø148x56mm  
Cut-Out : Ø140mm



6W COB & 18W SMD

HLR-2948 (24W)  
Size : Ø170mmx56mm  
Cut-Out : Ø161mm



6W COB & 12W SMD

HLR-2949 (18W)  
Size : 142x142mmx56mm  
Cut-Out : 133x133mm



6W COB & 18W SMD

HLR-2950 (24W)  
Size : 167x167mmx56mm  
Cut-Out : 155x155mm

LED RECESSED DOWNLIGHT - ANTIGLARE SMD / FIXED SMD



LH

HLR-2955 (10W)  
Size : Ø135mmx45mm  
Cut-Out : Ø110mm



LH

HLR-2957 (16W)  
Size : Ø185mmx45mm  
Cut-Out : Ø165mm



LH

HLR-2961 (15W)  
Size : Ø180x52mm  
Cut-Out : Ø156mm



LH

HLR-2965 (10W)  
Size : Ø140mmx52mm  
Cut-Out : Ø105mm



LH

HLR-2966 (18W)  
Size : Ø180mmx55mm  
Cut-Out : Ø130mm



LH

HLR-2967 (10W)  
Size : 140x140x52mm  
Cut-Out : 105x105mm



LH

HLR-2968 (18W)  
Size : 175x175x52mm  
Cut-Out : 140x140mm

LED HIGH-BAY LIGHT - COB HIGH-BAY LIGHT WITH LENSE - FULL BLACK



LH

HLR-3001 (50W)  
Size : Ø355mm(Reflector)  
Total Height : 300mm



LH

HLR-3002(100W)  
Size : Ø355mm(Reflector)  
Total Height : 345mm

LED MOTION SENSOR BATTEN LIGHT



LH

HTL-3051 (10W)  
Size : 22mmx36mm  
Length : 536mm




LH

HTL-3055 (20W)  
Size : 22mmx36mm  
Length : 1136mm





LED RECESSED DOWNLIGHT - COB'S



F01




HLM-2115 (15W)



F11




HLM-2125 (25W / 32W)



F21




HLM-2133 (33W / 40W)




F31



HLM-2140 (40W / 50W)






LED RECESSED DOWNLIGHT - COB'S



F02





HLM-2115 (15W)



F12




HLM-2125 (25W / 32W)



F22




HLM-2133 (33W / 40W)



F32



HLM-2140 (40W / 50W)



LED RECESSED DOWNLIGHT - COB'S




F03



LH

HLM-2115 (15W)




F13



LH

HLM-2125 (25W / 32W)




F23



LH

HLM-2133 (33W / 40W)




F33



LH

HLM-2140 (40W / 50W)




LED RECESSED DOWNLIGHT - COB'S




LH

HLR-2608 (1x15W)  
 Size : 110x110x98mm  
 Cut-Out : 95x95mm




LH

HLR-2609 (2x15W)  
 Size : 205x110x98mm  
 Cut-Out : 190x95mm




LH

HLR-2610 (3x15W)  
 Size : 290x110x98mm  
 Cut-Out : 275x95mm







LED RECESSED DOWNLIGHT - COB'S



F17




HLM-2125 (25W / 32W)



F18




HLM-2125 (2x25W / 2x32W)




F19



HLM-2125 (3x25W / 3x32W)



LED RECESSED DOWNLIGHT - COB'S




F27



LH

HLM-2133 (33W / 40W)




F28



LH

HLM-2133 (2x33W / 2x40W)




F29



LH

HLM-2133 (3x33W / 3x40W)




## LED TRACK LIGHT




HLT-4004 (5W)

Body Colour Available : White / Black




HLT-4006 (10W)

Body Colour Available : White / Black




HLT-4008 (10W)

Body Colour Available : White / Black



HLT-4009 (18W)

Body Colour Available : White / Black



Professional Glareproof Photomask Options



T-41 T-42  
(COVER WITH HONEYCOMB)

Professional Glareproof Photomask Options



T-51 T-52  
(COVER WITH HONEYCOMB)

## TRACK PATTI - 2 WIRE SINGLE PHASE (Suitable for EB-9407)



(2 WIRE - 1MTR)

TR-4121

Body Colour Available : White / Black



(2 WIRE - 2MTR)

TR-4122


Body Colour Available : White / Black



(2 WIRE - Straight Connector)

TR-4124


Body Colour Available : White / Black



(2 WIRE - L Connector)

TR-4125

Body Colour Available : White / Black



(2 WIRE - T Connector)


TR-4126

Body Colour Available : White / Black


LED TRACK LIGHT



HLT-4011 (12W)




HLT-4013 (12W)



ADJUSTABLE BEAM ANGLE : 12.5° to 45°

HLT-4016 (12W)

Body Colour Available : White / Black





ADJUSTABLE BEAM ANGLE : 12.5° to 45°



ADJUSTABLE BEAM ANGLE : 12.5° to 45°


HLT-4018 (25W)

Body Colour Available : White / Black



HLT-4023 (15W)


Body Colour Available : White / Black




Professional Glareproof Photomask Options



Model : T-02



Model : T-01






### LED TRACK LIGHT




LH

HLT-4024 (25W)

Body Colour Available : White / Black



#### Professional Glareproof Photomask Options



Model : T-12

Model : T-13

Model : T-11


Model : T-14




LH

HLT-4025 (33W)

Body Colour Available : White / Black



#### Professional Glareproof Photomask Options



Model : T-22

Model : T-23

Model : T-21


Model : T-24




LH

HLT-4032 (10W)

Body Colour Available : White / Black



#### Professional Glareproof Photomask Options



Model : T-02


Model : T-01



LH

HLT-4033 (15W)

Body Colour Available : White / Black




## LED TRACK LIGHT




HLT-4034 (25W)

Body Colour Available : White / Black



Professional Glareproof Photomask Options



Model : T-12

Model : T-13


Model : T-11

Model : T-14




HLT-4035 (33W)

Body Colour Available : White / Black



Professional Glareproof Photomask Options



Model : T-22

Model : T-23


Model : T-21

Model : T-24




HLT-4038 (12W)

Body Colour Available : White / Black




HLT-4040 (25W)

Body Colour Available : White / Black



HLT-4044 (34W)

Body Colour Available : White / Black



## LED TRACK LIGHT - BUILT-IN DRIVER



HLT-4039 (15W / 20W)  
Body Colour Available : White / Black



HLT-4041 (25W / 30W)  
Body Colour Available : White / Black



HLT-4042 (40W / 45W)  
Body Colour Available : White / Black

## LED TRACK LIGHT - SIDE CHOKE



HLT-4061 (15W / 20W)  
Body Colour Available : White / Black




HLT-4062 (25W / 30W)  
Body Colour Available : White / Black



HLT-4063 (35W / 40W)  
Body Colour Available : White / Black


## LED TRACK LIGHT - TOP CHOKE



HLT-4074 (15W / 20W)  
Body Colour Available : White / Black



HLT-4075 (25W / 30W)  
Body Colour Available : White / Black



HLT-4076 (35W / 40W)  
Body Colour Available : White / Black



HLT-4078 (18W / 25W)  
Body Colour Available : White / Black




HLT-4079 (30W / 35W)  
Body Colour Available : White / Black


## LED TRACK LIGHT - TOP CHOKE




HLT-4082 (20W / 25W)  
Body Colour Available : White / Black



HLT-4083 (30W / 35W)  
Body Colour Available : White / Black



HLT-4084 (40W / 45W)  
Body Colour Available : White / Black



## LED TRACK LIGHT - TOP CHOKE COB TRACK LIGHT



HLT-2999 (25W)  
Size : W195mmxH235mm



HLT-2998 (30W / 35W)  
Size : Ø105mmxH145mm



## SURFACE TRACK PATTI - 3 WIRE SINGLE PHASE

(Suitable for HLT-4006, HLT-4011, HLT-4013, HLT-4016, HLT-4018, HLT-4023, HLT-4024, HLT-4025, HLT-4026, HLT-4032, HLT-4035, HLT-4038, HLT-4040, HLT-4044)



Body Colour Available : White / Black  
(3 Wire - 1 MTR Surface)  
TR-4151



Body Colour Available : White / Black  
(3 Wire - 2 MTR Surface)  
TR-4152



Body Colour Available : White / Black  
(3 Wire - Straight Connector)  
TR-4153



Body Colour Available : White / Black  
(3 Wire - T Connector)  
TR-4154



Body Colour Available : White / Black  
(3 Wire - L Connector)  
TR-4155




Body Colour Available : White / Black  
(3 Wire - Trans Short Ceiling Base)  
TR-4157




## RECESSED TRACK PATTI - 3 WIRE SINGLE PHASE

(Suitable for HLT-4006, HLT-4011, HLT-4013, HLT-4016, HLT-4018, HLT-4023, HLT-4024, HLT-4025, HLT-4026, HLT-4032, HLT-4035, HLT-4038, HLT-4040, HLT-4044)



Body Colour Available : White / Black

(3 Wire - 1 MTR Recessed)  
TR-4171



Body Colour Available : White / Black

(3 Wire - 2 MTR Recessed)  
TR-4172



Body Colour Available : White / Black

(3 Wire - Straight I Connector)  
TR-4173



Body Colour Available : White / Black

(3 Wire - L Connector)  
TR-4174




Body Colour Available : White / Black

(3 Wire - T Connector)  
TR-4175



Body Colour Available : White / Black

(3 Wire - X Connector)  
TR-4176



(Recessed Track Clamp)  
TR-4178

## SURFACE TRACK PATTI - 4 WIRE 3 PHASE



Body Colour Available : White / Black

(4 Wire - 3 PHASE - 1 MTR)  
TR-4161



Body Colour Available : White / Black

(4 Wire - 3 PHASE - 2 MTR)  
TR-4162



Body Colour Available : White / Black

(4 Wire - 3 PHASE - Straight Connector)  
TR-4163



Body Colour Available : White / Black

(4 Wire - 3 PHASE - L Connector)  
TR-4165




Body Colour Available : White / Black

(4 Wire - 3 PHASE - T Connector)  
TR-4166



Body Colour Available : White / Black

(4 Wire - 3 PHASE - X Connector)  
TR-4167



(Suspension Kit with Wire 1.5mtr. Long)

(4 Wire - 3 PHASE - Suspension Kit)  
TR-4168

## SURFACE TRACK PATTI - DC 48V 6MM SLIM SURFACE MAGNETIC TRACK SERIES



TR-4201 (1 MTR TRACK)

Body Colour Available : White / Black



TR-4202 (2 MTR TRACK)

Body Colour Available : White / Black



TR-4203 (STRAIGHT I CONNECTOR)

Body Colour Available : White / Black



TR-4204 (L CONNECTOR)

Body Colour Available : White / Black



TR-4205 (T CONNECTOR)

Body Colour Available : White / Black



TR-4206 (X CONNECTOR)

Body Colour Available : White / Black



TR-4207 (WALL TO WALL CONNECTOR)

Body Colour Available : White / Black



TR-4213 (DRIVER COVER)

Body Colour Available : White / Black



HLT-4221 (9W)

Body Colour Available : White / Black



HLT-4222 (18W)

Body Colour Available : White / Black




HLT-4223 (6W)

Body Colour Available : White / Black



HLT-4224 (6W)

Body Colour Available : White / Black



HLT-4225 (7W)

Body Colour Available : White / Black



HLT-4227 (12W)

Body Colour Available : White / Black



HLT-4228 (18W)

Body Colour Available : White / Black



HLT-4229 (24W)

Body Colour Available : White / Black

## LED TRACK LIGHTS - DC 48V 6MM SLIM SURFACE MAGNETIC TRACK SERIES



HLT-4231 (12W)

Body Colour Available : White / Black



HLT-4235 (10W)

Body Colour Available : White / Black



HLT-4236 (20W)

Body Colour Available : White / Black



HLT-4237 (30W)

Body Colour Available : White / Black



HLT-4240 (16W)

Body Colour Available : White / Black

## LED DRIVER - DC 48V DRIVER SUITABLE FOR MAGNETIC TRACK SERIES



HLD-4211 (100W)

DC 48V-100W



HLD-4212 (200W)

DC 48V-200W

**LED SURFACE SPOT LIGHT**



HLS-3004 (3W)  
Size : Ø38mmx45mm



HLS-3006 (3W)  
Size : 63x63mmx15mm



HLS-3009 (11W)  
Size : Ø130mmx150mm



HLS-3011 (8W)  
Size : Ø90mmx75mm



HLS-3012 (12W)  
Size : Ø120mmx75mm



HLS-3013 (16W)  
Size : Ø140mmx75mm



HLS-3014 (12W)  
Size : 76x76mmx90mm



HLS-3019 (2x12W)  
Size : 152mmx164mm



HLS-3022 (12W)  
Size : Ø85mmx120mm



HLS-3023 (10W)  
Size : Ø50mmx165mm



HLS-3025 (10W)  
Size : Ø55mmx150mm



HLS-3026 (7W)  
Size : Ø100mmx93mm



HLS-3027 (9W)  
Size : Ø90mmx125mm



HLS-3029 (16W)  
Size : Ø120mmx140mm



HLS-3031 (30W)  
Size : Ø140mmx140mm



HLS-3032 (10W)  
Size : Ø52mmx149mm



**LED SURFACE SPOT LIGHT**



HLS-3033 (15W)  
Size : Ø65mmx148mm



HLS-3034 (30W)  
Size : Ø95mmx204mm



HLS-3036 (9W)  
Size : 95x95mmx120mm




HLS-3037 (2x11W)  
Size : 95x187mmx120mm



HLS-3039 (20W)  
Size : 272mmx77mm



HLS-3040 (30W)  
Size : 381mmx77mm



HLS-3042 (12W)  
Size : Ø52mmx200mm



HLS-3044 (30W)  
Size : Ø65mmx236mm



HLS-3045 (38W)  
Size : Ø105mmx285mm



HLS-3048 (11W)  
Size : Ø107mmx120mm



HLS-3050 (20W / 25W)  
Size : Ø70mmx85mm x H130mm



HLS-3051 (30W / 35W)  
Size : Ø82mmx100mm x H145mm



HLS-3253 (10W)  
Size : Ø150mmx90mm



HLS-3255 (5W)  
Size : 90x90mmx70mm



HLS-3256 (15W)  
Size : 150x150mmx70mm



HLS-3258 (20W)  
Size : 220x110mmx70mm

## LED SURFACE SPOT LIGHT



HLS-3261 (5W)  
Size : 49x49mmx83mm



HLS-3264 (15W)  
Size : 86x86mmx88mm



HLS-3265 (30W)  
Size : 125x125mmx88mm



HLS-3267 (8W)  
Size : Ø50mmx80mm



HLS-3268 (12W)  
Size : Ø60mmx90mm



HLS-3269 (18W)  
Size : Ø88mmx140mm



HLS-3271 (5W)  
Size : Ø55mmx68mm



HLS-3272 (8W)  
Size : Ø80mmx93mm



HLS-3273 (15W)  
Size : Ø96mmx100mm



HLS-3275 (Up 5W + Down 20W)  
Size : Ø232mmx60mm



HLS-3277 (Up 2W + Down 10W)  
Size : Ø113mmx75mm



HLS-3278 (Up 2W + Down 16W)  
Size : Ø138mmx75mm



HLS-3280 (Up 3W + Down 7W)  
Size : Ø113mmx90mm



HLS-3281 (15W)  
Size : Ø75mmx147mm



HLS-3282 (25W)  
Size : Ø96mmx152mm



HLS-3283 (35W)  
Size : Ø115mmx134mm

## LED SURFACE SPOT LIGHT



HLS-3284 (40W)  
Size : Ø137mmx160mm



HLS-3287 (15W)  
Size : Ø75mmx147mm



HLS-3288 (25W)  
Size : Ø96mmx152mm



HLS-3290 (8W)  
Size : Ø45mmx160mm



HLS-3291 (12W)  
Size : 115x115mmx55mm



HLS-3292 (2x12W)  
Size : 225x115mmx55mm



HLS-3293 (3x12W)  
Size : 335x115mmx55mm

## LED SURFACE ROUND LASER REFLECTOR DOWNLIGHT



HLS-2942 (10W)  
Size : 137mmx34mm  
Depth : 70mm



HLS-2944 (20W)  
Size : 270mmx34mm  
Depth : 70mm



HLS-2946 (30W)  
Size : 402mmx34mm  
Depth : 70mm

## LED SURFACE CEILING LIGHT - 300x300 & 600x600



HLS-2997 (18W)  
Size : 300x300mmx70mm



HLS-3000 (36W)  
Size : 600x600mmx70mm

## LED SURFACE MOTION SENSOR PANEL LIGHT - ROUND



HLS-3110 (8W)

Size : Ø115mmx32mm



HLS-3111 (12W)

Size : Ø165mmx32mm



HLS-3112 (18W)

Size : Ø215mmx32mm

## LED SURFACE MOTION SENSOR PANEL LIGHT - SQUARE



HLS-3113 (8W)

Size : 115x115x32mm



HLS-3114 (12W)

Size : 165x165x32mm



HLS-3115 (18W)

Size : 215x215x32mm

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3452 (3W)  
Size : Ø150x110mm



Available Body Colour : White & Black

HLA-3453 (1x3W)  
Size : 100x31x350mm



HLA-3454 (3W)  
Size : 85x33x420mm



HLA-3461 (7W)  
Size : Ø55x93mmxL600mm



HLA-3462 (9W)  
Size : Ø55x103mmxL900mm



HLA-3463 (12W)  
Size : Ø55x113mmxL1250mm



HLA-3501 (6W)  
Size : 80x100x100mm




HLA-3503 (6W)  
Size : 245x120x100mm



HLA-3504 (12W)  
Size : 410x120x100mm



**LED ARCHITECTURAL WALL & HANGING LIGHTS**



HLA-3505 (18W)  
Size : 575x120x100mm



HLA-3506 (6W)  
Size : 245x100x95mm



HLA-3507 (12W)  
Size : 445x100x100mm



HLA-3508 (6W)  
Size : 170x50x110mm



HLA-3509 (12W)  
Size : 425x50x110mm



HLA-3510 (3W)  
Size : 140x45x83mm



HLA-3511 (6W)  
Size : 290x45x83mm



HLA-3512 (9W)  
Size : 440x45x83mm



HLA-3513 (16W)  
Size : 300x76x50mm

**LED ARCHITECTURAL WALL & HANGING LIGHTS**



HLA-3514 (24W)  
Size : 500x76x50mm



HLA-3519 (4W)  
Size : 240x120x114mm



HLA-3520 (6W)  
Size : 140x45x85mm




HLA-3521 (6W)  
Size : 230x100x100mm




HLA-3522 (12W)  
Size : 250x120x92mm



HLA-3523 (6W)  
Size : 400x60x90mm



HLA-3527 (8W)  
Size : 254x254x54mm



HLA-3528 (6W)  
Size : 200x175x150mm



HLA-3547 (12W)  
Size : 380x120x50mm

**LED ARCHITECTURAL WALL & HANGING LIGHTS**



HLA-3548 (5W)  
Size : 50x135mm



HLA-3604 (18W)  
Size : 590x60x110mm



HLA-3605 (6W)  
Size : 510x30x80mm



HLA-3607 (8W)  
Size : 450x45x185mm



HLA-3608 (12W)  
Size : 570x45x185mm



HLA-3609 (12W)  
Size : 605x60x108mm



HLA-3611 (12W)  
Size : 510x50x105mm



HLA-3612 (20W)  
Size : 824x50x106mm




HLA-3614 (8W)  
Size : 460x60x140mm


**LED ARCHITECTURAL WALL & HANGING LIGHTS**



HLA-3615 (12W)  
Size : 600x60x140mm



HLA-3617 (8W)  
Size : 360x50x150mm



HLA-3618 (12W)  
Size : 510x50x150mm



HLA-3626 (8W)  
Size : 270x215x46mm



HLA-3651 (3W)  
Size : 170x80x60mm



HLA-3652 (6W)  
Size : 190x130x80mm



HLA-3675 (10W)  
Size : 340x160x45mm



HLA-3676 (15W)  
Size : 520x160x45mm



HLA-3679 (18W)  
Size : 600x90x53mm

**LED ARCHITECTURAL WALL & HANGING LIGHTS**



HLA-3680 (8.5W)  
Size : 365x60x100mm



HLA-3683 (16W)  
Size : Ø250x58mm




HLA-3684 (16W)  
Size : 240x240x58mm



HLA-3686 (6W)  
Size : 250x80x140mm



HLA-3687 (9W)  
Size : 400x80x140mm



HLA-3688 (12W)  
Size : 550x80x140mm



HLA-3703 (15W)  
Size : 520x70x145mm



HLA-3704 (5W)  
Size : 125x110xH1200mm




HLA-3709 (3W)  
Size : Ø90x230xH3000mm



**LED ARCHITECTURAL WALL & HANGING LIGHTS**



HLA-3710 (12W)  
Size : Ø250x90xH1200mm



HLA-3712 (6W)  
Size : Ø125xH1200mm



HLA-3711 (5W)  
Size : ø125x110mm




HLA-3713 (28W)  
Size : Ø300xH1200mm



HLA-3718 (30W)  
Size : 400x185x110mm



HLA-3729 (3W)  
Size : Ø25x150x54mm




HLA-3730 (5W)  
Size : 60x50x184mm


LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3731 (3x5W)  
Size : Ø40x55mmxL1039mm



HLA-3732 (13W)  
Size : 26x18mmxL1200mm



HLA-3733 (25W)  
Size : 26x18mmxL2000mm



HLA-3734 (25W)  
Size : 628x628mmx18mm



HLA-3735 (25W)  
Size : 1128x628mmx18mm



HLA-3736 (38W)  
Size : 1628x628mmx18mm

**LED ARCHITECTURAL WALL & HANGING LIGHTS**



HLA-3805 (18W)  
Size : 800x90xH1200mm




HLA-3804 (5W)  
Size : Ø180xH1200mm




HLA-3809  
E-14 lamp x 1nos.  
Housing Material :  
METAL & PC & ABS



HLA-3815  
(GREY BRUSH ANTIQUE)  
E-27 lamp x 1nos.  
Size : 200x160xH1430mm



HLA-3849 (21W)  
Size : Ø400xH1200mm



HLA-3850 (36W)  
Size : Ø600xH1200mm

**LED ARCHITECTURAL WALL & HANGING LIGHTS**



**HLA-3851 (70W)**  
Size : 1193x180xH1200mm



(WHITE WITH GOLD RING)  
**HLA-3857 (7W)**  
Size : Ø60xH167mm



**HLA-3859 (8W)**  
Size : Ø280xH1200mm



**HLA-3860 (15W)**  
Size : Ø250xH1500mm



**HLA-3861 (15W)**  
Size : Ø65xH1200mm



**HLA-3862 (30W)**  
Size : Ø95xH1500mm


**LED ARCHITECTURAL WALL & HANGING LIGHTS**




HLA-3864 (5W)  
Size : Ø130xH800mm




HLA-3865 (15W)  
Size : Ø360xH800mm



HLA-3871 (12W)  
Size : Ø165mm



HLA-3872 (24W)  
Size : Ø300mm




HLA-3873 (48W)  
Size : Ø600mm



HLA-3875 (24W)  
COPPER FINISH  
Size : Ø405xH150mm



**LED ARCHITECTURAL WALL & HANGING LIGHTS**



**HLA-3877 (35W) - SILVER**  
Size : Ø350xH700mm



**HLA-3881 (27W)**  
Size : 300x300xH1200mm



**HLA-3882 (40W)**  
Size : 600x300xH1200mm



**HLA-3883 (50W)**  
Size : 600x600xH1200mm



**HLA-3886 (27W)**  
Size : Ø400xH1200mm



**HLA-3887 (40W)**  
Size : Ø600xH1200mm

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3891 (24.5W)  
Size : 325x325xH1200mm



HLA-3892 (39W)  
Size : 600x600xH1200mm



HLA-3893 (34W)  
Size : 600x200xH1200mm



HLA-3894 (59W)  
Size : 1200x200xH1200mm



HLA-3895 (103.5W)  
300x300xH1200mm / 450x450xH1200mm  
600x600xH1200mm



HLA-3896 (31W)  
Size : Ø450xH1200mm


LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3897 (35W)  
Size : Ø600xH1200mm



HLA-3898 (86W)  
Ø300xH1200mm  
Ø450xH1200mm  
Ø600xH1200mm



HLA-3900 (28W) - SILVER  
Size : 940x120xH1200mm


**LED ARCHITECTURAL SURFACE CEILING LIGHTS**



HLA-3901 (5W)  
Size : Ø180x115mm



HLA-3902 (12W)  
Size : Ø260x115mm



HLA-3903 (44W)  
Size : 300x300x70mm




HLA-3904 (20W)  
Size : 300x300x75mm




HLA-3922 (24W)  
Size : Ø555xH590mm



HLA-3931 (17W)  
Size : 400xH80mm




HLA-3933 (20W)  
Size : 445x500x55mm




HLA-3934 (54W)  
Size : Ø600x48mm


## LED STRIP LIGHTS - NON-WATERPROOF (IP20) - HIGH LUMENS




HLL-4501 - 12V (White PCB - 8mm)  
384 LED/MTR - COB - 10W




HLL-4502 - 24V (White PCB - 10mm)  
120 LED/MTR - 2835 - 10W




HLL-4505 - 12V (Black PCB - 8mm)  
120 LED/MTR - 2835 - 14W




HLL-4506 - 24V (PCB - 5mm)  
120 LED/MTR - 2835 - 10W




HLL-4508 - 24V (PCB - 5mm)  
180 LED/MTR - 2835 - 15W




HLL-4509 - 24V (PCB - 8mm)  
60 LED/MTR - 2835 - 6W




HLL-4510 - 24V (PCB - 8mm)  
120 LED/MTR - 2835 - 12W




HLL-4511 - 24V (PCB - 10mm)  
192 LED/MTR - 2835 - 20W



HLL-4512 - 24V (PCB - 10mm)  
240 LED/MTR - 2835 - 24W



**NEW**  
HLL-4518 - 24V (White PCB - 8mm)  
120 LED/MTR - 2835 - 10W  
Colour : TUNABLE (2700K-6500K)



**NEW**  
HLL-4519 - 24V (White PCB - 8mm)  
192 LED/MTR - 2835 - 20W  
Colour : TUNABLE (2700K-6500K)

## EMPTY PROFILE - SURFACE PROFILES

**REMARK :** (1). ALL THE PROFILE LIGHTS MODEL NUMBERS ARE CHANGED. (2). ALL THE EMPTY PROFILES AVAILABLE IN SILVER ANODIZING ONLY. (3). ALL THE EMPTY PROFILES SIDE END CAPS IS POLYCARBONATE. (4). ALL THE PROFILE LIGHTS MAXIMUM LENGTH IS 2MTR / 3MTR. (5). ALL THE EMPTY PROFILE LIGHTS MINIMUM ORDER 20MTR / 40MTR ACCORDING TO PRODUCT.




HLL-1000 : SURFACE BODY - FULL SET  
STANDARD LENGTH : 2MTR  
SIZE : 15x9mm



HLL-1001 : SURFACE BODY - FULL SET  
STANDARD LENGTH : 2MTR  
SIZE : 10x15mm



(Thickness 1.2mm)  
**(HEAVY WEIGHT)**  
HLL-1005 : SURFACE BODY - FULL SET  
STANDARD LENGTH : 2MTR  
SIZE : 17x7mm



HLL-1007 : SURFACE BODY - FULL SET  
STANDARD LENGTH : 3MTR  
SIZE : 17x14mm




HLL-1009 : SURFACE BODY - FULL SET  
STANDARD LENGTH : 2MTR  
SIZE : 26x17mm




HLL-1011 : SURFACE BODY - FULL SET  
STANDARD LENGTH : 2MTR  
SIZE : 35x17mm



## EMPTY PROFILE - SURFACE PROFILES



**HLL-1013: SURFACE BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 50x18mm



**HLL-1015: SURFACE BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 65x35mm

## EMPTY PROFILE - BLACK SURFACE PROFILES WITH BLACK DIFFUSER



**HLL-1020: SURFACE BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 13x10mm




**HLL-1021: SURFACE BODY - FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 18x7mm



**HLL-1023: SURFACE BODY - FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 17x14mm

## EMPTY PROFILE - SURFACE CORNER PROFILES



**HLL-1027: SURFACE BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 20x15mm



**HLL-1032: SURFACE ANGULAR PROFILE - FULL SET**  
STANDARD LENGTH : 8FT MIN LENGTH  
SIZE : 23xD9mm



**HLL-1034: CORNER SURFACE - FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 15x15mm



**HLL-1036: CORNER SURFACE - FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 15x15mm



**HLL-1044: CORNER SURFACE BODY - FULL SET**  
STANDARD LENGTH : 8FT MIN LENGTH  
SIZE : 30xD30mm



**HLL-1047: CORNER SURFACE BODY - FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 20xD23mm / CUT-OUT : 23xD8mm

## EMPTY PROFILE - CONCEALED PROFILES



**HLL-1050: CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 11xD9mm / CUT-OUT : 7xD8mm




**HLL-1054: CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 25xD7mm / CUT-OUT : 17xD5mm




**HLL-1056: CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 8FT MIN LENGTH  
SIZE : 23xD14mm / CUT-OUT : 18xD13mm


## EMPTY PROFILE - CONCEALED PROFILES



**HLL-1058 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 30xD10mm / CUT-OUT : 23xD8mm



**HLL-1060 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 36xD17mm / CUT-OUT : 26xD15mm




**HLL-1062 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 46xD17mm / CUT-OUT : 34xD15mm

## EMPTY PROFILE - BLACK CONCEALED PROFILES WITH BLACK DIFFUSER



**HLL-1064 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 13x12mm / CUT-OUT : 8mm




**HLL-1066 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 24xD7mm / CUT-OUT : 17mm




**HLL-1067 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 25xD14mm / CUT-OUT : 17mm

## EMPTY PROFILE - CONCEALED GROUND FLOORING WALK OVER PROFILES



**HLL-1076 : CONCELED BODY FULL SET**  
STANDARD LENGTH : 8FT MIN LENGTH  
SIZE : 23xD90mm / CUT-OUT : 20xD8mm

## EMPTY PROFILE - CONCEALED GROUND FLOORING WALK OVER PROFILES



**HLL-1074 : CONCELED BODY FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 27xD11mm / CUT-OUT : 20xD8mm




**HLL-1078 : CONCELED BODY FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 21mmxD26mm / CUT-OUT : 15xD23mm

## EMPTY PROFILE - CONCEALED ANTIGLARE PROFILES




**HLL-1084 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 8FT  
SIZE : 28xD26mm / CUT-OUT : 20xD24mm


## EMPTY PROFILE - CONCEALED ANTIGLARE PROFILES




**HLL-1122 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 32xD13mm / CUT-OUT : 10xD11mm




**HLL-1124 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 47xD9mm / CUT-OUT : 7xD7mm



**HLL-1126 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 73xD16mm / CUT-OUT : 31xD14mm




**HLL-1128 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 95xD32mm / CUT-OUT : 35xD30mm



**HLL-1130 : CONCEALED BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 36xD21mm / CUT-OUT : 10xD21mm

## EMPTY PROFILE - BLACK CONCEALED TRIMLESS PROFILES



**HLL-1140 : RECESSED BODY - FULL SET**  
STANDARD LENGTH : 3MTR  
SIZE : 52.5xD15mm / CUT-OUT : 12.5mm



**HLL-1142 : RECESSED BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 61.45xD14mm / CUT-OUT : 29mm

## EMPTY PROFILE - UP-DOWN SURFACE PROFILES




**HLL-1154 : SURFACE BODY - FULL SET**  
STANDARD LENGTH : 2MTR  
SIZE : 48xD19mm

*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - SLIM LINE CONCEALED PROFILES (Without Driver)



SIZE : 11.31MM X 9.50MM  
CUT-OUT : 7.50MM

Aluminium Extrusion  
3W/ft.  
BRIDGELUX  
SMD LED 2835 (0.2W)  
36 LED /ft  
3000K/4000K/6500K  
150Lumens/ft.  
12V(Constant Voltage)  
MAX LENGTH 8FT.

HLL-1171 (11MM)

## LED PROFILE LIGHT - SLIM LINE SURFACE PROFILES



SIZE : 7.30MM X 9.50MM

Aluminium Extrusion  
3W/ft.  
BRIDGELUX  
SMD LED 2835 (0.2W)  
36 LED /ft  
3000K/4000K/6500K  
150Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1175 (7MM)

## LED PROFILE LIGHT - SLIM LINE CORNER PROFILES



SIZE : 13.57MM X 13.57MM

Aluminium Extrusion  
3W/ft.  
BRIDGELUX  
SMD LED 2835 (0.2W)  
36 LED /ft  
3000K/4000K/6500K  
150Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.


HLL-1179 (13MM)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - SLIM LINE CONCEALED TRIMLESS PROFILES




SIZE : 47.30MM X 9.50MM  
CUT-OUT : 7.30MM X 9.50MM

Aluminium Extrusion  
3W/ft.  
BRIDGELUX  
SMD LED 2835 (0.2W)  
36 LED /ft  
3000K/4000K/6500K  
150Lumens/ft.  
12V(Constant Voltage)  
MAX LENGTH 8FT.

HLL-1180 (47MM)

## LED PROFILE LIGHT - SLIM LINE CONCEALED TRIMLESS PROFILES



SIZE : 32.02MM X 18.39MM  
CUT-OUT : 16.30MM X 18.39MM

Aluminium Extrusion  
3W/ft.  
BRIDGELUX  
SMD LED 2835 (0.2W)  
36 LED /ft  
3000K/4000K/6500K  
150Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1182 (32MM)



Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - SLIM LINE 1 WAY SUSPENDED PROFILES

NEW



### 1WAY



SIZE : 8.30MM X 21MM

Aluminium Extrusion  
3W/ft.  
BRIDGELUX  
SMD LED 2835 (0.2W)  
36 LED /ft  
3000K/4000K/6500K  
150Lumens/ft.  
12V(Constant Voltage)  
MAX LENGTH 8FT.


HLL-1188 (8MM)

## LED PROFILE LIGHT - SLIM LINE 2 WAY SUSPENDED PROFILES

NEW



### 2WAY



SIZE : 8.30MM X 21MM

Aluminium Extrusion  
6W/ft.  
BRIDGELUX  
SMD LED 2835 (0.2W)  
36 LED /ft  
3000K/4000K/6500K  
300Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.


HLL-1190 (32MM)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES




SIZE : 7MM X 10MM

Aluminium Extrusion  
3W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V(Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1202 (7MM)**





SIZE : 10MM X 6MM




Aluminium Extrusion  
3W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
240Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1204 (10MM)**



SIZE : 12MM X 15MM



Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
640Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.


**HLL-1206 (12MM)**

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES



SIZE : 15MM X 9MM

**TUNABLE DIMMABLE**




Intelligent remote control  
dimmer toning

Aluminium Extrusion  
4W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
72 LED /ft  
3000K/4000K/6500K  
240Lumens/ft.  
12V (constant Voltage)  
MAX LENGTH 8FT.

**HLL-1208 (15MM)**



Thikness 1.2mm



SIZE : 17MM X 8MM


**TUNABLE DIMMABLE RGB+ CCT TUNABLE (BLUE TOOTH)**



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(BLUE TOOTH)  
400Lumens/ft.  
12V (constant Voltage)  
MAX LENGTH 8FT.

**HLL-1210 (17MM)**



SIZE : 17MM X 14MM

**TUNABLE DIMMABLE RGB+ CCT TUNABLE (BLUE TOOTH)**



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(BLUE TOOTH)  
400Lumens/ft.  
12V (constant Voltage)  
MAX LENGTH 8FT.


**HLL-1212 (17MM)**

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES




SIZE : 22MM X 18MM



Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1214 (22MM)**



SIZE : 25MM X 27MM


**TUNABLE DIMMABLE**



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (constant Voltage)  
MAX LENGTH 8FT.

**HLL-1216 (25MM)**



SIZE : 35MM X 35MM

**TUNABLE DIMMABLE RGB+CCT TUNABLE (BLUE TOOTH)**



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
78 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
12V (constant Voltage)  
MAX LENGTH 8FT.

**HLL-1218 (35MM)**


Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



lighting the future

## LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES





SIZE : 40MM X 15MM



Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
117 LED /ft  
3000K/4000K/6500K  
800Lumens/ft.  
12V (constant Voltage)  
MAX LENGTH 8FT.

HLL-1220 (40MM)





SIZE : 50MM X 35MM



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
78 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
12V (constant Voltage)  
MAX LENGTH 8FT.

HLL-1222 (50MM)



SIZE : 65MM X 35MM



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
15W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
117 LED /ft  
3000K/4000K/6500K  
1200Lumens/ft.  
RGB+CCT TUNABLE (BLUE TOOTH)  
12V (constant Voltage)  
MAX LENGTH 8FT.

HLL-1224 (65MM)




*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



lighting the future

## LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES




SIZE : 90MM X 35MM



Aluminium Extrusion  
15W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
88 LED /ft  
3000K/4000K/6500K  
1200Lumens/ft.  
40V (Constant Voltage)  
FIXED LENGTH 2FT/4FT/6FT/8FT.

**HLL-1226 (90MM)**




SIZE : 120MM X 35MM



Aluminium Extrusion  
20W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
88 LED /ft  
3000K/4000K/6500K  
1600Lumens/ft.  
40V (Constant Voltage)  
FIXED LENGTH 2FT/4FT/6FT/8FT.

**HLL-1228 (120MM)**



SIZE : 36MM X 64MM



Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
55 LED /ft  
3000K/4000K/6500K  
800Lumens/ft.  
40V (Constant Voltage)  
**WITH IN-BUILT DRIVER**  
FIXED LENGTH 2FT/4FT/6FT/8FT.


**HLL-1230 (36MM)**

*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - SURFACE CABINET LIGHT WITH TOUCH SENSOR




SIZE : 17MM X 8MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
IN BUILT SENSOR 60W(12V/24V)  
MAX LENGTH 8FT.

HLL-1236 (17MM)

## LED PROFILE LIGHT - SURFACE CABINET LIGHT WITH IR SENSOR



SIZE : 17MM X 8MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
N BUILT SENSOR 60W(12V/24V)  
MAX LENGTH 8FT.

HLL-1240 (17MM)

## LED PROFILE LIGHT - SURFACE CABINET LIGHT WITH MOTION SENSOR



SIZE : 17MM X 8MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
IN BUILT SENSOR 96W(12V/24V)  
MAX LENGTH 8FT.

HLL-1244 (17MM)

Elite Series


**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - SURFACE WALL WASHER PROFILES



NEW SURFACE WALL WASHER



SIZE : 20MM X 15MM




Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1248 (20MM)

## LED PROFILE LIGHT - CORNER SURFACE PROFILES



ANGULAR CURTAIN PROFILE LIGHT



SIZE : 23MM X 9MM



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1250 (23MM)

## LED PROFILE LIGHT - CORNER SURFACE PROFILES



ANGULAR PROFILE LIGHT



SIZE : 15MM X 15MM



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1258 (15MM)

Elite Series


**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CORNER SURFACE PROFILES



ANGULAR PROFILE LIGHT



SIZE : 15MM X 15MM


TUNABLE DIMMABLE



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1260 (15MM)




SIZE : 25MM X 30MM



Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
117 LED /ft  
3000K/4000K/6500K  
1200Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1262 (25MM)

## LED PROFILE LIGHT - CORNER SURFACE PROFILES



SIZE : 30MM X 30MM

TUNABLE DIMMABLE RGB+CCT TUNABLE (BLUE TOOTH)



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
78 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.


HLL-1264 (30MM)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - 3 SIDE ACRYLIC SURFACE PROFILES




SIZE : 26MM X 23MM

**HLL-1266 (26MM)**



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
78 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.



SIZE : 45MM X 25MM


**HLL-1272 (45MM)**




Intelligent remote control  
dimmer toning

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
78 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

## LED PROFILE LIGHT - SURFACE WITH LENSE PROFILE LIGHT



max. length of lense - 200mm



SIZE : 15MM X 15MM

**HLL-1280 (15MM SYMMETRIC LENSE 15°)**



Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 4014 (0.2W)  
81 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
Lens Degree: 15°  
Fix Available Length :  
200 / 400 / 600 / 800mm  
MAX LENGTH 8FT.


Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




lighting the future

## LED PROFILE LIGHT - SURFACE WITH LENSE PROFILE LIGHT



max. length of lense - 200mm




SIZE : 20MM X 15MM



Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 4014 (0.2W)  
81 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
Lens Degree: 35°X105°  
**Fix Available Length :**  
**200 / 400 / 600 / 800mm**  
MAX LENGTH 8FT.

**HLL-1282 (20MM ASYMMETRIC LENSE 35°X105°)**

## LED PROFILE LIGHT - SURFACE WITH FROSTED LENS PROFILES



SIZE : 20MM X 23MM

**Symmetric 30° Lens  
Surface Profile Light**



Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
72 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1289 (20MM)**




*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - SURFACE WITH FROSTED LENSE PROFILE LIGHT



SIZE : 13MM X 10MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
88 LED /ft  
3000K/4000K/6500K  
400 Lumens/ft.  
40V (Constant Voltage)  
MAX LENGTH 8FT.


**HLL-1294 (9.55MM )**



SIZE : 18MM X 7MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
88 LED /ft  
3000K/4000K/6500K  
400 Lumens/ft.  
40V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1296 (17.35MM )**



SIZE : 17 MM X 14 MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
88 LED /ft  
3000K/4000K/6500K  
400 Lumens/ft.  
40V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1298(17MM)**

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



lighting the future

## LED PROFILE LIGHT - CONCEALED WITH DIFFUSER PROFILES




SIZE : 5MM X 25MM



Aluminium Extrusion  
3W/ft.  
EVERLITE  
SMD LED 3014 (0.2W)  
36 LED /ft  
3000K/4000K/6500K  
120Lumens/ft.  
24V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1306 (5MM GROOVE LIGHT)**




SIZE : 9MM X 25MM  
CUT-OUT : 6MM X 23MM



Aluminium Extrusion  
3W/ft.  
EVERLITE  
SMD LED 3014(0.2W)  
56 LED /ft  
3000K/4000K/6500K  
120Lumens/ft.  
24V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1308 (9MM GROOVE LIGHT WITH SLIM TRIM)**



SIZE : 10MM X 9MM  
CUT-OUT : 7MM X 8MM(DEPTH)



Aluminium Extrusion  
3W/ft.  
EVERLITE/EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.


**HLL-1310 (10MM)**

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALD WITH DIFFUSER PROFILES




SIZE : 23MM X 15MM  
CUT-OUT : 18MM X 13MM(DEPTH)

**HLL-1312 (23MM)**



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(☉BLUE TOOTH)  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.




SIZE : 23MM X 20MM  
CUT-OUT : 18MM X 18MM(DEPTH)

**HLL-1315(23MM)**



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(☉BLUE TOOTH)  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.



SIZE : 25MM X 7MM  
CUT-OUT : 17MM X 5MM(DEPTH)

**HLL-1316 (25MM)**



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(☉BLUE TOOTH)  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

Elite Series


**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALED WITH DIFFUSER PROFILES



### NEW 30MM RECESSED PROFILE




SIZE : 30MM X 10MM  
CUT-OUT : 23MM X 8MM(DEPTH)




Intelligent remote control  
dimmer toning

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(0BLUE TOOTH)  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1320 (30MM)




SIZE : 36MM X 18MM  
CUT-OUT : 27MM X 16MM(DEPTH)



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(0BLUE TOOTH)  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1322 (36MM)



SIZE : 50MM X 32MM  
CUT-OUT : 35MM X 30MM(DEPTH)



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
78 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(0BLUE TOOTH)  
800Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.



HLL-1324 (50MM)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALD WITH DIFFUSER PROFILES



SIZE : 60.90MM X 35MM  
CUT-OUT : 50.90MM X 35MM(DEPTH)



HLL-1325 (60MM)



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
78 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

## LED PROFILE LIGHT - CONCEALD WITH DIFFUSER PROFILES




SIZE : 84MM X 40MM  
CUT-OUT : 69MM X 38MM(DEPTH)

HLL-1326 (84MM)



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
15W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
117 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
1200Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.



SIZE : 110MM X 75MM  
CUT-OUT : 95MM X 73MM(DEPTH)

HLL-1328(110MM)




Aluminium Extrusion  
15W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
88 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
1200Lumens/ft.  
Constant Current (40V)  
MAX LENGTH 2FT/4FT/6FT/8FT.

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALED WITH DIFFUSER PROFILES




SIZE : 140MM X 75MM  
CUT-OUT : 125MM X 738MM(DEPTH)

HLL-1330(140MM)



Aluminium Extrusion  
20W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
88 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
1600Lumens/ft.  
Constant Current (40V)  
MAX LENGTH 2FT/4FT/6FT/8FT.

## LED PROFILE LIGHT - CONCEALED WITH DIFFUSER PROFILES




SIZE : 48MM X 70MM  
CUT-OUT : 36MM X 68MM(DEPTH)

HLL-1334 (48MM)



Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
55 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

## LED PROFILE LIGHT - CONCEALED BLACK DIFFUSER



SIZE : 13MM X 12MM  
CUT-OUT : 8MM

HLL-1338 (13MM)

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.




*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED BLACK DIFFUSER



SIZE : 24MM X 7MM  
CUT-OUT : 17MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1339 (24MM)**




SIZE : 25MM X 14MM  
CUT-OUT : 17MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1340 (24MM)**

## LED PROFILE LIGHT - CONCEALED CABINET WITH TOUCH SENSOR



SIZE : 25MM X 8MM  
CUT-OUT : 17MM X 5MM(DEPTH)

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
IN BUILT SENSOR 60W(12V/24V)  
MAX LENGTH 8FT.


**HLL-1342 (25MM)**

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALED CABINET WITH IR SENSOR




SIZE : 25MM X 8MM  
CUT-OUT : 17MM X 5MM(DEPTH)

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
N BUILT SENSOR 60W(12V/24V)  
MAX LENGTH 8FT.

HLL-1345 (25MM)

## LED PROFILE LIGHT - CONCEALED CABINET WITH MOTION SENSOR




SIZE : 25MM X 8MM  
CUT-OUT : 17MM X 5MM(DEPTH)

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V(Constant Voltage)  
IN BUILT SENSOR 96W(12V/24V)  
MAX LENGTH 8FT.

HLL-1348 (25MM)

## LED PROFILE LIGHT - CONCEALED ANTIGLARE PROFILES



SIZE : 28MM X 26MM  
CUT-OUT : 20MM X 24MM(DEPTH)



Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400 Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1352 (28MM)

Elite Series


**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALED ANTIGLARE PROFILES



**ANTI-GLARE RECESSED PROFILE**



SIZE : 53MM X 47MM  
CUT-OUT : 38MM X 45MM(DEPTH)

**HLL-1354 (53MM)**




Intelligent remote control dimmer toning

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.



**DEEP ANTI-GLARE RECESSED PROFILE  
WITH SLIM RIM**



SIZE : 50MM X 53MM  
CUT-OUT : 43MM X 50MM(DEPTH)

**HLL-1356 (50MM)**




Intelligent remote control dimmer toning

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
800Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

## LED PROFILE LIGHT - CONCEALED ANTIGLARE PROFILES



**ANTI-GLARE RECESSED PROFILE  
CURVE**



SIZE : 65MM X 60MM  
CUT-OUT : 50MM X 58MM(DEPTH)

**HLL-1358 (65MM)**



Intelligent remote control dimmer toning

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
800Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

Elite Series


**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALED ANTIGLARE PROFILES



**ANTI-GLARE RECESSED PROFILE**




SIZE : 60MM X 45MM  
CUT-OUT : 55MM X 43MM(DEPTH)



Aluminium Extrusion  
15W/ft.  
BRIDGELUX / EDISON  
SMD LED 4014 (0.2W)  
36 LED /ft  
3000K/4000K/6500K  
500Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 2FT/4FT/6FT/8FT.

HLL-1360 (60MM)


## LED PROFILE LIGHT - CONCEALED WALL WASHER PROFILES



**TUNABLE DIMMABLE**



Intelligent remote control  
dimmer toning



SIZE : 15.7MM X 8.6MM  
CUT-OUT : 13.2MM )

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1361 (15MM)

## LED PROFILE LIGHT - CONCEALED WALL WASHER PROFILES




**COMPACT RECESSED WALL-WASHER PROFILE**

**TUNABLE DIMMABLE**



Intelligent remote control  
dimmer toning



SIZE : 30MM X 15MM  
CUT-OUT : 22MM X 13MM(DEPTH)

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1362 (30MM)

Elite Series


**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALED WALL WASHER PROFILES



### RECESSED WALL-WASHER PROFILE



SIZE : 55MM X 50MM  
CUT-OUT : 45MM X 48MM(DEPTH)




Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
640Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1364 (55MM)



### RECESSED WALL-WASHER PROFILE




SIZE : 75MM X 25MM  
CUT-OUT : 62MM X 23MM(DEPTH)




Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
800Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

HLL-1366 (75MM)

## LED PROFILE LIGHT - 3 SIDE ACRYLIC CONCEALED PROFILES



SIZE : 60MM X 27MM  
CUT-OUT : 50MM X 16MM(DEPTH)



Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
78 LED /ft  
3000K/4000K/6500K  
800Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.


HLL-1370 (60MM)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - TRIMLESS CONCEALED PROFILES




SIZE : 32MM X 13MM  
CUT-OUT : 10MM X 11MM(DEPTH)



Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400 Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1382 (32MM)**




SIZE : 47MM X 9MM  
CUT-OUT : 7MM X 7MM(DEPTH)



Aluminium Extrusion  
3W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
240 Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1384 (47MM)**



SIZE : 73MM X 16MM  
CUT-OUT : 31MM X 14MM(DEPTH)



TUNABLE DIMMABLE RGB+CCT TUNABLE (BLUE TOOTH)  
Intelligent remote control dimmer toning  
Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
400Lumens/ft.  
12V(Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1386 (73MM)**




Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - TRIMLESS CONCEALED PROFILES




SIZE : 95MM X 32MM  
CUT-OUT : 35MM X 30MM(DEPTH)

**HLL-1388 (95MM)**



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
78 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
400Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.




SIZE : 95MM X 62MM  
CUT-OUT : 35MM X 60MM(DEPTH)

**HLL-1390 (95MM)**



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
55 LED /ft  
3000K/4000K/6500K  
800Lumens/ft.  
12V (Constant Voltage)  
**Driver in built**  
MAX LENGTH 2FT/4FT/6FT/8FT.



SIZE : 36MM X 21MM  
CUT-OUT : 10MM X 21MM(DEPTH)

**HLL-1392 (36MM)**



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
3W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
240Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - TRIMLESS CONCEALED PROFILES



SIZE : 47MM X 9MM  
CUT-OUT : 7MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
240Lumens/ft.  
12V(Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1398 (47MM)**





SIZE : 73MM X 16MM  
CUT-OUT : 31MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
240Lumens/ft.  
12V (Constant Voltage)  
MAX LENGTH 8FT.

**HLL-1400 (73MM)**

## LED PROFILE LIGHT - UP - DOWN WALL SURFACE PROFILES



SIZE : 72MM X 17MM



Aluminium Extrusion  
5W/ft  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
400Lumens/ft  
12V (Constant Voltage)  
MAX LENGTH- 8FT

**HLL-1404 (42MM) (ONE WAY)**



Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



lighting the future


## LED PROFILE LIGHT - UP - DOWN WALL SURFACE PROFILES



Aluminium Extrusion  
10W/ft  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
400Lumens/ft  
12V (Constant Voltage)  
MAX LENGTH- 8FT

SIZE : 48MM X 19MM

HLL-1406 (47MM) (TWO WAY)




Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft  
96V, 110mA (2FT.)  
(Constant Current)  
**DRIVER IN-BUILD**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

SIZE : 85MM X 35MM

HLL-1410 (73MM) (TWO WAY)

## LED PROFILE LIGHT - CABINET AND SELF PROFILE LIGHTS



### ACCESSORIES




DOOR SENSOR




SIDE CLIP



CENTER CLIP



SIZE : 10MM X 25MM



5W/ft.  
Everlite LED, 39LED/ft.  
3000K/4000K/6500K  
400Lumens/ft  
24V  
MAX LENGTH 8FT.



HLL-1418 (10MM)

*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CABINET AND SELF PROFILE LIGHTS




SIZE : 30MM X 20MM




5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft  
12V  
MAX LENGTH 8FT.

**HLL-1422 (30MM)**





SIZE : 18MM X 11MM



5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft  
12V  
MAX LENGTH 8FT.

**HLL-1428 (18MM)**

## LED PROFILE LIGHT - SURFACE WALL SKIRTING PROFILE LIGHTS



SIZE : 80MM X 16MM



5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
400Lumens/ft  
12V  
MAX LENGTH 8FT.

**HLL-1434 (80MM)**


*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**

**HYBEC®**

lighting the future

## LED PROFILE LIGHT - CABINET AND SELF PROFILE LIGHTS



SIZE : 19.50MM X 21MM

RGB+ CCT TUNABLE  
(BLUE TOOTH)



5W/ft.  
BRIDGELUX / EDISON  
SMD LED 2835 (0.2W)  
39 LED /ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
400Lumens/ft  
12V  
MAX LENGTH 8FT.

HLL-1440 (19MM)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - MICRO MINI LASER CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)

LENS: 20°  
Length as per laser dimension



### CONCEALED



SIZE : 20.48MM x 22.29MM  
CUT-OUT : 16.30MM

TUNABLE DIMMABLE



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
5W/ft.  
BRIDGELUX/OSRAM 1W  
3030 18LED  
3000K/4000K/6500K  
400Lumens/ft.  
40V (Constant Current)  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1443 (36MM CONCEALED)

LENS: 20°  
Length as per laser dimension



### SURFACE



SIZE : 16.30MM X 30MM

TUNABLE DIMMABLE




Intelligent remote control  
dimmer toning


Aluminium Extrusion  
5W/ft.  
BRIDGELUX/OSRAM 1W 3030LED  
18LED/ft.  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Current)  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1445(16MM SURFACE)

LENS: 20°  
Length as per laser dimension



### HANGING



SIZE : 26MM X 66MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX/OSRAM 1W 3030LED  
18LED/ft.  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Current)  
**IN-BUILT DRIVER**  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.  
40V, 500mA (2ft.)

### HLL-1448 (16MM SUSPENDED)



Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




lighting the future

## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**MINI LASER PROFILE (UGR 16)**  
(Reflector : 18mmx18mm)

### CONCEALED



SIZE : 36MM x 26MM  
CUT-OUT : 26MM

**TUNABLE DIMMABLE**



Intelligent remote control dimmer toning


Aluminium Extrusion  
9W/ft.  
BRIDGELUX/OSRAM 1W 3030LED  
18LED/ft.  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Current)  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1450 (36MM CONCEALED)



**MINI LASER PROFILE**  
(Reflector : 18mmx18mm)

### SURFACE



SIZE : 26MM X 26MM

**TUNABLE DIMMABLE**



Intelligent remote control dimmer toning


Aluminium Extrusion  
9W/ft.  
BRIDGELUX/OSRAM 1W 3030LED  
18LED/ft.  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Current)  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1452 (26MM SURFACE)



**MINI LASER PROFILE**  
(Reflector : 18mmx18mm)

### HANGING



SIZE : 26MM X 66MM

Aluminium Extrusion  
9W/ft.  
BRIDGELUX/OSRAM 1W 3030LED  
18LED/ft.  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Current)  
**IN-BUILT DRIVER**  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.  
96V, 110mA (2ft.)

### HLL-1454 (26MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**MINI LASER PROFILE (UGR 16)**  
(Reflector : 18mmx18mm)

### CONCEALED



SIZE : 36MM x 26MM  
CUT-OUT : 26MM

**TUNABLE DIMMABLE**



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
9W/ft.  
BRIDGELUX/OSRAM 1W 6LED  
3030LED 6LED  
18LED 2835LED/ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V Constant Current  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1458 (36MM CONCEALED)



**MINI LASER PROFILE**  
(Reflector : 18mmx18mm)

### SURFACE



SIZE : 26MM X 26MM

**TUNABLE DIMMABLE**



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
9W/ft.  
BRIDGELUX/OSRAM 1W 6 LED  
3030LED/ft.  
39LED 2835LED/ft  
3000K/4000K/6500K  
400Lumens/ft.  
12V Constant Current  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1462 (26MM SURFACE)



**MINI LASER PROFILE**  
(Reflector : 18mmx18mm)

### HANGING



SIZE : 26MM X 66MM

Aluminium Extrusion  
9W/ft.  
BRIDGELUX /OSRAM 1W 6 LED  
3030LED/ft. LED2835 39LED/FT  
3000K/4000K/6500K  
400Lumens/ft.  
(Constant Current) 96V,  
110mA (2ft.)  
**IN-BUILT DRIVER**  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1464 (26MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**MINI LASER PROFILE (UGR 16)**  
(Reflector : 18mmx18mm)

### CONCEALED



SIZE : 36MM x 26MM  
CUT-OUT : 26MM

**TUNABLE DIMMABLE**



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
9W/ft.  
BRIDGELUX/OSRAM 1W  
6LED 3030/ft,LED2835,39LED/FT.  
3000K/4000K/6500K  
700Lumens/ft.  
12V (Constant Current)  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1465 (36 MM CONCEALED)



**MINI LASER PROFILE**  
(Reflector : 18mmx18mm)

### SURFACE



SIZE : 26MM X 26MM


**TUNABLE DIMMABLE**



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
9W/ft.  
BRIDGELUX / OSRAM 1W  
6LED 3030, 2835 39LED/FT.  
3000K/4000K/6500K  
700Lumens/ft.  
12V (Constant Current)  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1466 (26MM SURFACE)



**MINI LASER PROFILE**  
(Reflector : 18mmx18mm)

### HANGING



SIZE : 26MM X 66MM

Aluminium Extrusion  
9W/ft.  
BRIDGELUX / OSRAM 1W 6LED  
LED3030 LED 2835 39LED/FT  
3000K/4000K/6500K  
700Lumens/ft.  
CONSTANT CURRENT  
**IN-BUILT DRIVER**  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1467 (26MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**MINI LASER PROFILE (UGR 16)**  
(Reflector : 18mmx18mm)

### CONCEALED



SIZE : 56MM x 26MM  
CUT-OUT : 44MM

**TUNABLE DIMMABLE**



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
12W/ft.  
BRIDGELUX/OSRAM 1W  
30LED 3030/ft  
3000K/4000K/6500K  
700Lumens/ft.  
24V (CONSTANT CURRENT)  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1468 (56MM CONCEALED)



**MINI LASER PROFILE**  
(Reflector : 18mmx18mm)

### SURFACE



SIZE : 44MM X 26MM

**TUNABLE DIMMABLE**



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
12W/ft.  
BRIDGELUX/OSRAM 1W  
30LED 3030/ft  
3000K/4000K/6500K  
700Lumens/ft.  
24V (CONSTANT CURRENT)  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1472 (44MM SURFACE)



**MINI LASER PROFILE**  
(Reflector : 18mmx18mm)

### HANGING



SIZE : 44MM X 68MM

Aluminium Extrusion  
12W/ft.  
BRIDGELUX/OSRAM 1W  
30LED 3030/ft  
3000K/4000K/6500K  
700Lumens/ft.  
CONSTANT CURRENT  
**IN-BUILT DRIVER**  
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1474 (44MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**MINI LASER PROFILE (UGR 16)**  
(Reflector : 18mmx18mm)

### CONCEALED



SIZE : 56MM x 26MM  
CUT-OUT : 44MM

**TUNABLE DIMMABLE**



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
10W/ft.  
BRIDGELUX/OSRAM 1W  
12LED 3030/ft  
36LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
600Lumens/ft.  
12VConstant Voltage /CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1480 (56MM CONCEALED)



**MINI LASER PROFILE**  
(Reflector : 18mmx18mm)

### SURFACE



SIZE : 44MM X 26MM

**TUNABLE DIMMABLE**



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
10W/ft.  
BRIDGELUX/OSRAM 1W  
12LED 3030/ft  
36LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
600Lumens/ft.  
12VConstant Voltage /CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1484 (44MM SURFACE)



**MINI LASER PROFILE**  
(Reflector : 18mmx18mm)

### HANGING



SIZE : 44MM X 68MM

Aluminium Extrusion  
10W/ft.  
BRIDGELUX/OSRAM 1W  
12LED 3030/ft  
36LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
600Lumens/ft.  
12VConstant Voltage/CC  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.


### HLL-1488 (44MM SUSPENDED)

## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**MEDIUM LASER PROFILE (UGR 16)**  
(Reflector : 22mmx22mm)

### CONCEALED




SIZE : 37MM x 36MM  
CUT-OUT : 25MM

Aluminium Extrusion  
9W/ft.

BRIDGELUX/OSRAM 1W  
5LED 3030/ft  
39LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
400Lumens/ft.


12V Constant Voltage (CC)  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1494 (00MM CONCEALED)



**MEDIUM LASER PROFILE**  
(Reflector : 22mmx22mm)

### SURFACE



SIZE : 25MM X 36MM

Aluminium Extrusion  
9W/ft.

BRIDGELUX/OSRAM 1W  
5LED 3030/ft  
LED2835 39LED/FT.(0.2W)/ft  
3000K/4000K/6500K  
400Lumens/ft.


12V Constant Voltage (CC)  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1498 (25MM SURFACE)



**MEDIUM LASER PROFILE**  
(Reflector : 22mmx22mm)

### HANGING



SIZE : 25MM X 78MM

Aluminium Extrusion  
9W/ft.

BRIDGELUX/OSRAM 1W  
5LED 3030/ft  
LED2835 39LED/FT. (0.2W)/ft  
3000K/4000K/6500K  
400Lumens/ft.

12V Constant Voltage (CC)  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1500 (25MM SUSPENDED)



Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**MEDIUM LASER PROFILE (UGR 16)**  
(Reflector : 22mmx22mm)

### CONCEALED



SIZE : 88MM x 33MM  
CUT-OUT : 73MM

TUNABLE DIMMABLE



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
12W/ft.  
BRIDGELUX/OSRAM 1W  
15LED 3030/ft  
78LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
700Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1506 (88MM CONCEALED)



**MEDIUM LASER PROFILE**  
(Reflector : 22mmx22mm)

### SURFACE



SIZE : 73MM X 33MM

TUNABLE DIMMABLE



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
12W/ft.  
BRIDGELUX/OSRAM 1W  
15LED 3030/ft  
78LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
700Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1508 (73MM SURFACE)



**MEDIUM LASER PROFILE**  
(Reflector : 22mmx22mm)

### HANGING



SIZE : 73MM X 75MM

TUNABLE DIMMABLE



Intelligent remote control  
dimmer toning

Aluminium Extrusion  
12W/ft.  
BRIDGELUX/OSRAM 1W  
15LED 3030/ft  
78LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
700Lumens/ft.  
12V Constant Voltage/CC  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1510 (73MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**MEDIUM LASER PROFILE (UGR 16)**  
(Reflector : 22mmx22mm)

### CONCEALED



SIZE : 88MM x 33MM  
CUT-OUT : 73MM




Intelligent remote control  
dimmer toning  
Aluminium Extrusion  
15W/ft.  
BRIDGELUX/OSRAM 1W  
30LED 3030/ft  
39LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
900Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1516 (88MM CONCEALED)



**MEDIUM LASER PROFILE**  
(Reflector : 22mmx22mm)

### SURFACE



SIZE : 73MM X 33MM




Intelligent remote control  
dimmer toning  
Aluminium Extrusion  
15W/ft.  
BRIDGELUX/OSRAM 1W  
30LED 3030/ft  
39LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
900Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1518 (73MM SURFACE)



**MEDIUM LASER PROFILE**  
(Reflector : 22mmx22mm)

### HANGING



SIZE : 73MM X 75MM



Intelligent remote control  
dimmer toning  
Aluminium Extrusion  
15W/ft.  
BRIDGELUX/OSRAM 1W  
30LED 3030/ft  
39LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
900Lumens/ft.  
Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1520 (73MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES



Length as per laser dimension

### CONCEALED



SIZE : 32.29MM x 28MM  
CUT-OUT : 24.50MM


TUNABLE DIMMABLE



Intelligent remote control  
dimmer toning  
Aluminium Extrusion  
10W/ft.  
BRIDGELUX/OSRAM 1W  
18LED 3030/ft  
3000K/4000K/6500K  
800Lumens/ft.  
40V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT  
40V.500mA(2ft).


**Without Driver**

### HLL-1521 (32MM CONCEALED)



Length as per laser dimension

### SURFACE



SIZE : 24.50MM X 35MM

TUNABLE DIMMABLE



Intelligent remote control  
dimmer toning  
Aluminium Extrusion  
10W/ft.  
BRIDGELUX/OSRAM 1W  
18LED 3030/ft  
3000K/4000K/6500K  
800Lumens/ft.  
40V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.  
40V.500mA(2ft).


**Without Driver**

### HLL-1522 (24MM SURFACE)



Length as per laser dimension  
IN BUILT DRIVER OPTION

### HANGING



SIZE : 24.50MM X 35MM

TUNABLE DIMMABLE



Intelligent remote control  
dimmer toning  
Aluminium Extrusion  
10W/ft.  
BRIDGELUX/OSRAM 1W  
18LED 3030/ft  
3000K/4000K/6500K  
800Lumens/ft.  
Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.  
40V.500mA(2ft).

**Without Driver**

### HLL-1523 (24MM SUSPENDED)

Elite Series


**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES



### CONCEALED



SIZE : 32.29MM x 28MM  
CUT-OUT : 24.50MM

TUNABLE DIMMABLE




Intelligent remote control  
dimmer toning  
Aluminium Extrusion  
10W/ft.  
BRIDGELUX/OSRAM 1W  
18LED 3030/ft  
3000K/4000K/6500K  
800Lumens/ft.  
40V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT  
40V.500mA(2ft).

**Without Driver**

HLL-1524 (32MM CONCEALED)



### SURFACE



SIZE : 24.50MM X 35MM


TUNABLE DIMMABLE




Intelligent remote control  
dimmer toning  
Aluminium Extrusion  
10W/ft.  
BRIDGELUX/OSRAM 1W  
18LED 3030/ft  
3000K/4000K/6500K  
800Lumens/ft.  
40V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.  
40V.500mA(2ft).

**Without Driver**

HLL-1525 (24MM SURFACE)



### HANGING



SIZE : 24.50MM X 35MM

TUNABLE DIMMABLE



Intelligent remote control  
dimmer toning  
Aluminium Extrusion  
10W/ft.  
BRIDGELUX/OSRAM 1W  
18LED 3030/ft  
3000K/4000K/6500K  
800Lumens/ft.  
Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.  
40V.500mA(2ft).

**Without Driver**

HLL-1527 (24MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**BIG LASER PROFILE (UGR 16)**  
(Reflector : 30mmx30mm)

### CONCEALED

WITH LINEAR SPOTS  
-1W EACH HIGH POWER LED  
-10W/FT CENTER DIFFUSED LIGHT



SIZE : 48MM x 36MM  
CUT-OUT : 34MM



Intelligent remote control dimmer toning  
Aluminium Extrusion  
9W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft  
LED2835 39LED/FT. - (0.2W)/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ⓇBLUE TOOTH)  
400Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH / 8FT.


**HLL-1526 (48MM CONCEALED)**



**BIG LASER PROFILE**  
(Reflector : 30mmx30mm)

### SURFACE

WITH LINEAR SPOTS  
-1W EACH HIGH POWER LED  
-10W/FT CENTER DIFFUSED LIGHT



SIZE : 34MM X 36MM




Intelligent remote control dimmer toning  
Aluminium Extrusion  
9W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft  
39LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ⓇBLUE TOOTH)  
400Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH / 8FT.

**HLL-1528 (34MM SURFACE)**



**BIG LASER PROFILE**  
(Reflector : 30mmx30mm)

### HANGING



SIZE : 34MM X 76MM



Aluminium Extrusion  
9W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft  
39LED 2835 (0.2W)/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ⓇBLUE TOOTH)  
400Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH / 8FT.

**HLL-1530 (34MM SUSPENDED)**

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**BIG LASER PROFILE (UGR 16)**  
(Reflector : 30mmx30mm)

### CONCEALED



SIZE : 48MM x 36MM  
CUT-OUT : 34MM



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
10LED 3030/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
600Lumens/ft.  
40W Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1536 (48MM CONCEALED)**



**BIG LASER PROFILE**  
(Reflector : 30mmx30mm)

### SURFACE



SIZE : 34MM X 36MM



Intelligent remote control  
dimmer toning


Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
10LED 3030/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
600Lumens/ft.  
40W Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1538 (34MM SURFACE)**



**BIG LASER PROFILE**  
(Reflector : 30mmx30mm)

### HANGING



SIZE : 34MM X 76MM



Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
10LED 3030/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
600Lumens/ft.  
40W Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1540 (34MM SUSPENDED)**



Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**BIG LASER PROFILE (UGR 16)**  
(Reflector : 30mmx30mm)

### CONCEALED



SIZE : 46MM x 36MM  
CUT-OUT : 34MM




Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft  
39 LED 2835 (0.2w)/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ØBLUE TOOTH)  
600Lumens/ft.  
12V Constant Voltage  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1546 (46MM CONCEALED)



**BIG LASER PROFILE**  
(Reflector : 30mmx30mm)

### SURFACE



SIZE : 34MM X 36MM




Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft  
39 LED 2835 (0.2w)/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ØBLUE TOOTH)  
600Lumens/ft.  
12V Constant Voltage  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1548 (34MM SURFACE)



**BIG LASER PROFILE**  
(Reflector : 30mmx30mm)

### HANGING



SIZE : 34MM X 76MM



Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft  
39 LED 2835 (0.2w)/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ØBLUE TOOTH)  
600Lumens/ft.  
12V Constant Voltage  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1550 (34MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**BIG LASER PROFILE (UGR 16)**  
(Reflector : 30mmx30mm)

### CONCEALED



SIZE : 46MM x 36MM  
CUT-OUT : 34MM




Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
10LED 3030 (0.2)/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ⓇBLUE TOOTH)  
600Lumens/ft.  
40W Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1558 (46MM CONCEALED)



**BIG LASER PROFILE**  
(Reflector : 30mmx30mm)

### SURFACE



SIZE : 34MM X 36MM



Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
10LED 3030 (0.2)/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ⓇBLUE TOOTH)  
600Lumens/ft.  
40W Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1560 (34MM SURFACE)



**BIG LASER PROFILE**  
(Reflector : 30mmx30mm)

### HANGING



SIZE : 34MM X 76MM



Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
(0.2W) 10LED 3030 (0.2)/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ⓇBLUE TOOTH)  
600Lumens/ft.  
40W Constant Current  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1562 (34MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



Length as per laser dimension  
Prismatic clear lens / Prismatic Black

### CONCEALED



SIZE : 46MM x 36MM  
CUT-OUT : 34MMx34MM




Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
10LED 3030/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
40V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1564 (46MM CONCEALED)



Length as per laser dimension  
Prismatic clear lens / Prismatic Black

### SURFACE



SIZE : 35.20MM X 70MM




Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
10LED 3030/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
40V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1565 (35MM SURFACE)



Length as per laser dimension  
IN BUILT DRIVER OPTION  
Prismatic clear lens / Prismatic Black

### HANGING



SIZE : 35.20MM X 70MM



Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
6LED 3030/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
40V Constant Current  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1567 (35MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES



Prismatic clear lens / Prismatic Black

### CONCEALED



SIZE : 46MM x 36MM  
CUT-OUT : 34MMX34MM




Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft, 39LED 2835/ft(0.2W)  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ØBLUE TOOTH)  
800Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1570 (46MM CONCEALED)



Prismatic clear lens / Prismatic Black

### SURFACE



SIZE : 35.20MM X 70MM




Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft, LED2835 39LED/FT  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ØBLUE TOOTH)  
800Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1571 (35MM SURFACE)



**IN BUILT DRIVER OPTION**  
Prismatic clear lens / Prismatic Black

### HANGING



SIZE : 35.20MM X 70MM



Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft LED2835 39LED/FT  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ØBLUE TOOTH)  
800Lumens/ft.  
12V Constant Voltage/CC  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1573 (35MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES



Length as per laser dimension

### CONCEALED



SIZE : 46MM x 36MM  
CUT-OUT : 34MMX34MM




Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
10LED 3030/ft,  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
40V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1575 (46MM CONCEALED)



Length as per laser dimension

### SURFACE



SIZE : 35.20MM X 70MM




Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
10LED 3030/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
40V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1576 (35MM SURFACE)



IN BUILT DRIVER OPTION  
Length as per laser dimension

### HANGING



SIZE : 35.20MM X 70MM



Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
10LED 3030/ft  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
40V Constant Current  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1578 (35MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES



Length as per laser dimension

### CONCEALED



SIZE : 46MM x 36MM  
CUT-OUT : 34MMX34MM




Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft, LED2835 39LED/FT(0.2W)  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ØBLUE TOOTH)  
800Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1580 (46MM CONCEALED)



Length as per laser dimension

### SURFACE



SIZE : 35.20MM X 70MM




Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft, LED2835 39LED/FT  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ØBLUE TOOTH)  
800Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1582 (35MM SURFACE)



IN BUILT DRIVER OPTION  
Length as per laser dimension

### HANGING



SIZE : 35.20MM X 70MM



Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
5LED 3030/ft , LED 2835 39LED  
3000K/4000K/6500K  
RGB+CCT TUNABLE(ØBLUE TOOTH)  
800Lumens/ft.  
12V Constant Voltage/CC  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1585 (35MM SUSPENDED)



*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



**BIG LASER PROFILE (UGR 16)**  
(Reflector : 32mmx32mm)

### CONCEALED



SIZE : 113MM x 34MM  
CUT-OUT : 95MM


Aluminium Extrusion  
15W/ft  
BRIDGELUX/OSRAM 1W  
9LED 3030/ft  
44 LED 2835 (0.2w)/ft  
3000K/4000K/6500K  
900Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1592 (113MM CONCEALED)



**BIG LASER PROFILE**  
(Reflector : 32mmx32mm)

### SURFACE



SIZE : 95MM X 34MM


Aluminium Extrusion  
15W/ft  
BRIDGELUX/OSRAM 1W  
9LED 3030/ft  
44 LED 2835 (0.2w)/ft  
3000K/4000K/6500K  
900Lumens/ft.  
12V Constant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1594 (95MM SURFACE)



**BIG LASER PROFILE**  
(Reflector : 32mmx32mm)

### HANGING



SIZE : 95MM X 74MM

Aluminium Extrusion  
15W/ft  
BRIDGELUX/OSRAM 1W  
9LED 3030/ft  
44 LED 2835 (0.2w)/ft  
3000K/4000K/6500K  
900Lumens/ft.  
12V Constant Voltage/CC  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

### HLL-1596 (95MM SUSPENDED)


*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALED PROFILES

**Recessed Mini lazer Trimless  
(UGR 16) Profile Light  
Laser Length-96mm** **CONCEALED**




SIZE : 76MM x 26MM  
CUT-OUT : 26MMx23MM

Aluminium Extrusion  
9W/ft  
BRIDGELUX / OSRAM 1W  
LED3030 18LED/FT.  
3000K/4000K/6500K  
700Lumens/ft.  
40V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1604 (76MM)**

**Recessed Mini lazer Trimless  
(UGR 16) Profile Light  
Laser Length-40mm** **CONCEALED**



SIZE : 104MM x 26MM  
CUT-OUT : 44MMx23MM


Aluminium Extrusion  
12W/ft  
BRIDGELUX/OSRAM 1W  
LED3030 18LED/FT  
(0.2W)  
3000K/4000K/6500K  
960Lumens/ft.  
40V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1604 (104MM)**

## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16 LOUVER)



**CONCEALED**



SIZE : 51MM x 34MM  
CUT-OUT : 37MM

Aluminium Extrusion  
10W/ft  
BRIDGELUX / OSRAM LED2835  
78LED/FT. (0.2W) 36LED  
2835(0.2W)/FT  
3000K/4000K/6500K  
600Lumens/ft.  
12V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1630 (51MM TRIMLESS)**

*Elite Series*


**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16 LOUVER)



**HANGING**



SIZE : 37MM x 74MM


Aluminium Extrusion  
10W/ft  
BRIDGELUX/OSRAM 1W  
LED2835 78LED/FT. (0.2W)  
3000K/4000K/6500K  
600Lumens/ft.  
12V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1634 (37MM TRIMLESS)**

## LED PROFILE LIGHT - CONCEALED / SUSPENDED PROFILES (UGR 16 LOUVER WITH SPOT)



**CONCEALED**




SIZE : 123MM x 34MM  
Cut-Out : 111mm

Aluminium Extrusion  
30W/ft. (LENGTH 270mm.)  
BRIDGELUX / OSRAM 3030  
10LED 1W. LED2835 156LED/FT.  
(0.2W)  
3000K/4000K/6500K  
600Lumens/ft.  
12V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1642 (123MM TRIMLESS)**



**HANGING**



SIZE : 111MM x 34MM  
Cut-Out : 111mm

Aluminium Extrusion  
30W/ft. (LENGTH 270mm.)  
BRIDGELUX / OSRAM 3030  
10LED 1W. LED2835 156LED/FT.  
(0.2W)  
3000K/4000K/6500K  
600Lumens/ft.  
12V Constant Current

**HLL-1646 (123MM TRIMLESS)**

*Elite Series*


**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - CONCEALED / SUSPENDED PROFILES (UGR 16 LOUVER WITH SPOT)



### CONCEALED




SIZE : 123MM x 34MM  
Cut-Out : 111mm

Aluminium Extrusion  
30W/ft.( LENGTH 270mm.)  
BRIDGELUX / OSRAM 3030  
10LED 1W. LED2835 156LED/FT.  
(0.2W)  
3000K/4000K/6500K  
600Lumens/ft.  
12V Constant Current  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1642 (123MM TRIMLESS)**



### HANGING



SIZE : 111MM x 34MM  
Cut-Out : 111mm


Aluminium Extrusion  
30W/ft.( LENGTH 270mm.)  
BRIDGELUX / OSRAM 3030  
10LED 1W. LED2835 156LED/FT.  
(0.2W)  
3000K/4000K/6500K  
600Lumens/ft.  
12V Constant Current

**HLL-1646 (123MM TRIMLESS)**

## LED PROFILE LIGHT - CONCEALED ONE WAY & TWO WAY PROFILES (WALL WASHER REFLECTOR UGR LESS THAN 19)



### WALL WASHER



SIZE : 51MM x 34MM  
Cut-Out : 37mm

Aluminium Extrusion  
10W/FT.( LENGTH 305mm)  
BRIDGELUX 3030 10LED 1W  
3000K/4000K/6500K  
600Lumens/ft.  
10V Constant Current


**HLL-1662(51MM TRIMLESS)**

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



**LED PROFILE LIGHT - CONCEALED ONE WAY & TWO WAY PROFILES  
(WALL WASHER REFLECTOR UGR LESS THAN 19)**




**WALL WASHER WITH SPOT**

SIZE : 86MM x 34MM  
Cut-Out : 74mm

Aluminium Extrusion  
20W/FT.( LENGTH 305mm)  
BRIDGELUX 3030 20LED  
3000K/4000K/6500K  
600Lumens/ft.  
40V Constant Current

HLL-1664(86MM TRIMLESS)



**WALL WASHER WITH UGR 16 LOUVER**


SIZE : 86MM x 34MM  
Cut-Out : 74mm

Aluminium Extrusion  
20W/FT.( LENGTH 305mm)  
BRIDGELUX 3030 10LED 1W  
3000K/4000K/6500K  
600Lumens/ft.  
12V(Constant Voltage) for  
honey com 40V CC for  
wall washer

HLL-1668(86MM TRIMLESS)



**WALL WASHER WITH SPOT**  
Laser Length-150mm  
Length as per laser dimension



**WALL WASHER**

SIZE : 74MM x 33.50MM

Aluminium Extrusion  
20W/FT.  
BRIDGELUX 3030 20LED 1W  
3000K/4000K/6500K  
600Lumens/ft.  
40V Constant Current

HLL-1670(74MM)


*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



**LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES  
(WALL WASHER UGR LESS THAN 19)**

**CONCEALED**




SIZE : 52MM x 70MM  
Cut-Out : 43mm

Aluminium Extrusion  
5W/FT.(MAX LENGTH 200mm)  
BRIDGELUX 3030 1W 5LED 200mm  
3000K/4000K/6500K  
600Lumens/ft.  
40V(Constant Current)

**HLL-1683(52MM TRIMLESS)**

**SURFACE**




SIZE : 43MM x 70MM

Aluminium Extrusion  
5W/FT.(MAX LENGTH 200mm)  
BRIDGELUX 3030 1W 5LED 200mm  
3000K/4000K/6500K  
600Lumens/ft.  
40V(Constant Current)

**HLL-1684(43MM TRIMLESS)**

**HANGING**



SIZE : 111MM x 43MM

Aluminium Extrusion  
5W/FT.(MAX LENGTH 200mm)  
BRIDGELUX 3030 1W 5LED 200mm  
3000K/4000K/6500K  
600Lumens/ft.  
40V(Constant Current)

**HLL-1688(43MM TRIMLESS)**





*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



lighting the future



## LED PROFILE LIGHT - SUSPENDED PROFILES



SIZE : 7MM x 10MM

5W/FT.  
BRIDGELUX /EDISON 2835 LED  
36LED (0.2W)/ft  
3000K/4000K/6500K  
96V, 110mA (2FT)  
400Lumens/ft.  
12V(Constant Voltage  
MAX LENGTH 2FT/4FT/6FT/8FT

**HLL-1676(7MM )**



SIZE : 10MM X 13MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX LED,2535  
36LED (0.2W)/ft.  
3000K/4000K/6500K  
400Lumens/ft.  
12V (Constant Voltage)(2FT)  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1678 (10MM SUSPENDED)**



SIZE : 10MM X 25MM

5W/ft.  
BRIDGELUX 2835 LED,  
36LED (0.2W)/ft.  
3000K/4000K/6500K  
400Lumens/ft.  
12VConstant Voltage/CC  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1680 (10MM )**



*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



lighting the future


## LED PROFILE LIGHT - SUSPENDED PROFILES



SIZE : 15MM x 25MM

5W/FT.  
BRIDGELUX /EDISON 2835 LED  
25LED (0.2W)/ft  
3000K/4000K/6500K  
96V, 110mA (2FT)  
600Lumens/ft.  
40V(Constant Current)  
MAX LENGTH 2FT/4FT/6FT/8FT

**HLL-1682(15MM )**





**New Batten Type  
Suspended Light**

SIZE : 25MM X 50MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX LED,2835  
25LED (0.2W)/ft.  
3000K/4000K/6500K  
400Lumens/ft.  
96V,110mA (2FT.)  
12V (Constant Voltage)  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1686 (25MM )**



SIZE : 17MM X 55MM

Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON LED,2535  
25LED (0.2W)/ft.  
3000K/4000K/6500K  
400Lumens/ft.  
96V,110mA (2FT.)  
12V (Constant Voltage)  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1690 (17MM SUSPENDED)**

Elite Series


**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**




## LED PROFILE LIGHT - SUSPENDED PROFILES



Available in 1 WAY      Available in 2 WAY



SIZE : 42MM X 72MM




10W/ft.  
BRIDGELUX / EDISON 2835 LED,  
55LED (0.2W)/ft.  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
CONSTANT CURRENT  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1700 (42MM SUSPENDED)


## LED PROFILE LIGHT - SUSPENDED PROFILES



Available in 1 WAY      Available in 2 WAY





SIZE : 70MM X 72MM




15W/ft.  
BRIDGELUX / EDISON 2835 LED,  
84LED (0.2W)/ft.  
3000K/4000K/6500K  
1200Lumens/ft.  
RGB+CCT TUNABLE (BLUE TOOTH)  
CONSTANT CURRENT  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1705 (70MM SUSPENDED)



SIZE : 95MM X 34MM



15W/ft.  
BRIDGELUX / EDISON 2835 LED,  
88LED (0.2W)/ft.  
3000K/4000K/6500K  
1800Lumens/ft.  
RGB+CCT TUNABLE (BLUE TOOTH)  
CONSTANT CURRENT  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1710 (90MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - SUSPENDED PROFILES




SIZE : 123MM X 35MM



20W/ft.  
BRIDGELUX / EDISON 2835 LED,  
88LED (0.2W)/ft.  
3000K/4000K/6500K  
RGB+CCT TUNABLE(0BLUE TOOTH)  
1600Lumens/ft.  
40V CONSTANT CURRENT  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1715 (123MM SUSPENDED)

## LED PROFILE LIGHT - SUSPENDED ANTI-GLARE PROFILES





SIZE : 45MM X 76MM



TUNABLE DIMMABLE RGB+CCT TUNABLE (0BLUE TOOTH)  
Intelligent remote control dimmer toning  
Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON 2835 LED, 39LED/ft.  
(0.2W)/ft.  
RGB+CCT TUNABLE(0BLUE TOOTH)  
3000K/4000K/6500K  
800Lumens/ft.  
CONSTANT CURRENT  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1720 (45MM SUSPENDED)

## LED PROFILE LIGHT - SUSPENDED LOWER ANTI-GLARE PROFILES



SIZE : 50MM X 65MM



Aluminium Extrusion  
10W/ft.  
BRIDGELUX 0.2W 2835 LED,  
90LED /FT.  
3000K/4000K/6500K  
RGB+CCT TUNABLE(0BLUE TOOTH)  
800Lumens/ft.  
40V (Constant Current)  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.



HLL-1728 (50MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - SUSPENDED LOWER ANTI-GLARE PROFILES





SIZE : 45MM X 72MM

**HLL-1730 (45MM SUSPENDED)**



Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON 2835 LED,  
55LED (0.2W) /ft.  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
1200Lumens/ft.  
40V, 1mA (2FT.)  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.





SIZE : 65MM X 100MM

**HLL-1732 (65MM SUSPENDED)**



Aluminium Extrusion  
15W/ft.  
BRIDGELUX / EDISON 2835 LED,  
110LED (0.2W) /ft.  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
1200Lumens/ft.  
**CONSTANT CURRENT**  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

## LED PROFILE LIGHT - 3SIDE ACRYLIC SUSPENDED PROFILES



SIZE : 45MM X 65MM

**HLL-1736 (45MM SUSPENDED)**




Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON 2835 LED,  
55LED (0.2W) /ft.  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
12V (Constant Voltage)  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

Elite Series

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - 3SIDE ACRYLIC SUSPENDED PROFILES




SIZE : 45MM X 45MM

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON 2835 LED,  
156LED (0.2W)/ft.  
3000K/4000K/6500K  
1000Lumens/ft.  
(Constant Current)  
MAX LENGTH 8FT.

HLL-1738 (45MM SUSPENDED)

## LED PROFILE LIGHT - ROUND SUSPENDED PROFILES




SIZE : Ø30MM



Aluminium Extrusion  
5W/ft.  
BRIDGELUX / EDISON 2835 LED,  
55LED (0.2W)/ft.  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
400Lumens/ft.  
CONSTANT CURRENT  
**DRIVER SEPARATE**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1740 (30MM SUSPENDED)

## LED PROFILE LIGHT - ROUND SUSPENDED PROFILES



SIZE : Ø60MM



Aluminium Extrusion  
15W/ft.  
BRIDGELUX / EDISON 2835 LED,  
55LED (0.2W)/ft.  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
800Lumens/ft.  
CONSTANT CURRENT  
**DRIVER SEPARATE**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1742 (60MM SUSPENDED)



*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - LED ROUND SUSPENDED TUBE





**FULL ROUND 360°**

SIZE : Ø100mm

Aluminium Extrusion  
10W/ft.  
BRIDGELUX 0.2W 2835  
120LED (0.2W/ft.  
3000K/4000K/6500K  
400Lumens/ft.  
40V (Constant Current)  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1745 (100MM SUSPENDED)**

## LED PROFILE LIGHT - LED ROUND SLIM SUSPENDED POLYCARBONATE TUBE (360° LIGHT)



SIZE : 46mmx35mm



Aluminium Extrusion  
10W/ft.  
BRIDGELUX 0.2W 2835 110LED /2FT.  
216LED (0.2W/ft.  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
400Lumens/ft.  
40V (Constant Current)  
**DRIVER SEPARATE**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.


**HLL-1746 (46MM SUSPENDED)**

*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - SUSPENDED TRUNKING PROFILES




SIZE : 62MM X 68MM

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON LED2835 55LED  
(0.2W)/FT.  
3000K/4000K/6500K  
1000Lumens/ft.  
**CONSTANT CURRENT  
IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1750 (62MM SUSPENDED)**

## LED PROFILE LIGHT - SUSPENDED TRUNKING PROFILES



SIZE : 122MM X 80MM

Aluminium Extrusion  
10W/ft.  
BRIDGELUX / EDISON 2835 LED,  
(0.2W) 55LED/ft.  
3000K/4000K/6500K  
1000Lumens/ft.  
**CONSTANT CURRENT  
IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1752 (122MM SUSPENDED)**

## LED PROFILE LIGHT - SUSPENDED PROFILES (BLACK LOUVER UGR LESS THAN 16)



SIZE : 111mmx34mm



Aluminium Extrusion  
20W/ft.  
BRIDGELUX 0.2W 2835 156LED /FT.  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
400Lumens/ft.  
12V (Constant Voltage)  
**DRIVER SEPARATE**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

**HLL-1756 (111MM SUSPENDED)**

*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - SUSPENDED PROFILES



SIZE : 600MM,800MM  
1200MM,1600MM




Aluminium Extrusion  
3000K/4000K/6500K  
RGB+CCT TUNABLE (BLUE TOOTH)  
CONSTANT CURRENT  
**IN-BUILT DRIVER**  
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1772

## LED PROFILE LIGHT - LED LINEAR PROFILE



- \* ECO SUSPENDED LIGHT WITH ECO DRIVER COMPLETE SET
- \* AVAILABLE FIXED SIZE IN 4FT / 8FT
- \* POWDER COATING : WHITE / BLACK



SIZE : 35MM X 65MM

20W/4ft.  
EVERLITE LED 2835, 0.2W LED,  
LED (0.2W)/ft.  
3000K/4000K/6500K  
100LM/ft.  
36V CONSTANT CURRENT  
MAX LENGTH 4FT / 8FT.  
**IN-BUILT DRIVER**

HLL-1773 (35MM SUSPENDED)



SIZE : 50MM X 65MM

36W/4ft.  
EVERLITE LED 2835, 0.2W LED,  
LED (0.2W)/ft.  
3000K/4000K/6500K  
100LM/ft.  
36V CONSTANT CURRENT  
MAX LENGTH 4FT / 8FT.  
**IN-BUILT DRIVER**


HLL-1774 (50MM SUSPENDED)

*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - LED LINEAR PROFILE




SIZE : 70MM X 65MM

40W/4ft.  
EVERLITE LED 2835, 0.2W LED,  
LED (0.2W)/ft.  
3000K/4000K/6500K  
100LM/ft.  
40V CONSTANT CURRENT  
MAX LENGTH 4FT / 8FT.  
**IN-BUILT DRIVER**

HLL-1775 (70MM SUSPENDED)

## LED PROFILE LIGHT - LED MINI LINEAR PROFILE




SIZE : 26MM X 66MM

30W/4ft.  
EVERLITE/OSRAM LED 2835, 0.2W LED,  
3030 1W LED  
3000K/4000K/6500K  
120LM/ft.  
36V CONSTANT CURRENT  
MAX LENGTH 4FT / 8FT.  
**IN-BUILT DRIVER**

HLL-1776 (26MM SUSPENDED)

## LED PROFILE LIGHT - LED LINEAR PROFILE



SIZE : 26MM X 66MM

30W/4ft.  
OSRAM LED 3030, 1W LED  
3000K/4000K/6500K  
120LM/ft.  
40V CONSTANT CURRENT  
MAX LENGTH 4FT / 8FT.  
**IN-BUILT DRIVER**



HLL-1777 (26MM SUSPENDED)

*Elite Series*

**ALL PROFILES AVAILABLE IN  
WHITE & BLACK POWDER COATING**



## LED PROFILE LIGHT - LED LINEAR PROFILE




SIZE : 45MM X 65MM

36W/4ft.  
EVERLITE/OSRAM LED 2835, 0.2W LED,  
3030 1W LED  
3000K/4000K/6500K  
120LM/ft.  
40V CONSTANT CURRENT  
MAX LENGTH 4FT / 8FT.  
**IN-BUILT DRIVER**

HLL-1778 (45MM SUSPENDED)

## LED PROFILE LIGHT - LED MINI LINEAR PROFILE




SIZE : 45MM X 65MM

40W/4ft.  
OSRAM LED3030 1W/ LED  
3000K/4000K/6500K  
120LM/ft.  
40V CONSTANT CURRENT  
MAX LENGTH 4FT / 8FT.  
**IN-BUILT DRIVER**

HLL-1779 (45MM SUSPENDED)

## LED PROFILE LIGHT - LED ROUND SUSPENDED PROFILE



SIZE : 60MM X 30MM

36W/4ft.  
EVERLITE/OSRAM LED 2835, 55LED  
0.2W/LED  
3000K/4000K/6500K  
120LM/ft.  
40V CONSTANT CURRENT  
MAX LENGTH 4FT / 8FT.  
**IN-BUILT DRIVER**

HLL-1780 (26MM SUSPENDED)

**LED PROFILE LIGHT - TRUNKING WITH HALF ROUND MILKY DIFFUSER LENS**  
**SYMMETRIC / DOUBLE ASYMMETRIC (BODY COLOR WHITE ,BLACK AVAILABLE)**



HLL-1753 (20W)  
 Size : W65xH27xL1150mm



HLL-1754 (20W)  
 Size : W65xH27xL1150mm

**LED PROFILE LIGHT - SUSPENDED TRUNKING SYSTEM**  
**(BODY COLOR WHITE ,BLACK AVAILABLE)**



HLL-1757 (40W)  
 Size : 1130mmx63mmx43mm



HLL-1758  
 Size : H50mmxW60mm



HLL-1759  
 Size : H50mmxW60mm



HLL-1761  
 Size : H10xW60xL300mm



HLL-1763  
 Size : H10xW60mmxL600mm



HLL-1764  
 Size : H40xW60mm



HLL-1765



HLL-1766



HLL-1767



**LED ARCHITECTURAL DESIGNER SUSPENDED LIGHT (COMPLETE SET WHITE/BLACK)**



LH

HLL-1790 (10W)  
Size : Ø35xH90mm



LH

HLL-1792 (10W)  
Size : Ø73xH85mm



LH

HLL-1794 (10W)  
Size : Ø95xH80mm



LH

HLL-1795 (10W)  
Size : Ø70xH101mm



LH

HLL-1801 (6W)  
Size : Ø140xH165mm



LH

HLL-1803 (10W)  
Size : Ø185xH155mm



LH

HLL-1805 (6W)  
Size : Ø115xH110mm



LH

HLL-1807 (10W)  
Size : Ø244 x H170mm



LH

HLL-1810 (8W)  
Size : Ø150xH185mm

**LED ARCHITECTURAL SLIM SUSPENDED LIGHT - (SS 202)** Powder Coating Body Colour - White & Black  
Electro Plating - Shining Gold, Shining Rose Gold, Antique Gold, Antique Rose Gold (Complete Set)



LH

HLL-1818 (7W)  
Size : Ø28xH300mm



LH

HLL-1819 (10W)  
Size : Ø50x H300mm



LH

HLL-1820 (10W)  
Size : Ø28xH600mm



LH

HLL-1822 (10W)  
Size : Ø28x H900mm

**LED ARCHITECTURAL SLIM SUSPENDED LIGHT - (SS 202)** Powder Coating Body Colour - White & Black Electro Plating - Shining Gold, Shining Rose Gold, Antique Gold, Antique Rose Gold (Complete Set)



HLL-1823 (10W)  
Size :  $\varnothing$ 50xH120mm



HLL-1824 (15W)  
Size :  $\varnothing$ 75xH120mm



HLL-1825 (25W)  
Size :  $\varnothing$ 100x H180mm

**LED SURFACE SLIM TILTABLE EYEBALL LIGHT**



HLL-1785(10W)  
Size :  $\varnothing$ 75xH100mm



HLL-1786 (15W)  
Size :  $\varnothing$ 85xH110mm



HLL-1789 (30W)  
Size :  $\varnothing$ 120xH140mm

**LED SURFACE LIGHT**



HLL-1826 (10W)  
Size :  $\varnothing$ 50xH120mm(H150)



HLL-1827 (10W)  
Size :  $\varnothing$ 50 x H300mm




HLL-1828 (15W)  
Size :  $\varnothing$ 75xH120mm



HLL-1829 (25W)  
Size :  $\varnothing$ 100xH180mm

**LED SLIM ANTI-GLARE SURFACE LIGHT**



HLL-1830(10W)  
Size :  $\varnothing$ 50xH120mm



HLL-1831 (15W)  
Size :  $\varnothing$ 75xH120mm

LED ARCHITECTURAL SUSPENDED LIGHT - (FULL ALUMINIUM BODY)



HLL-1832 (20W)  
Size : Ø450xW30xH27mm



HLL-1834 (40W)  
Size : Ø600xW30xH27mm



HLL-1836 (20W)  
Size : Ø450xW60xH45mm




HLL-1840 (40W)  
Size : Ø600xW60xH45mm




HLL-1842 (20W)  
Size : Ø450xW60xH75mm



HLL-1844 (40W)  
Size : Ø600xW60xH75mm



HLL-1854 (20W)  
Size : Ø300xH45mm




HLL-1856 (30W)  
Size : Ø450xH45mm




HLL-1858 (40W)  
Size : Ø600xH45mm

**LED ARCHITECTURAL SUSPENDED LIGHT (FULL ALUMINIUM BODY)**



HLL-1862 (20W)  
Size : Ø450xH75mm




HLL-1864 (40W)  
Size : Ø600xH75mm



HLL-1870 (20W)  
Size : ⬡450xW42xH72mm



HLL-1872 (40W)  
Size : ⬡600xW42xH72mm



HLL-1884 (20W)  
Size : ⬡450xH75mm



HLL-1886 (40W)  
Size : ⬡600xH75mm



HLL-1896 (20W)  
Size : ⬠300xW60xH75mm



HLL-1898 (30W)  
Size : ⬠450xW60xH75mm



HLL-1900 (40W)  
Size : ⬠600xW60xH75mm

## LED ARCHITECTURAL SUSPENDED LIGHT (FULL ALUMINIUM BODY)



HLL-1906 (40W)

Size :  $\diamond$ 600xW60xH75mm

## LED ARCHITECTURAL SUSPENDED LIGHT (FULL ALUMINIUM BODY - ONE WAY / TWO WAY)



HLL-1920 (10W+10W)

Size :  $\varnothing$ 450x21xSuspended Pipe H200mm



HLL-1921 (20W+20W)

Size :  $\varnothing$ 600x21xSuspended Pipe H200mm



HLL-1923 (30W+30W)

Size :  $\varnothing$ 800x21xSuspended Pipe H200mm

## LED ARCHITECTURAL SURFACE CEILING LIGHT - FULL ALUMINIUM BODY (Inbuilt Driver)



HLL-1930 (30W)

Size :  $\varnothing$ 450xH75mm



HLL-1932 (40W)

Size :  $\varnothing$ 600xH75mm



HLL-1934 (20W)

Size :  $\varnothing$ 300xH75mm



HLL-1936 (30W)

Size :  $\varnothing$ 450xH75mm



HLL-1938 (40W)

Size :  $\varnothing$ 600xH75mm



HLL-1940 (20W)

Size :  $\odot$ 300xW42xH75mm



HLL-1942 (30W)

Size :  $\odot$ 450xW42xH75mm



HLL-1944 (30W)

Size :  $\odot$ 600xW42xH75mm

## LED ARCHITECTURAL SURFACE CEILING LIGHT - FULL ALUMINIUM BODY (Inbuilt Driver)



LH

IN-BUILT DRIVER

HLL-1947 (40W)  
Size : ◊600xW60xH75mm



LH

IN-BUILT DRIVER

HLL-1950 (40W)  
Size : ◊600xW60xH75mm

## LED STRETCH FABRIC SUSPENDED LIGHT- COMPLETE SET WITH DRIVER (Without Remote)

PROFILE DIMENSION WITH CHAIN & HOOK



NEW

WITHOUT REMOTE

1 WAY

HLL-1980 (80W)  
Aluminium Extrusion  
BRIDGELUX 2835 LED, 1W WITH LENS  
3000K/4000K/6500K  
SIZE: 1200X1200mm,H-70mm



NEW

WITHOUT REMOTE

2 WAY

HLL-1984 (80W)  
Aluminium Extrusion  
BRIDGELUX 2835 LED, 1W WITH LENS  
3000K/4000K/6500K  
SIZE: 1200X1200mm,H-70mm




NEW

WITHOUT REMOTE

1 WAY

HLL-1988 (100W)  
Aluminium Extrusion  
BRIDGELUX 2835 LED, 1W WITH LENS  
3000K/4000K/6500K  
SIZE: 1800X1200mm,H-70mm



NEW

WITHOUT REMOTE

2 WAY

HLL-1992 (100W)  
Aluminium Extrusion  
BRIDGELUX 2835 LED, 1W WITH LENS.  
3000K/4000K/6500K  
SIZE: 1800X1200mm,H-70mm



NEW

WITHOUT REMOTE

1 WAY

HLL-1994 (160W)  
Aluminium Extrusion  
BRIDGELUX 2835 LED, 1W WITH LENS  
3000K/4000K/6500K  
SIZE: 2400X1200mm,H-70mm



NEW

WITHOUT REMOTE

2 WAY

HLL-1996 (160W)  
Aluminium Extrusion  
BRIDGELUX 2835 LED, 1W WITH LENS  
3000K/4000K/6500K  
SIZE: 2400X1200mm,H-70mm



## LED CONSTANT CURRENT & VOLTAGE TUNEABLE DRIVER FOR SUSPENDED, CONCEALED & SURFACE PROFILE FIXTURES.

### CONSTANT CURRENT TUNEABLE DRIVER



HLD-4885 - 20W/40W  
30-42V - 500-950Amp

### CONSTANT CURRENT TUNEABLE DRIVER



HLD-4950 - 12V  
12V - 5Amp



HLD-4951 - 12V  
12V - 10Amp

## RGB+CCT TUNABLE DRIVER



HLD-4953

C.V-WITH EXTERNAL SMPS - AUTODIDACT  
12V/24V 20Amp  
DIM.-145x48x29mm



HLD-4955

C.V-WITH INTEGRATED SMPS  
24V 50Amp 12v10Amp  
DIM.-68x25mm



HLD-4956

C.V-WITH INTEGRATED SMPS  
RGB+CCT TUNABLE  
DIM.-68x25mm



HLD-4958

CONSTANT CURRENT  
7W 12V 350Amp  
DIM.-164x40x30mm



HLD-4959

CONSTANT CURRENT  
12W 36V 350Amp  
DIM.-164x40x30mm

## CONSTANT CURRENT CCT LED ADJUSTABLE DRIVER (IP-20) SLIM LINEAR DRIVER



HLD-4961

CONSTANT CURRENT  
12V-42V 150mA-300mA  
RF+BLE  
DIM.-108X21X21mm



HLD-4962

CONSTANT CURRENT  
6V-20V 350mA-600mA  
RF+BLE  
DIM.-108X21X21mm

## LED STRIP AMPLIFIER / CONTROLLER / DIMMER - 12V/24V



HLD-4801 - 12V/24V  
MINI STRIP DIMMER  
WITH REMOTE



HLD-4802 - 12V/24V  
MINI STRIP DIMMER  
REPEATER



HLD-4804 - 12V/24V  
HEAVY DIMMER



HLD-4805 - 12V/24V  
144W-RGB CONTROLLER



HLD-4806 - 12V/24V  
144W-RGB AMPLIFIER

## LED CONSTANT CURRENT DIMMABLE DRIVER




HLD-4831 (8W)  
DC200mA / 26-42V



HLD-4832 (8W)  
DC350mA / 9-24V



HLD-4833 (12W)  
DC350mA / 26-42V



HLD-4834 (18W)  
DC350mA / 43-60V



HLD-4835 (12W)  
DC300mA / 26-42V



HLD-4836 (18W)  
DC500mA / 26-42V



HLD-4839 (30W)  
DC700mA / 26-42V



HLD-4842 (40W)  
DC1000mA / 26-42V

## LED CONSTANT VOLTAGE DIMMABLE DRIVER - 12V - 2 IN 1 (TRIAC DIMMABLE / 0/1-10V ANALOG)



HLD-4851 (60W - 12V)  
0/1-10V + Triac Dimmable  
AC170-250V - 1.2A/110VAC



HLD-4865 (100W - 12V)  
0/1-10V + Triac Dimmable  
AC170-250V - 1.2A/110VAC



HLD-4867 (150W - 12V)  
0/1-10V + Triac Dimmable  
AC170-250V / 1.2A/110VAC

## LED CONSTANT VOLTAGE DIMMABLE DRIVER - 24V - 2 IN 1 (TRIAC DIMMABLE / 0/1-10V ANALOG)



HLD-4868 (60W - 24V)  
0/1-10V + Triac Dimmable  
AC170-250V - 1.2A/110VAC



HLD-4870 (100W - 24V)  
0/1-10V + Triac Dimmable  
AC170-250V - 1.2A/110VAC



HLD-4871 (150W - 24V)  
0/1-10V + Triac Dimmable  
AC170-250V / 1.2A/110VAC

## LED CONSTANT VOLTAGE WATERPROOF DRIVERS (IP67) - 24V



IP67

HLD-4875 (60W - 24V)  
(100V~1.2A - 277V~1.2A)  
24.5VDC (24V - 2.5Amp)



IP67

HLD-4876 (100W - 24V)  
(100V~0.9A - 277V~0.8A)  
24.5VDC (24V - 4.2Amp)



IP67

HLD-4877 (150W - 24V)  
(100V~1.5A - 277V~1.2A)  
24.5VDC (24V - 6.25Amp)



IP67

HLD-4878 (200W - 24V)  
(100V~1.8A - 277V~1.6A)  
24.5VDC (24V - 8.3Amp)

## LED CONSTANT VOLTAGE WATERPROOF DRIVERS (IP67) - 12V



IP67

HLD-4886 (60W - 12V)  
(100V~0.6A - 277V~0.4A)  
12.5VDC (12V - 5Amp)



IP67

HLD-4887 (100W - 12V)  
(100V~0.9A - 277V~0.8A)  
12.5VDC (12V - 8.3Amp)



IP67

HLD-4888 (150W - 12V)  
(100V~1.4A - 277V~1.2A)  
12.5VDC (12V - 10mp)



IP67

HLD-4889 (200W - 12V)  
(100V~1.8A - 277V~1.6A)  
12.5VDC (12V - 16.5Amp)

## LED CONSTANT CURRENT DIMMEABLE DRIVERS (0-10V) ANALOG



HLD-4891 (8W)  
(0/1-10V Dimmable)  
DC200mA / 25-42V



HLD-4892 (8W)  
(0/1-10V Dimmable)  
DC350mA / 10-30V



HLD-4893 (12W)  
(0/1-10V Dimmable)  
DC300mA / 25-42V



HLD-4894 (12W)  
(0/1-10V Dimmable)  
DC350mA / 25-42V



HLD-4896 (18W)  
(0/1-10V Dimmable)  
DC350mA / 43-75V



HLD-4898 (30W)  
(0/1-10V Dimmable)  
DC700mA / 25-42V

## LED CONSTANT VOLTAGE DRIVER (IP20) - 12V



HLD-4900  
12V - 1Amp  
Size : 70x40x25mm



HLD-4901  
12V - 2Amp  
Size : 100x50x35mm



MADE IN INDIA

HLD-4902  
12V - 2Amp (Heavy)  
Size : 155x40x35mm



HLD-4903 (36W - 12V)  
12V-DC 3.75 (100-265V, AC0.5)  
Size : 116x35x23mm



HLD-4904 (60W - 12V)  
12V-DC 6.66 (100-265V, AC0.5)  
Size : 142x35x23mm



MADE IN INDIA

HLD-4905  
12V - 5Amp  
Size : 195x50x40mm



MADE IN INDIA

HLD-4906  
12V - 6.5Amp  
Size : 195x55x40mm



HLD-4908 (100W - 12V)  
12V-DC 8.3 (100-265V, AC0.8)  
Size : 138x50x23mm



MADE IN INDIA

HLD-4909  
12V - 3Amp  
Size : 165x45x35mm



HLD-4910 (150W - 12V)  
12V-DC 12.5 (100-265V, AC1.2)  
Size : 178x50x23mm

## LED CONSTANT VOLTAGE DRIVER (IP20) - 12V



HLD-4917 (200W - 12V)  
12V-DC 16.6 (100-265V, AC1.6)  
Size : 187x60x28mm



HLD-4919 (300W - 12V)  
12V-DC 25.0 (100-265V, AC2.7)  
Size : 220x60x28mm

## LED CONSTANT VOLTAGE DRIVER (IP20) - 24V



MADE IN INDIA

HLD-4911  
24V - 2Amp  
Size : 165x45x35mm



HLD-4912 (60W - 24V)  
24V-DC 3.33 (100-265V, AC0.5)  
Size : 142x35x23mm



HLD-4913 (100W - 24V)  
24V-DC 4.2 (100-265V, AC0.8)  
Size : 138x50x23mm



MADE IN INDIA

HLD-4914  
24V - 5.5Amp  
Size : 270x75x55mm



HLD-4916 (150W - 24V)  
24V-DC 6.2 (100-265V, AC1.2)  
Size : 178x50x23mm



HLD-4918 (200W - 24V)  
24V-DC 8.3 (100-265V, AC1.6)  
Size : 187x60x28mm



HLD-4920 (300W - 24V)  
24V-DC 12.9 (100-265V, AC2.9)  
Size : 220x60x28mm

## LED CONSTANT VOLTAGE DRIVER (IP20) - 12V



HLD-4931 (36W - 12V)  
DC 12V 3Amp. (176-264V)  
Size : 220x18x18mm



HLD-4932 (60W - 12V)  
DC 12V 5Amp. (176-264V)  
Size : 300x18x18mm



HLD-4933 (84W - 12V)  
DC 12V 7Amp. (176-264V)  
Size : 340x18x18mm

## LED CONSTANT VOLTAGE DRIVER (IP20) - 24V



HLD-4936 (36W - 24V)  
DC 24V 1.5Amp. (176-264V)  
Size : 220x18x18mm



HLD-4937 (60W - 24V)  
DC 24V 2.5Amp. (176-264V)  
Size : 300x18x18mm



HLD-4938 (84W - 24V)  
DC 24V 3.5Amp. (176-264V)  
Size : 340x18x18mm

LED BOLLARD & WALL LIGHT (IP54 & IP65)



HLO-5002 (12W)  
Size : 180x180xH230mm



HLO-5003 (20W)  
Size : 220x220xH245mm



HLO-5004 (12W)  
Size : 150x150xH160mm



HLO-5005 (40W)  
Size : Ø310xH480mm



HLO-5006 (30W)  
Size : Ø400xH427mm  
2500mm Pole / 3000mm Pole  
PRICE AS ON REQUEST



HLO-5009 (13W)  
Size : Ø175xH204mm



HLO-5010 (20W)  
Size : Ø300xH317mm



HLO-5011 (12W)  
Size : Ø175xH1000mm



HLO-5012 (12W)  
Size : Ø175x288xH1000mm



HLO-5013 (12W)  
Size : 178x69xH300mm



HLO-5014 (12W)  
Size : 178x69xH650mm



HLO-5015 (12W)  
Size : 178x69xH900mm



HLO-5016 (18W)  
Size : 230x120xH2000mm

## LED BOLLARD & WALL LIGHT (IP54 & IP65)



HLO-5017 (30W)  
Size : 370x370xH119mm



**SOLAR LIGHT WITH SENSOR**  
HLO-5018 (10W)  
Size : 370x370xH119mm



HLO-5020 (24W)  
Size : Ø276xH430mm



HLO-5021 (24W)  
Size : Ø276xH380mm




HLO-5022 (24W)  
Size : Ø276xH2500mm



**NEW COMING SOON**  
HLO-5023 (13W)  
Size : 165x47xH400mm



**NEW COMING SOON**  
HLO-5024 (13W)  
Size : 165x47xH800mm



**NEW COMING SOON**  
HLO-5025 (30W)  
Size : 165x80xH2300mm



**NEW COMING SOON**  
HLO-5026 (30W)  
Size : 120x120xH2300mm



**Ø75mm Pipe Dia Available**  
HLO-5032 (2x30W)  
Size : Ø230xH150mm  
Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



**Ø75mm Pipe Dia Available**  
HLO-5032 (2x30W)  
Size : Ø230xH150mm  
Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



**Ø75mm Pipe Dia Available**  
HLO-5034 (45W)  
Size : Ø400xH150mm  
Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



**Ø75mm Pipe Dia Available**  
HLO-5035 (2x45W)  
Size : Ø400xH150mm  
Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



## LED BOLLARD & WALL LIGHT (IP54 & IP65)



Ø75mm Pipe Dia Available

HLO-5037 (40W)

Size : Ø400xH350mm

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



Ø75mm Pipe Dia Available

HLO-5038 (60W)

Size : Ø600xH350mm

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



Ø75mm Pipe Dia Available

HLO-5040 (30W)

Size : Ø230xH450mm

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



Ø75mm Pipe Dia Available

HLO-5041 (40W)

Size : Ø400xH530mm

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



Ø75mm Pipe Dia Available

HLO-5043 (30W)

Size : Ø300xH150mm

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



Ø75mm Pipe Dia Available

HLO-5044 (45W)

Size : Ø400xH150mm

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



HLO-5046 (24W/36W/50W/60W)

Size : 75x75mm & 100x100mm


Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request



HLO-5047 (30W/45W)


Size : Ø75mm & Ø100mm

Pole Size Available : 2.5Mtr / 3Mtr / 4Mtr / 5Mtr / 6Mtr As on Request




2500mm

TYPES OF POLE  
Size : Ø75xH2500mm




3000mm

TYPES OF POLE  
Size : Ø75xH3000mm



3650mm


TYPES OF POLE  
Size : Ø75xH3650mm



3650mm

TYPES OF POLE  
Size : Ø75xH3650mm

**LED BOLLARD & WALL LIGHT (IP54 & IP65)**



**TYPES OF POLE**  
Size : Ø75xH5000mm



HLO-5055 (18W)  
Size : 240x240x2200mm



HLO-5054 (18W)  
Size : 240x240xH260mm



250mm  
HLO-5056 (7W)  
Size : 120x70xH250mm



650mm  
HLO-5057 (7W)  
Size : 120x70xH650mm



Wall Light  
HLO-5058 (10W)  
Size : 130x154xH168mm



Wall Light  
HLO-5059 (10W)  
Size : 130x154xH168mm



750mm  
HLO-5060 (10W)  
Size : 130x130xH750mm



200mm  
HLO-5062 (7W)  
Size : Ø90xH200mm



650mm  
HLO-5063 (7W)  
Size : Ø90xH650mm



200mm  
HLO-5066 (7W)  
Size : 108x108xH200mm



650mm  
HLO-5067 (7W)  
Size : 108x108xH650mm



SPECIAL OFFER  
Wall Light  
HLO-5072 (4x3W)  
Size : 110x148xH250mm



Wall Light  
HLO-5075 (3x3W)  
Size : Ø108x164xH315mm

## LED BOLLARD & WALL LIGHT (IP54 & IP65)



650mm

HLO-5076 (3x3W)  
Size : Ø108x120xH650mm



Wall Light

HLO-5078 (10W)  
Size : Ø210x70mm



220mm

HLO-5079 (10W)  
Size : Ø210xH220mm



750mm

HLO-5080 (10W)  
Size : Ø210xH750mm



2200mm

HLO-5083 (18W)  
Size : Ø300xH2200mm  
Wattage will be changed 24W to 18W



Wall Light

HLO-5086 (5W)  
Size : 145x45xH120mm



300mm

HLO-5087 (5W)  
Size : 160x54xH300mm



650mm

HLO-5088 (5W)  
Size : 160x54xH650mm



500mm

HLO-5102 - (6W)  
Size : 198xH500mm



Wall Light

Adjustable

HLO-5105 - (6W)  
Size : 268x163mm



2300mm

HLO-5111 (18W)  
Size : Ø196x575xH2300mm



250mm

HLO-5114 (7W)  
Size : Ø90xH250mm



Wall Light

355mm

HLO-5109 (9W)  
Size : Ø196x280xH355mm



1000mm

HLO-5110 (9W)  
Size : Ø196x295xH1000mm



650mm

HLO-5115 (7W)  
Size : Ø90xH650mm

LED BOLLARD & WALL LIGHT (IP54 & IP65)



HLO-5117 (3x5W)  
Size : Ø120xH250mm



HLO-5119 (3x5W)  
Size : Ø120xH650mm



Wall Light  
HLO-5122 (6x1W)  
Size : Ø145x110mm



HLO-5123 (6x1W)  
Size : Ø145xH250mm



HLO-5124 (6x1W)  
Size : Ø145xH650mm



HLO-5128 - (8W)  
Size : 240xH900mm



HLO-5129 - (18W)  
Size : Ø200xH900mm



HLO-5130 - (36W)  
Size : Ø320xH2000mm



Wall Light  
HLO-5131 (8W)  
Size : 140x70xH200mm



Wall Light  
HLO-5136 (6W)  
Size : 151x188xH68mm



NEW  
COMING SOON  
HLO-5137 (7W)  
Size : 125xH500mm



Wall Light  
HLO-5139 (6W)  
Size : 125x170xH200mm



HLO-5140 (6W)  
Size : 125xH200mm



HLO-5141 (6W)  
Size : 125xH800mm



Wall Light  
HLO-5142 (9W)  
Size : Ø110x176xH240mm



HLO-5143 (9W)  
Size : Ø110xH500mm

## LED BOLLARD & WALL LIGHT (IP54 & IP65)



HLO-5145 (9W)  
Size : 200x80xH112mm



HLO-5146 (9W)  
Size : 200x80xH300mm



HLO-5147 (9W)  
Size : 200x80xH500mm



HLO-5152 (9W)  
Size : Ø80x120xH750mm



HLO-5154 (27W)  
Size : Ø80x120xH2000mm



HLO-5155 (3x12W)  
Size : Ø269xH2500mm



HLO-5156 (12W)  
Size : Ø120x152xH2000mm



HLO-5157 (10W)  
Size : Ø165x198xH225mm



HLO-5158 (10W)  
Size : Ø165xH346mm



HLO-5159 (10W)  
Size : Ø165x218xH985mm



HLO-5161 (13W)  
Size : 166x166xH300mm



HLO-5162 (13W)  
Size : 166x166xH500mm



HLO-5163 (13W)  
Size : 166x166xH800mm



HLO-5165 (18W)  
Size : Ø145xH500mm



HLO-5166 (18W)  
Size : Ø145xH900mm



HLO-5167 (36W)  
Size : Ø145xH2000mm

## LED BOLLARD & WALL LIGHT (IP54 & IP65)



900mm

HLO-5168 (18W)  
Size : Ø150xH900mm



Wall Light

HLO-5171 (6W)  
Size : 101x101x131xH135mm



250mm

HLO-5172 (6W)  
Size : 101x101xH250mm



750mm

HLO-5173 (6W)  
Size : 101x101xH750mm



Wall Light

HLO-5180 (10W)  
Size : Ø188x206xH209mm



350mm

HLO-5181 (10W)  
Size : Ø188xH350mm



650mm

HLO-5182 (10W)  
Size : Ø188xH650mm



900mm

HLO-5183 (10W)  
Size : Ø188xH900mm



300mm

HLO-5185 (6W)  
Size : 157x157xH300mm



600mm

HLO-5186 (6W)  
Size : 157x157xH600mm



NEW

HLO-5187 (12W)  
Size : 140x140xH230mm



NEW

HLO-5188 (12W)  
Size : 140x140xH300mm



NEW

HLO-5189 (12W)  
Size : 140x140xH600mm



NEW

HLO-5190 (12W)  
Size : 140x140xH800mm



LED SURFACE CEILING LIGHT (IP54 & IP65)



HLO-5301 (4W)  
Size : Ø58x14mm



HLO-5302 (5W)  
Size : 140x140x65mm



HLO-5304 (6W)  
Size : Ø150x55mm



HLO-5305 (18W)  
Size : Ø280x63mm



HLO-5306 (10W)  
Size : Ø85x20mm



HLO-5307 (9W)  
Size : 90x90x102mm



HLO-5308 (6W)  
Size : 90x90x95mm



HLO-5309 (6W)  
Size : Ø90x95mm



HLO-5310 (3W)  
Size : Ø140x64mm



HLO-5312 (15W)  
Size : Ø130x205mm



HLO-5314 (9W)  
Size : Ø172x122mm



HLO-5315 (11W)  
Size : 200x200x55mm



HLO-5316 (4x7W)  
Size : 260x260x74mm



HLO-5318 (12W)  
Size : Ø90x110mm



HLO-5321 (24W)  
Size : Ø110x140mm



HLO-5322 (33W)  
Size : Ø135x170mm

**LED SURFACE CEILING LIGHT (IP54 & IP65)**



HLO-5325 (100W)  
Size : Ø220x235mm




HLO-5328 (8W)  
Size : Ø65x45mm



HLO-5329 (15W)  
Size : Ø80x45mm



HLO-5331 (6W)  
Size : Ø108x105mm



HLO-5332 (6W)  
Size : 110x110x108mm

**LED SURFACE WALL LIGHT (IP54 & IP65)**




HLO-5351 (3W)  
Size : 100x100x51mm



HLO-5352 (2x3W)  
Size : 100x100x51mm




HLO-5353 (2x1W)  
Size : 74x74x52mm



HLO-5354 (4x1W)  
Size : 100x100x52mm




HLO-5355 (4x1W)  
Size : Ø100x52mm



HLO-5356 (4x3W)  
Size : 190x190x96mm




HLO-5357 (4x3W)  
Size : 200x200x78mm




HLO-5358 (3W)  
Size : 65x40x88mm

## LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5359 (2x3W)  
Size : 43x90x125mm



HLO-5360 (9W)  
Size : 130x130x30mm



HLO-5361 (3W)  
Size : 81x63x75mm



HLO-5362 (2x3W)  
Size : 81x63x142mm



HLO-5364 (3x3W)  
Size : Ø100x88mm



HLO-5365 (3W)  
Size : 85x60x36mm



HLO-5366 (2x1W)  
Size : 85x60x42mm



HLO-5367 (4x2W)  
Size : Ø100x94mm



HLO-5368 (2x3W)  
Size : Ø100x94mm



HLO-5369 (3W)  
Size : Ø70x85x110mm



HLO-5370 (2x3W)  
Size : Ø70x110x110mm



HLO-5371 (2x3W)  
Size : Ø85x71mm



HLO-5372 (2x3W)  
Size : Ø90x50mm



HLO-5374 (3W)  
Size : Ø90x50mm



HLO-5373 (4x3W)  
Size : Ø90x50mm



HLO-5376 (6W)  
Size : Ø90x95mm

**LED SURFACE WALL LIGHT (IP54 & IP65)**



HLO-5377 (6W)  
Size : Ø90x135x100mm



HLO-5378 (2x6W)  
Size : Ø90x135x135mm



HLO-5381 (6W)  
Size : 90x90x94mm



HLO-5382 (6W)  
Size : 90x120x92mm



HLO-5383 (2x6W)  
Size : 90x120x130mm



HLO-5386 (12W COB)  
Size : Ø90x137mm



HLO-5387 (12W COB)  
Size : Ø90x133x182mm



HLO-5388 (2x12W COB)  
Size : Ø90x133x220mm



HLO-5390 (2x12W)  
Size : 106x141x135mm



HLO-5391 (7W)  
Size : 82x62x95mm



HLO-5392 (2x7W)  
Size : 82x62x145mm



HLO-5397 (3W)  
Size : Ø140x63x195mm



HLO-5401 (12W)  
Size : 100x100x140mm



HLO-5402 (12W)  
Size : 100x132x138mm



HLO-5403 (2x12W)  
Size : 100x132x220mm



HLO-5410 (8W)  
Size : Ø120x175mm

## LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5411 (3W)  
Size : 148x60x100mm



HLO-5412 (3W)  
Size : 155x56x90mm



HLO-5413 (3x3W)  
Size : Ø185x60mm



HLO-5415 (24W)  
Size : 250x105x28mm



HLO-5416 (12W)  
Size : 120x110x70mm



HLO-5420 (6W)  
Size : Ø69x100x151mm



HLO-5421 (2x6W)  
Size : Ø69x100x222mm



HLO-5424 (2x6W)  
Size : Ø90x90x105mm



HLO-5428 (2x6W)  
Size : 90x90x105mm



HLO-5430 (6W)  
Size : Ø90x125mm



HLO-5431 (6W)  
Size : Ø90x120x125mm



HLO-5432 (2x6W)  
Size : Ø90x120x185mm



HLO-5435 (6W)  
Size : 90x90x127mm



HLO-5436 (6W)  
Size : 92x124x127mm



HLO-5437 (2x6W)  
Size : 90x124x185mm



HLO-5450 (6W)  
Size : 100x100x100mm


## LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5451 (2x3W)  
Size : 90x90x110mm




HLO-5452 (2x6W)  
Size : 150x65x90mm



HLO-5455 (3W)  
Size : 122x82x59mm



HLO-5457 (2x5W)  
Size : 105x100x119mm



HLO-5458 (7W)  
Size : 100x100x100mm



HLO-5459 (2x3W)  
Size : 173x109x63mm



HLO-5460 (2x3W)  
Size : 150x50x78mm



HLO-5461 (2x3W)  
Size : 150x50x78mm



HLO-5462 (3W)  
Size : 78x50x80mm



HLO-5463 (12W)  
Size : 207x114x79mm



HLO-5467 (3W)  
Size : 66x102x131mm



HLO-5470 (6W)  
Size : 160x200x50mm



HLO-5471 (5W)  
Size : 220x55x130mm



HLO-5472 (6W)  
Size : 190x150x110mm



HLO-5473 (18W)  
Size : 250x60x60mm



HLO-5474 (9W)  
Size : 114x259x84mm



## LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5475 (24W)  
Size : 500x50x49mm  
Wattage will be changed 36W to 24W



HLO-5476 (15W)  
Size : 280x130x215mm



HLO-5480 (9W)  
Size : 160x80x210mm



HLO-5481 (16W)  
Size : 155x155x162mm



HLO-5482 (36W)  
Size : 250x55x190mm



HLO-5485 (27W)  
Size : 147x152x145mm



HLO-5492 (20W)  
Size : 250x250x70mm




HLO-5494 (12W)  
Size : 140x140x50mm




HLO-5495 (12W)  
Size : Ø145x50mm




HLO-5496 (24W)  
Size : Ø230x52mm



HLO-5498 (10W)  
Size : Ø240x48mm



HLO-5499 (6W)  
Size : Ø135x40mm




HLO-5500 (12W)  
Size : Ø180x40mm



HLO-5501 (2W)  
Size : 68x80x93mm



HLO-5502 (5W)  
Size : 116x117x139mm




HLO-5503 (6W)  
Size : 260x106x115mm

**LED SURFACE WALL LIGHT (IP54 & IP65)**



HLO-5504 (6W)  
Size : 200x160x45mm



HLO-5506 (6W)  
Size : 114x89x105mm



HLO-5507 (18W)  
Size : 110x250x103mm



HLO-5508 (6W)  
Size : 160x100x86mm



HLO-5510 (10W)  
Size : 240x120x45mm



HLO-5512 (10W)  
Size : 161x75x186mm



HLO-5513 (6W)  
Size : 300x70x53mm




HLO-5514 (12W)  
Size : 236x114x68mm



HLO-5515 (13W)  
Size : 285x110x102mm




HLO-5516 (13W)  
Size : 270x90x58mm



HLO-5517 (13W)  
Size : 169x55x219mm



HLO-5518 (10W)  
Size : 140x140x350mm



HLO-5519 (6W)  
Size : 110x86x360mm



HLO-5520 (2x9W)  
Size : 250x65x60mm



HLO-5521 (2x12W)  
Size : 500x65x60mm



HLO-5523 (2x6W)  
Size : 62x87x144mm

*Elite Series*

**HYBEC®**

lighting the future

## LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5525 (12W)  
Size : 95x37xH600mm



HLO-5526 (20W)  
Size : 95x37xH1000mm



HLO-5527 (30W)  
Size : 95x37xH1200mm



HLO-5528 (18W)  
Size : 220x110x67mm


**LED SURFACE FOOT / STEP LIGHT (IP54 & IP65)**



HLO-5551 (3W)  
Size : 92x42x72mm



HLO-5552 (5W)  
Size : 150x42x72mm



HLO-5553 (4W)  
Size : 220x60x100mm




HLO-5554 (9W)  
Size : 250x31x95mm



HLO-5555 (9W)  
Size : 160x160x31mm



HLO-5556 (3W)  
Size : 95x68x32mm



HLO-5557 (2x1W)  
Size : 95x100x32mm



HLO-5558 (3W)  
Size : 160x101x70mm




HLO-5559 (6W)  
Size : Ø130x68mm



HLO-5562 (3W)  
Size : 166x173x60mm



HLO-5563 (9W)  
Size : Ø235x48mm



HLO-5564 (3W)  
Size : Ø160x31mm



HLO-5565 (3W)  
Size : Ø120x52mm



HLO-5568 (3W)  
Size : 112x112x35mm



HLO-5569 (13W)  
Size : 250x100x45mm

**LED GARDEN SPIKE LIGHT (IP65)**



HLO-5903 (3W)  
Size : Ø95x50x425mm



HLO-5904 (3W)  
Size : 50x65x253mm



HLO-5905 (10W)  
Size : Ø85x105mm



HLO-5906 (6W COB)  
Size : Ø78xH1500mm



HLO-5907 (6W)  
Size : Ø100x105x350mm



HLO-5908 (6W COB)  
Size : Ø73x106x380mm



Spike Height : 210mm

HLO-5913 (8W)  
Size : 117x80x70mm




Spike Height : 210mm


HLO-5914 (7W COB)  
Size : 117x80x70mm



HLO-5917 (12W)  
Size : 207x210x384mm



HLO-5921 (12W)  
Size : Ø90x173x139mm



HLO-5922 (12W)  
Size : Ø88x153x315mm



HLO-5923 (12W)  
Size : 200x56x152mm



HLO-5927 (30W)  
Size : 208x114x218mm



HLO-5930 (7W)  
Size : 70x70xH115mm



HLO-5931 (7W)  
Size : 70x70xH305mm



HLO-5932 (20W)  
Size : 100x100xH160mm

**LED GARDEN SPIKE LIGHT (IP65)**



HLO-5933 (20W)  
Size : 100x100xH490mm



HLO-5934 (30W)  
Size : 140x140xH230mm



HLO-5935 (30W)  
Size : 140x140xH544mm



HLO-5936 (13W)  
Size : Ø98x108xH125mm



HLO-5937 (13W)  
Size : Ø98x115xH315mm



HLO-5938 (13W)  
Size : Ø98x152xH600mm



HLO-5939 (20W)  
Size : Ø122x131xH158mm



HLO-5940 (20W)  
Size : Ø122x138xH485mm

**LED RECESSED FOOT / STEP LIGHT (IP54 & IP65)**



HLO-6018 (3W)  
Size : 75x107x65mm



HLO-6019 (3W)  
Size : 107x75x65mm



HLO-6021 (3W)  
Size : 90x90x40mm



HLO-6022 (6W)  
Size : 192x90x48mm



HLO-6024 (5W)  
Size : 92x90x73mm



HLO-6025 (5W)  
Size : 92x92x73mm




HLO-6026 (5W)  
Size : 170x70x58mm




HLO-6028 (6W)  
Size : 194x239x73mm




LED RECESSED FOOT / STEP LIGHT (IP54 & IP65)




HLO-6029 (3W)  
Size : Ø50x67mm



HLO-6030 (3W)  
Size : 60x60x50mm



HLO-6031 (3W)  
Size : Ø80x60x67mm



HLO-6032 (3W)  
Size : 80x80x67mm



HLO-6038 (12W)  
Size : 250x98x90mm



HLO-6039 (12W)  
Size : 250x98x90mm



HLO-6051 (3W)  
Size : 130x85x78mm



HLO-6052 (3W)  
Size : 171x66x73mm



HLO-6053 (3W)  
Size : 171x66x73mm




HLO-6056 (2W)  
Size : 114x114x65mm



HLO-6057 (4W)  
Size : 114x170x65mm



HLO-6058 (6W)  
Size : 114x226x65mm



HLO-6071 (3W)  
Size : Ø115x106mm



HLO-6072 (3W)  
Size : 110x110x93mm



HLO-6073 (3W)  
Size : 110x110x93mm



HLO-6075 (3W)  
Size : 90x90x38mm

## LED RECESSED FOOT / STEP LIGHT (IP54 & IP65)



HLO-6076 (3W)  
Size : 85x85x30mm  
Cut-Out : 80x80mm



HLO-6077 (3W)  
Size : 60x105x55mm  
Cut-Out : 45x90mm



HLO-6078 (3W)  
Size : 70x150x55mm  
Cut-Out : 65x130mm



HLO-6079 (6W)  
Size : 170x70x55mm  
Cut-Out : 160x65mm



HLO-6080 (10W)  
Size : 255x80x55mm  
Cut-Out : 245x70mm



HLO-6081 (13W)  
Size : 250x98x92mm  
Cut-Out : 240x90mm



HLO-6082 (7W)  
Size : 210x65x90mm  
Cut-Out : 200x58mm

## LED UNDERWATER CONCEALED LIGHT (IP68)



HLO-6201 (3W)  
Size : Ø62x75mm  
Size Without PVC Sleeve



HLO-6202 (3W) - RGB  
Size : Ø62x75mm  
Size Without PVC Sleeve



HLO-6210 (8W)  
Size : Ø116x55mm  
Size Without PVC Sleeve



HLO-6211 (8W) - RGB  
Size : Ø116x55mm  
Size Without PVC Sleeve



HLO-6218 (16W)  
Size : Ø160x55mm  
Size Without PVC Sleeve



HLO-6219 (16W) - RGB  
Size : Ø160x55mm  
Size Without PVC Sleeve



HLO-6223 (24W)  
Size : Ø180x55mm  
Size Without PVC Sleeve



HLO-6225 (36W)  
Size : Ø180x55mm  
Size Without PVC Sleeve

## LED UNDERWATER CONCEALED LIGHT (IP68)




HLO-6314 (21W)  
Size : Ø150x39mm  
Size Without PVC Sleeve




HLO-6509 (9W)  
Size : Ø297x67mm  
Size Without PVC Sleeve

## LED UNDERWATER SURFACE LIGHT (IP68)



HLO-6501 (3W)  
Size : Ø62x75xH90mm




HLO-6502 (3W) - RGB  
Size : Ø62x75xH90mm



HLO-6505 (6W)  
Size : Ø95x102x149mm



HLO-6512 (9W)  
Size : Ø95x102x149mm



HLO-6506 (14W)  
Size : Ø125x122xH194mm



HLO-6514 (18W)  
Size : Ø125x122x194mm



HLO-6516 (24W)  
Size : Ø150x129x224mm



HLO-6518 (36W)  
Size : Ø150x129x224mm



HLO-6508 (12W)  
Size : Ø115x32mm

**LED RECESSED CANOPY LIGHT (IP65)**



HLO-6751 (1W)  
Size : Ø25x82mm



HLO-6752 (1W)  
Size : Ø27x76mm



HLO-6753 (3W)  
Size : Ø37x35mm  
Cut-Out : Ø32mm



HLO-6755 (7W)  
Size : Ø68xH51mm  
Cut-Out : Ø60mm



HLO-6756 (12W)  
Size : Ø83xH58mm  
Cut-Out : Ø75mm



HLO-6773 (2W)  
Size : Ø28xH30mm  
Cut-Out : Ø20mm



HLO-6776 (4W)  
Size : Ø38xH45mm  
Cut-Out : Ø29mm



HLO-6779 (9W)  
Size : Ø62xH68mm  
Cut-Out : Ø52mm



HLO-6784 (18W)  
Size : Ø73xH88mm  
Cut-Out : Ø65mm

**LED LANDSCAPE PATH LIGHT (IP65)**



HLO-6801 (1W)  
Size : Ø43xH53mm



HLO-6802 (1W)  
Size : Ø38xH32mm  
Cut-Out : Ø28mm



HLO-6803 (1W)  
Size : Ø60xH29mm  
Cut-Out : Ø40mm



HLO-6805 (3W)  
Size : Ø56xH65mm  
Cut-Out : Ø40mm

**LED LANDSCAPE PATH LIGHT (IP65)**



HLO-6806 (3W)  
Size : Ø80xH40mm  
Cut-Out : Ø69mm



HLO-6807 (3W)  
Size : Ø105xH88mm  
Cut-Out : Ø72mm



HLO-6808 (6W)  
Size : Ø150xH80mm  
Cut-Out : Ø94mm



HLO-6809 (9W)  
Size : Ø108xH83mm  
Cut-Out : Ø72mm



HLO-6815 (7W)  
Size : Ø90xH65mm  
Cut-Out : Ø64mm



HLO-6817 (12W)  
Size : Ø90xH95mm  
Cut-Out : Ø67mm



HLO-6818 (20W)  
Size : Ø135xH95mm  
Cut-Out : Ø109mm



HLO-6841 (1W)  
Size : Ø62x95mm



HLO-6842 (1W)  
Size : Ø62x95mm



HLO-6844 (1W)  
Size : Ø62x95mm



HLO-6855 (10W)  
Size : Ø125xH140mm



HLO-6856 (10W)  
Size : Ø125xH140mm



HLO-6857 (10W)  
Size : Ø125xH140mm





HLO-6871 (15W)  
Size : Ø153x170mm

**LED IP RATING PROFILE LIGHT - (IP65) (Without Driver)**

Available colours: 2700K, 3000K, 3500K, 6500K, 7500K, RGB, TUNABLE CCT (3K to 65K) Red, Green , Blue, Pink, RGBW (4 IN1), RGBCW (5 IN 1)

Max length:8FT



Body colour : White, Black & Gray



HLO-6950 (5W to 20W/mtr)

Size : 10x6mm



Max Length: 8FT



HLO-6952 (5W to 20W/mtr)

Size : 15x12.40mm

Max Length: 8FT



HLO-6954 (5W to 20W/mtr)

Size : 17.50X16.50mm

Max Length: 8FT



*Elite Series*


**HYBEC**<sup>®</sup>

lighting the future


## LED IP RATING PROFILE LIGHT - (IP65) (Without Driver)




HLO-6956 (5W to 20W/mtr)  
**Size : 10.50x15mm**  
**Max Length: 8FT**




HLO-6958 (5W to 20W/mtr)  
**Size : 15x25.62mm**  
**Max Length: 8FT**



HLO-6960 (5W to 20W/mtr)  
**Size : 15x30.62mm**  
**Max Length: 8FT**





**LED IP RATING PROFILE LIGHT - (IP65) (Without Driver)**



HLO-6962 (5W to 30W/mtr)

**Size : 20x30.65mm**


**Max Length: 8FT**



HLO-6964 (10W to 30W/mtr)

**Size : 25x35.58mm**


**Max Length: 8FT**





HLO-6966 (10W to 30W/mtr)

**Size : 28x58mm**

**Max Length: 8FT**



**LED IP RATING PROFILE LIGHT - (IP65) (Without Driver)**



HLO-6968 (15W to 30W/mtr)


**Size : 40mmx30mm**

**Max Length: 8FT**

**LED IP RATING PROFILE WITH SINGLE LENS - (IP65)**



**Degree: 10 to 60°**




HLO-6970 (5W to 20W/mtr)

**Size : 10mmx6mm**

**Max Length: 8FT**



**Degree: 10 to 60°**



HLO-6972 (5W to 20W/mtr)

**Size : 15X12.40mm**


**Max Length: 8FT**

**LED IP RATING PROFILE WITH SINGLE LENS - (IP65)**



Degree: 10 to 60°

HLO-6974 (5W to 20W/mtr)  
**Size : 17.50x16.50mm**  
**Max Length: 8FT**




**LED IP RATING PROFILE WITH LINEAR LENS - (IP65)**




Degree: 15 to 30°  
 lens size: 200mm

HLO-6976 (5W to 20W/mtr)  
**Size : 17.50X16.50mm**  
**Max Length: 8FT**



Degree: 30 to 60°  
 lens size: 500mm

HLO-6978 (10W to 20W/mtr)  
**Size : 26x30.50mm**  
**Max Length: 8FT**



Elite Series




lighting the future


LED IP RATING PROFILE ANTI-GLARE WITH LENS - (IP65)




HLO-6980 (10Wto15W/mtr)  
**Size : 24.50x43mm**  
**Max Length: 8FT**




HLO-6982 (10Wto15W/mtr)  
**Size : 24.50x43mm**  
**Max Length: 8FT**



LED IP RATING PROFILE BUILDING FACADE LIGHT - (IP65)



HLO-6984 (5W to 30W/mtr)  
**Size : 24.50x43mm**  
**Max Length: 8FT**





*Elite Series*

**HYBEC**<sup>®</sup>

lighting the future

## LED IP RATING PROFILE BUILDING FACADE LIGHT - (IP65)





HLO-7086 (10Wto15W/mtr)

**Size : 24.50x43mm**

**Max Length: 8FT**

## LED IP RATING PROFILE LINEAR SURFACE BURIAL LIGHT - (IP65)



HLO-7088 (5W to 40W/mtr)

**Size : 29x60mm**

**Max Length: 8FT**




Elite Series



lighting the future

## IP RATING PROFILES ACCESSORIES - (CONNECTOR)



HLO-7005  
Size : M6 - 2WIRE



HLO-7006  
Size : M8 - 2WIRE  
3WIRE, 4WIRE



HLO-7007  
Size : M12 - 2WIRE, 3WIRE  
4WIRE, 5WIRE, 6WIRE

## IP RATING PROFILES ACCESSORIES - (RUBBER WATERPROOF WIRE)



HLO-7008  
Size : 2 / 3 / 4 / 5 CORE

## LED LINEAR WALL WASHER (IP65)



Length : 350mm

HLO-7011 (12W)  
Size : 38x96mm x L350mm



Length : 510mm

HLO-7012 (18W)  
Size : 38x96mm x L510mm



Length : 1000mm

HLO-7013 (36W)  
Size : 38x96mm x L1000mm

## LED LANDSCAPE PATH LIGHT (IP65)



Length : 300mm

HLO-7015 (6x1W)  
Size : 32x80mm x L300mm



Length : 500mm


HLO-7016 (12x1W)  
Size : 32x80mm x L500mm



Length : 1000mm

HLO-7017 (24x1W)  
Size : 32x80mm x L1000mm

**LED RIGID STRIP LIGHT (IP65)**



HLO-7020 (9.6W/Mtr)  
Size : 15x7mm x L1004mm

**LED OUTDOOR BULKHEAD LIGHT - PC BODY IP65**



HLO-7028 (12W)  
Size : L175xW100xH70mm



HLO-7030 (15W)  
Size : L210xW82xH65mm



HLO-7034 (12W)  
Size : Ø170xH60mm



HLO-7036 (18W)  
Size : Ø200xH60mm



HLO-7038 (12W)  
Size : Ø174xH50mm



HLO-7039 (12W)  
Size : Ø210xH65mm

**LED FLOOD LIGHT - AVAILABLE WITH LENSE IN (10°, 30°, 60°, 90°, 120°)**



HLO-7052 (300W)  
Size : 225x150x450mm



HLO-7056 (400W)  
Size : 225x150x450mm

Elite Series



lighting the future

## LED FLOOD LIGHT SERIES



HLO-7060 (30W)  
Size : 185x180x50mm  
GRAVITY FLOOD LIGHT SERIES



HLO-7061 (50W)  
Size : 227x218x55mm  
GRAVITY FLOOD LIGHT SERIES



HLO-7062 (100W)  
Size : 288x272x70mm  
GRAVITY FLOOD LIGHT SERIES



HLO-7063 (200W)  
Size : 318x308x75mm  
GRAVITY FLOOD LIGHT SERIES



HLO-7065 (50W)  
Size : 180x200x35mm  
FLORA OPTIC FLOOD LIGHT SERIES



HLO-7066 (100W)  
Size : 240x270x35mm  
FLORA OPTIC FLOOD LIGHT SERIES

## LED OUTDOOR LINEAR LIGHT - IP54



HLO-7080 (40W)  
Size : H52xW60mm

## LED TRI PROOF INDUSTRIAL BATTEN LIGHT (IP65)



HLO-7081 (20W)  
Size : L1185xW58xH68mm



HLO-7082 (40W)  
Size : L118xW58xH68mm

**LED STREET LIGHT - (IP65)**



HLO-7101 (30W)  
Size : 370x175x50mm



HLO-7102 (60W)  
Size : 460x210x60mm



HLO-7103 (90W)  
Size : 540x265x70mm



HLO-7104 (120W)  
Size : 635x315x80mm

**LED STREET LIGHT - WITH LENS IP68**



HLO-7114 (50W)  
Size : H80xW122xL400mm



HLO-7115 (60W)  
Size : 330x330x90mm

**LED STREET LIGHT - AVAILABLE WITH LENS (BRANDED DRIVER IP65)**



HLO-7116 (50W)  
Size : H80xW185xL370mm



HLO-7117 (72W)  
Size : H80xW185xL370mm



HLO-7120 (30W)  
Size : H65xW75xL380mm

**LED STREET LIGHT SERIES**



HLO-7121 (24W)  
Size : 87x319mm  
Pipe Dia - Ø100mm  
RAFALE STREET LIGHT SERIES



HLO-7122 (36W)  
Size : 87x348mm  
Pipe Dia - Ø100mm  
RAFALE STREET LIGHT SERIES



HLO-7123 (50W)  
Size : 100x457mm  
Pipe Dia - Ø100mm  
RAFALE STREET LIGHT SERIES

**GATE, WALL AND BOLLARD LIGHT (IP54)**



HLO-8001 - E27  
Size : 220x220x270mm



HLO-8003 - E27  
Size : 225x225x328mm



HLO-8005 - E27  
Size : 250x250x265mm



HLO-8006 - E27  
Size : Ø268x298mm



HLO-8008 - E27  
Size : 240x240x260mm



HLO-8009 - E27  
Size : 150x150x160mm



HLO-8012 - E27  
Size : 140x140x500mm



HLO-8014 - E27  
Size : Ø360x574mm



HLO-8019 - E27  
Size : 246x246x491mm



HLO-8056 - E27  
Size : 80x145x380mm



HLO-8085 - E27  
Size : Ø220x200mm



HLO-8086 - E27  
Size : Ø220x900mm



HLO-8089 - E27  
Size : 220x220x200mm



HLO-8090 - E27  
Size : 220x220x650mm



HLO-8095 - CFL  
Size : Ø120x302x178mm



HLO-8099 - E27  
Size : 230x448mm

**GATE, WALL AND BOLLARD LIGHT (IP54)**



HLO-8156 - E27  
Size : 108x108x200mm



HLO-8157 - E27  
Size : 110x110x450mm



HLO-8158 - E27  
Size : 120x250mm



HLO-8159 - E27  
Size : 120x300mm



HLO-8160 - E27  
Size : 120x500mm



HLO-8162 - E27  
Size : 108x108x200mm



HLO-8166 - E27  
Size : 108x245x148mm



HLO-8170 - E27  
Size : Ø108x250mm



HLO-8171 - E27  
Size : 175x200mm



HLO-8172 - E27  
Size : 175x300mm



HLO-8173 - E27  
Size : 175x650mm



HLO-8175 - E27  
Size : Ø108x650mm



HLO-8176 - E27  
Size : 135x104xH220mm



HLO-8177 - E27  
Size : 104x104x600mm



HLO-8181 - E27  
Size : Ø330xH525mm



HLO-8182 - E27  
Size : 105x135mmxH280mm



**GATE, WALL AND BOLLARD LIGHT (IP54)**



HLO-8183 - E27  
Size : 105x135mmxH420mm



HLO-8184 - E27  
Size : 150x150mmxH400mm



HLO-8185 - E27  
Size : 150x150mmxH800mm



HLO-8186 - E27  
Size : 102x140mmxH200mm



HLO-8187 - E27  
Size : 102x90mmxH500mm



HLO-8188 - E27  
Size : 102x90mmxH800mm

**ALUMINIUM DIE-CAST BULK-HEADS (IP44)**




HLO-8405 - B22  
Size : 255x128x85mm



HLO-8406 - B22  
Size : 265x130x100mm



HLO-8455 - T5  
Size : Ø270x107mm



HLO-8460 - E27  
Size : 220x224x150mm

UP-DOWN LIGHT (IP54)



HLO-8501 - GU10  
Size : Ø65x150x115mm



HLO-8502 - GU10  
Size : Ø65x260x115mm



HLO-8591 - GU10  
Size : Ø65x90mm



HLO-8592 -GU10  
Size : 65x65x90mm

GARDEN SPIKE LIGHT (IP65)



HLO-8651 - GU10  
Size : Ø65x140x105mm



HLO-8652 - GU10  
Size : Ø65x380x105mm



HLO-8662 - GU10  
Size : Ø96x344x175mm

## LED RECESSED DOWNLIGHT SERIES



**EB-9312 (1W)**  
Size : Ø30x18mm  
Cut-Out : Ø25mm



**EB-9313 (3W)**  
Size : Ø40x55mm  
Cut-Out : Ø35mm



**EB-9314 (3W)**  
Size : Ø45x27mm  
Cut-Out : Ø33mm



**EB-9310 (1W)**  
Size : Ø25x17mm  
Cut-Out : Ø22mm



**EB-9309 (2W)**  
Size : Ø52x28mm  
Cut-Out : Ø45mm




**EB-9317 (3W)**  
Size : Ø66x33mm  
Cut-Out : Ø58mm



**EB-9319 (5W)**  
Size : Ø46x59mm  
Cut-Out : Ø40mm



**EB-9321 (6W)**  
Size : Ø90x70mm  
Cut-Out : Ø80mm



**EB-9323 (10W)**  
Size : Ø90x65mm  
Cut-Out : Ø85mm



**EB-9330 (9W)**  
Size : Ø100x55mm  
Cut-Out : Ø85mm



**EB-9324 (18W)**  
Size : Ø110x85mm  
Cut-Out : Ø95mm



**EB-9325 (21W)**  
Size : Ø145x92mm  
Cut-Out : Ø130mm



**EB-9326 (30W)**  
Size : Ø195x96mm  
Cut-Out : Ø180mm



**EB-9327 (30W)**  
Size : Ø145x84mm  
Cut-Out : Ø135mm



**EB-9328 (40W)**  
Size : Ø165x110mm  
Cut-Out : Ø150mm



**EB-9332 (3W)**  
Size : Ø65x30mm  
Cut-Out : Ø60mm

## LED RECESSED DOWNLIGHT SERIES



EB-9333 (6W)  
Size : Ø80x65mm  
Cut-Out : Ø70mm



EB-9334 (12W)  
Size : Ø105x90mm  
Cut-Out : Ø90mm



EB-9381 (3W)  
Size : Ø65x25mm  
Cut-Out : Ø55mm



EB-9382 (5W)  
Size : Ø85x25mm  
Cut-Out : Ø75mm



EB-9383 (10W)  
Size : Ø105x30mm  
Cut-Out : Ø90mm



EB-9384 (15W)  
Size : Ø115x35mm  
Cut-Out : Ø95mm



EB-9385 (20W)  
Size : Ø135x40mm  
Cut-Out : Ø115mm

## LED STEP LIGHT



EB-9501 (3W)  
Size : 94x94x32mm  
Cut-Out : 84x84mm

## LED SURFACE SPOT LIGHT SERIES



EB-9418 (3W)  
Size : Ø45x55mm



EB-9419 (8W)  
Size : Ø55x60mm




EB-9420 (12W)  
Size : Ø68x65mm



EB-9421 (8W)  
Size : 55x55x57mm

**LED SURFACE SPOT LIGHT SERIES**



EB-9431 (15W)  
Size : 110x55x57mm




EB-9423 (12W)  
Size : Ø73x100mm



EB-9424 (20W)  
Size : Ø94x116mm




EB-9425 (30W)  
Size : Ø115x125mm



EB-9427 (12W)  
Size : 73x73x95mm



EB-9428 (20W)  
Size : 95x95x110mm



EB-9429 (30W)  
Size : 115x115x125mm

**LED SURFACE CABINET LIGHT - IRIS SERIES**



EB-9301 (2W)  
Size : Ø44x9mm




EB-9302 (3W)  
Size : Ø61x9mm




EB-9303 (6W)  
Size : Ø90x20mm



EB-9306 (2W)  
Size : 44x44x9mm



EB-9307 (3W)  
Size : 57x57x9mm



EB-9308 (6W)  
Size : 85x85x20mm

## LED SURFACE CABINET LIGHT - IRIS SERIES



EB-9131 (4W)  
Size : 327x23x8mm



EB-9132 (8W)  
Size : 586x23x8mm



EB-9133 (12W)  
Size : 901x23x8mm



EB-9134 (18W)  
Size : 1200x23x8mm

## TRIM-LESS PANEL LIGHT SERIES - TONE SERIES




EB-9612 (8W)  
Size : Ø95x19mm  
Cut-Out : Ø85mm




EB-9614 (15W)  
Size : Ø153x19mm  
Cut-Out : Ø142mm




EB-9615 (22W)  
Size : Ø178x19mm  
Cut-Out : Ø168mm



EB-9617 (8W)  
Size : 95x95x19mm  
Cut-Out : 85x85mm



EB-9619 (15W)  
Size : 153x153x19mm  
Cut-Out : 142x142mm



EB-9620 (22W)  
Size : 178x178x19mm  
Cut-Out : 168x168mm

## LED SLIM RECESSED PANEL - PC BODY - SONIC SERIES



EB-9622 (6W)  
Size : Ø116x36mm  
Cut-Out : Ø105mm



EB-9623 (9W)  
Size : Ø116x36mm  
Cut-Out : Ø105mm



EB-9625 (15W)  
Size : Ø166x36mm  
Cut-Out : Ø155mm



EB-9627 (22W)  
Size : Ø220x36mm  
Cut-Out : Ø205mm



## LED SLIM RECESSED PANEL - PC BODY - SONIC SERIES



EB-9632 (6W)  
Size : 116x116x36mm  
Cut-Out : 105x105mm



EB-9633 (9W)  
Size : 116x116x36mm  
Cut-Out : 105x105mm



EB-9635 (15W)  
Size : 166x166x36mm  
Cut-Out : 155x155mm



EB-9637 (22W)  
Size : 220x220x36mm  
Cut-Out : 205x205mm

## LED RECESSED PANEL LIGHT - VISON SERIES



EB-9652(4W)  
Size : Ø85x12mm  
Cut-Out : Ø72mm



EB-9653 (8W)  
Size : Ø120x12mm  
Cut-Out : Ø110mm



EB-9654 (12W)  
Size : Ø170x12mm  
Cut-Out : Ø160mm



EB-9655(15W)  
Size : Ø170x12mm  
Cut-Out : Ø160mm




EB-9656(22W)  
Size : Ø225x12mm  
Cut-Out : Ø210mm




EB-9657 (30W)  
Size : Ø300x12mm  
Cut-Out : Ø285mm



EB-9662 (4W)  
Size : 85x85x12mm  
Cut-Out : 72x72mm



EB-9663 (8W)  
Size : 120x120x12mm  
Cut-Out : 110x110mm




EB-9664(12W)  
Size : 170x170x12mm  
Cut-Out : 160x160mm



EB-9665 (15W)  
Size : 170x170x12mm  
Cut-Out : 160x160mm



EB-9666 (22W)  
Size : 225x225x12mm  
Cut-Out : 210x210mm



EB-9667 (30W)  
Size : 300x300x12mm  
Cut-Out : 285x285mm

## LED BACK LITE PANEL LIGHT WITH LENS - LH




EB-9543 (40W)  
Size : 595x595x30mm

## MULTIPURPOSE PANEL LIGHT (SIDELITE)



EB-9548 (40W)  
Size : 1195x295x7mm



EB-9549 (40W)  
Size : 1195x145x7mm

## LED RECESSED DOWNLIGHT - VELO SERIES



EB-9342 (8W)  
Size : Ø113x35mm  
Cut-Out : Ø98mm



EB-9343 (15W)  
Size : Ø145x35mm  
Cut-Out : Ø130mm



EB-9344 (22W)  
Size : Ø175x35mm  
Cut-Out : Ø160mm




EB-9347 (8W)  
Size : 113x113x35mm  
Cut-Out : 98x98mm



EB-9347 (8W)  
Size : 113x113x35mm  
Cut-Out : 98x98mm



EB-9348 (15W)  
Size : 145x145x35mm  
Cut-Out : 130x130mm



EB-9349 (22W)  
Size : 175x175x35mm  
Cut-Out : 160x160mm

## LED RECESSED DOWNLIGHT - XILO SERIES



EB-9572 (8W)  
Size : Ø123x47mm  
Cut-Out : Ø100mm



EB-9574 (15W)  
Size : Ø164x47mm  
Cut-Out : Ø150mm



EB-9675 (22W)  
Size : Ø189x47mm  
Cut-Out : Ø175mm



EB-9582 (8W)  
Size : 123x123x47mm  
Cut-Out : 100x100mm



EB-9584 (15W)  
Size : 164x164x47mm  
Cut-Out : 150x150mm



EB-9585 (22W)  
Size : 189x189x47mm  
Cut-Out : 175x175mm

## LED ULTRA SLIM RIM PANEL LIGHT - LOCUS SERIES



EB-9351 (5W)  
Size : Ø70x20mm  
Cut-Out : Ø60mm



EB-9532 (8W)  
Size : Ø110x18.5mm  
Cut-Out : Ø100mm



EB-9534 (15W)  
Size : Ø165x18.5mm  
Cut-Out : 150mm



EB-9358 (5W)  
Size : 70x70x20mm  
Cut-Out : 60x60mm



EB-9537 (8W)  
Size : 110x110x18.5mm  
Cut-Out : 100x100mm



EB-9539 (15W)  
Size : 165x165x18.5mm  
Cut-Out : 150x150mm

## LED SURFACE CEILING LIGHT - DIRO SERIES



EB-9362 (8W)  
Size : Ø113x33mm




EB-9363 (16W)  
Size : Ø168x33mm




EB-9364 (24W)  
Size : Ø218x33mm



EB-9365 (35W)  
Size : Ø300x33mm



EB-9367 (8W)  
Size : 113x113x33mm



EB-9368 (16W)  
Size : 168x168x33mm



EB-9369 (24W)  
Size : 218x218x33mm



EB-9370 (35W)  
Size : 300x300x33mm

## LED TRIM-LESS SURFACE PANEL LIGHT - DOMET SERIES



EB-9672 (8W)  
Size : Ø120x25mm



EB-9674 (15W)  
Size : Ø170x25mm



EB-9675 (22W)  
Size : Ø225x25mm



EB-9682 (8W)  
Size : 120x120x25mm



EB-9684 (15W)  
Size : 170x170mmx25mm



EB-9685 (22W)  
Size : 225x225mmx25mm



EB-9686 (30W)  
Size : 300x300mmx135mm

## LED G9 LAMP



**G9 LAMP NON-DIMMABLE  
FLICKER FREE WITH IC**

EB-9020 (3.5W)

Size : Ø60mmxH49

## LED LINKABLE TUBELIGHT



**ALUMINIUM BODY**

EB-9101 (5W)

Size : 1ft. Length



**ALUMINIUM BODY**

EB-9102 (11W)

Size : 2ft. Length



**ALUMINIUM BODY**

EB-9103 (22W)

Size : 4ft. Length

## LED T5 SLIM BATTEN LIGHT



**MADE IN INDIA**

EB-9112 (5W)

Size : 312x22x36mm



**MADE IN INDIA**

EB-9113 (11W)

Size : 536x22x36mm



**MADE IN INDIA**

EB-9114 (22W)

Size : 1136x22x36mm

## LED T5 BATTEN LIGHT



**MADE IN INDIA**

EB-9111 (20W)

Size : 600x30x38mm



**MADE IN INDIA**

EB-9119 (40W)

Size : 1205x30x38mm

## LED BATTEN LIGHT



EB-9115 (8W)  
Size : 300x38x39mm



EB-9116 (15W)  
Size : 600x38x39mm



EB-9117 (30W)  
Size : 1200x38x39mm

## LED BATTEN HANGING LIGHT



EB-9118 (30W)  
Size : 1200x38x39mm

## LED MIRROR LIGHT



EB-9122 (9W)  
Size : 300x36x37mm



EB-9123 (15W)  
Size : 600x36x37mm



EB-9124 (30W)  
Size : 1200x36x37mm

## LED MIRROR LIGHT - COLOUR CHANGING



EB-9126 (9W)  
Size : 300x36x37mm



EB-9127 (15W)  
Size : 600x36x37mm



# INDOOR & OUTDOOR - LED LIGHT FIXTURE

## LED FLEXI STRIP LIGHT - NON WATERPROOF INDOOR - IP20



EB-9072 (6W)  
Size : 8mm PCB



EB-9075 (12W)  
Size : 10mm PCB



EB-9078 (10W)  
Size : 8mm PCB



EB-9079 (10W)  
Size : 5mm PCB



EB-9081 (15W)  
Size : 10mm PCB



EB-9096 (24W)  
Size : 10mm PCB



EB-9084 (7.5W)  
Size : 10mm PCB



EB-9087 (15W)  
Size : 10mm PCB



EB-9092(15W)  
Size : 10mm PCB

## LED FLEXI STRIP LIGHT - WATERPROOF OUTDOOR - IP65



EB-9073 (6W)  
Size : 8mm PCB



EB-9074 (12W)  
Size : 8mm PCB



EB-9077 (18W)  
Size : 10mm PCB



EB-9086 (10W)  
Size : 5mm PCB

# INDOOR & OUTDOOR - LED LIGHT FIXTURE

## LED FLEXI STRIP LIGHT - WATERPROOF OUTDOOR - IP67



EB-9097 (12W)  
Size : 8mm PCB



EB-9099 (18W)  
Size : 10mm PCB



EB-9100 (22W)  
Size : 10mm PCB



EB-9085 (7.5W)  
Size : 10mm PCB



EB-9088 (15W)  
Size : 10mm PCB



EB-9091 (7.5W)  
Size : 10mm PCB



EB-9093 (15W)  
Size : 10mm PCB

## LED 220-240V STRIP LIGHT - OUTDOOR - IP65



EB-9080 (10W/MTR)  
Size : 11x6mm

## ACCESSORIES - SUITABLE FOR EB-9080



C-1  
1Clip + 2 Screws



C-2  
Middle Connector - 1pc



C-3 POWER CORD  
Plug + 1 Pin + 1 Endcap

## LED NEON FLEX STRIP LIGHT (DOT FREE) OUTDOOR



EB-9083 (8W/MTR)  
Size : H-18.5xW-10.5mm

## ACCESSORIES - SUITABLE FOR EB-9083




C-1  
1Clip + 2 Screws



C-2  
Middle Connector - 1pc



C-3 POWER CORD  
Plug + 1 Pin + 1 Endcap



C-4 - 1Mtr PROFILE  
Aluminium Profile Patti

## LED STRIP SMPS DRIVERS - 12V



EB-9202 (24W)  
Size : L93xW33xH26mm



EB-9203 (36W)  
Size : L93xW33xH26mm



EB-9205 (60W)  
Size : L166xW36xH25mm



EB-9206 (72W)  
Size : L166xW36xH25mm



EB-9208 (96W)  
Size : L186xW51xH40mm



EB-9210 (120W)  
Size : L186xW51xH40mm



EB-9216 (192W)  
Size : L210xW68xH43mm



EB-9220 (240W)  
Size : L210xW68xH43mm

**LED HIGH-BAY LIGHT OUTDOOR**



EB-9760 (50W)  
Size : Ø320xH112mm



EB-9761 (100W)  
Size : Ø320xH112mm



EB-9762 (150W)  
Size : Ø360xH112mm



EB-9763 (200W)  
Size : Ø400xH118mm



EB-REF 1  
(Suitable for 50W/100W)



EB-REF 2  
(Suitable for 150W)



EB-REF 3  
(Suitable for 200W)

**LED SPIKE LIGHT - OUTDOOR**



EB-9881 (3W)  
Size : 67x45x50mm



EB-9884 (6W)  
Size : 100x66x125mm



EB-9882 (3W)  
Size : 67x45x212mm



EB-9885 (6W)  
Size : 100x66x239mm

## SPECIAL OFFER ITEMS




EB-9311 (7W)  
Size : Ø110x36mm  
Cut-Out : Ø85mm




EB-9315 (3W)  
Size : Ø38x24mm  
Cut-Out : Ø30mm




EB-9316 (3W)  
Size : 45x45x27mm  
Cut-Out : Ø30mm



EB-9318 (3W)  
Size : 66x66x33mm  
Cut-Out : Ø58mm



EB-9322 (6W)  
Size : 90x90x70mm  
Cut-Out : Ø80mm



EB-9329 (10W)  
Size : 90x90x65mm  
Cut-Out : Ø85mm




EB-9004 (6W)  
Size : Ø50x55mm




EB-9407 (7W)  
Size : Ø50x79x116mm



EB-9422 (7W)  
Size : Ø60x106mm



EB-9375 (15W)  
Size : Ø165x48mm  
Cut-Out : Ø155mm



EB-9376 (22W)  
Size : Ø220x48mm  
Cut-Out : Ø205mm



EB-9535 (22W)  
Size : Ø185x18.5mm  
Cut-Out : Ø175mm



EB-9356 (30W)  
Size : Ø222x23mm  
Cut-Out : Ø210mm



EB-9540 (22W)  
Size : 185x185x18.5mm  
Cut-Out : 175x175mm



EB-9361 (30W)  
Size : 222x222x23mm  
Cut-Out : 210x210mm



EB-9552 (8W)  
Size : Ø110x28mm

## SPECIAL OFFER ITEMS



EB-9555 (22W)  
Size : Ø185x28mm



EB-9557 (8W)  
Size : 110x110x28mm



EB-9559 (15W)  
Size : 160x160x28mm



EB-9560 (22W)  
Size : 185x185x28mm



EB-9671-UFO (15W)  
Size : Ø130x78mm  
Cut-Out : Ø35mm



EB-9676 (8W)  
Size : Ø110x60mm  
Cut-Out : Ø75mm



EB-9014 (3W)



EB-9015 (5W)



EB-9016 (7W)



EB-9027 (55W)




EB-9030 (80W)



EB-9120 (18W)



EB-9080 (10W/MTR)  
Size : 11x6mm



EB-9701 (50W)  
Size : 174x206xH244x44mm



EB-9702 (70W)  
Size : 220x260xH300x44mm



EB-9715 (20W)  
Size : 220x162x38mm



## SPECIAL OFFER ITEMS



EB-9716 (30W)  
Size : 220x162x38mm



EB-9719 (150W)  
Size : 390x265x70mm



EB-9721 (10W)  
Size : 135x125x39mm



EB-9723 (30W)  
Size : 217x164x37mm



EB-9725 (100W)  
Size : 268x310x48mm



EB-9726 (150W)  
Size : 380x315x70mm



EB-9729 (110W)  
Size : 483x376x48mm



EB-9730 (220W)  
Size : 483x502x48mm



EB-9772 (20W)  
Size : 154x144x46mm



NOTES

A series of horizontal dotted lines spanning the width of the page, intended for handwritten notes.



